The state of the s

REMEDIAL SITE ASSESSMENT DECISION - EPA REGION IV Site Name: Sum TER INEN-SiTE EPA ID#: 5 CD981474729 Alias Site Names: City: Sumter County or Parish: Sum Ten Co. State: S — Refer to Report Dated: 9/28/94 Report type: EST Report developed by: SCPHEC DECISION: 1. Further Remedial Site Assessment under CERCLA (Superfund) is not required because: 12 1a. Site does not qualify for further remedial | | 1b. Site may qualify for further RCRA site assessment under CERCLA action, but is deferred to: NRC (Site Evaluation Accomplished - SEA) 2. Further Assessment Needed Under CERCLA: 2a. (optional) Priority: | | Higher Lower 2b. Activity | | HRS evaluation Type: | Other: DISCUSSION/RATIONALE: Closed out landfill under post closure munitoring by SCD/HEC, Soil + shallow gwon six c Contamennited with metal x + vocs, however motargets are being impacted and migration potential in minimal. Not NPL caliber NFRAP 10079468

Report Reviewed and Approved by: Engl Eszenim Signature: Eucl L. Box Date: 12/29 Site Decision

Made by: EARL BOZEMAN Signature: Signature: Signature: Date: 12/29/94

EPA Form # 9100-3

SITE SUMTER INERT PROJECT # 94-0234	SITE	(STATE)	STATE SC		HAROLD SEABROOK 01/10/94
SOILVOA BOOKED	8	DATA RECEIVED	02/23/94	FOR 7	SAMPLES
H2OVOA BOOKED	8	DATA RECEIVED	03/02/94	FOR 7	SAMPLES
SOILEXT BOOKED	8	DATA RECEIVED	02/23/94	FOR 7	SAMPLES
H20EXT BOOKED	7	DATA RECEIVED	02/23/94	FOR 6	SAMPLES
SOILPEST BOOKED	0	DATA RECEIVED) / /	FOR 0	SAMPLES
H2OPEST BOOKED	7	DATA RECEIVED	/ /	FOR 0	SAMPLES
SOILMET BOOKED	8	DATA RECEIVED	03/08/94	FOR 7	SAMPLES
H2OMET BOOKED	7	DATA RECEIVED	03/08/94	FOR 6	SAMPLES
SOILCN BOOKED	8	DATA RECEIVED	03/08/94	FOR 7	SAMPLES
H20CN BOOKED	7	DATA RECEIVED	03/08/94	FOR 6	SAMPLES
SOILOTH1 BOOKED	0	DATA RECEIVED	/ /	FOR	SAMPLES
SOILOTH2 BOOKED	0	DATA RECEIVED	/ /	FOR	SAMPLES
H2OOTH1 BOOKED	0	DATA RECEIVED	/ /	FOR	SAMPLES
H2OOTH2 BOOKED	0	DATA RECEIVED	/ /	FOR	SAMPLES
OTHER1 BOOKED	0	DATA RECEIVED	/ /	FOR	SAMPLES
OTHER2 BOOKED	0	DATA RECEIVED	/ /	FOR	SAMPLES
4					

REMARKS

LAB(CLP/ESD/FASP/QTM) CLP

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region 1V
Environmental Services Division
College Station Road, Athens, Ga. 30613

****MEMORANDUM*****

1 5

DATE: 03/03/94

SUBJECT: Results of Metals Analysis;

94-0234 SUMTER INERT SITE

SUMTER SC CASE NO: 21510

FROM: Charles H. Hooper

Chief, Laboratory Evaluation/Quality Assurance Section

TO: HAROLD SEABROOK

Attached are the results of analysis of samples collected as part of the subject project.

As a result of the Quality Assurance Review, certain data qualifiers may have been placed on the data. Attached is a DATA QUALIFIER REPORT which explains the reasons that these qualifiers were required.

If you have any questions please contact me.

ATTACHMENT

INORGANIC DATA QUALIFIERS REPORT

Case Number: 21510
Project Number: 94-0234
Site: Sumter Inert Site, Sumter, SC

Element	Flag	Samples Affected	Reason
A. Water Be, Cd, Cr, Co, Pb, Ag, V	υ	All positives > IDL, but < CRDL	Baseline instability
Al, Ba, Cu, Fe, Mg, K, Na, Zn	U	All positives > IDL, but < 10X contaminant level	Positives in blanks
Sb	J R	All positives All negatives	Matrix spike recovery = 11.4%
Cr	J	A11	Matrix spike recovery = 71.8%
v	J	A11	Matrix spike recovery = 73.4%
Zn	J	All	Matrix spike recovery = 73.4%
CN	J	All	Matrix spike recovery = 69%
Ca	J	A11	Serial dilution percent difference = 12.8%
A1	J	All positives	Blind spike recovery = 182%
Mn	J	All positives	Blind spike recovery = 206%
All Metals	J	A11	pH > 2.0 when received by the laboratory
CN	J	A11	pH < 12.0 when received by the laboratory
Ве	JN	MDGJ62	Suspected positive interference from high levels of Al and Fe (>200,000 ug/L each)
Со	J	MDGJ50	% RSD > 20% for ICP multiple exposures
Sb	ប	MDGJ64	% RSD > 20% for ICP multiple exposures and result > IDL, but < CRDL
Se	ŭ	MDGJ61	% RSD > 20% for ICP multiple exposures and result > IDL, but < CRDL
Se	J	MDGJ62	Only 2X CRDL standard required for ICP analysis by SOW
B. Soil Be, Cd, Cr, Co, Pb, Ag, V	ŭ	All positives > IDL, but < CRDL	Baseline instability
Al, Ca, Cu, Fe, Mg, Na, Zn	Ŭ	All positives > IDL, but < 10% contaminant level	Positives in blanks

INORGANIC DATA QUALIFIERS REPORT (continued)

Case Number: 21510 Project Number: 94-0234 Site: Sumter Inert Site, Sumter, SC

Element	Flag	Samples Affected	Reason
Sb	J R	All positives All negatives	Matrix spike recovery = 22.5%
Нg	J	All positives	Matrix spike recovery = 130.5%
Al	J	All positives	Blind spike recovery = 182%
Mn	J	All positives	Blind spike recovery = 206%
Ni	J	MDGJ52, 55, 60, & 65	% RSD > 20% for ICP multiple exposures
К	J	MDGJ55	% RSD > 20% for ICP multiple exposures
Tl	υ	MDGJ53 & 54	%RSD > 20% for ICP multiple exposures and result > IDL, but < CRDL
As	U	MDGJ57 & 60	<pre>%RSD > 20% for ICP multiple exposures and result > IDL, but < CRDL</pre>
As	J	MDGJ55	Only 2X CRDL standard required for ICP analysis by SOW

03/02/94

METALS DATA REPO	ORT				55, 52, 5
*** * * * * * *	* * * * * * * * * * * * * * * * * * * *		* * * * * * * * *	* * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * * *
** PROJECT NO	. 94-0234 SAMPLE NO. 8	32102 SAMPLE TYPE	: SOIL PROG	ELEM: NSF COLLECTED BY: I	
** SOURCE: SUI	NTER INERT SITE		CITY:	SUMTER_ ST:	SC **
** STATION ID			COLLE	CTION START: 01/12/94 1010) STOP: 00/00/00 **
** CASE NUMBER	R: 21510 SAS NI	JMBER:	MD N	UMBER: GJ53	**
**					**
*** * * * * * *	* * * * * * * * * * * * * * * * * * *		* * * * * * * * * *	* * * * * * * * * * * *	
MG/KG 17000J ALUMIN	ANALYTICAL RESU	1615	_ MG/KG	ANALYTICAL RES	SULIS
3.1UR ANTIMO			7.9J 0.06U	MANGANESE MERCURY	
6.8 ARSENIC	JN 1			ICKEL	
10 BARIUM	A		110	POTASSIUM	
1U BERYLI			0.640	SELENIUM	
0.23U CADMIU			0.940	SILVER	
600 CALCII			1300	SODIUM	
28 CHROM			2U NA	THALLIUM	
O.46U COBAL			ŅA	TIN	
6U COPPER	₹		61	VANADIUM	
23000 IRON			6Ú	ZINC	
	71184		16	PERCENT MOISTURE	
7.8 LEAD	STIIM		6Ú 16	PERCENT MOISTURE	

REMARKS

REMARKS

^{*}A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL
*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN
*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.
*R-QC INDICATES THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NECESSARY FOR VERIFICATION.

METALS DATA REPORT		LFA-REGION IV ESD, AT	HLNS, GA.	03/02/94
*** * * * * * * * * * * * * * * * * *	IERT SITE	CIT	* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *
### # # # # # # # # # # # # # # # # #	* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * * *

REMARKS

REMARKS

^{*}A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL
*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN
*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.
*R-QC INDICATES THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NECESSARY FOR VERIFICATION.

METALS DA	ATA REPORT						,	, , , , , , , , , , , , , , , , , , , ,					,	,
*** * * *	* * * * * * *		* * * * *	* * * *	* * *	* * * *	* * * *		* * * * *	* * * * *	* * * *	* * :	* * * *	***
	ECT NO. 94-02		NO. 82104	SAMPLE	TYPE:	SOIL			COLLECTED	BY: FM CAR	IS			* *
	RCE: SUMTER IN							Y: SUMTER	01/10/04	ST: SC	D. 00.40	0 /00		**
	ION ID: SB-03 NUMBER: 2151		SAS NUMBER				LOL	LECTION START: NUMBER: GJ55	01/12/94	1040 ST	OP: 00/0	10/00		**
**	. NUMBER. 2131	J	JAJ NUMBER	•			ML	NUMBER. G000						**
*** * * *	* * * * * *		* * * * *	* * * *	* * *	* * * *	* * * *			* * * * *	* * * *	* * :	* * * *	***
MG/KG		ANALYTICA	L RESULTS				MG/KG		ANALYTICA	L RESULTS				
4200J	ALUMINUM						27J	MANGANESE						
2.9UR 1.8J	ANTIMONY ARSENIC						0.1UJ 1.1J	MERCURY NICKEL						
14	BARIUM						67J	POTASSIUM						
1บี	BERYLLIUM						ŏ. 60u	SELENIUM						
0.210	CADMIUM						0.880	SĪLVER						
430	CALCIUM						1100	SODIUM						
4.2	CHROMIUM						0.790	THALLIUM						
1U 4U	COBALT COPPER						NA 20U	TÎN VANADIUM						
4000	IRON						20Ŭ	ZINC						
10	LEAD						11	PERCENT MOI	STURE					
140	MAGNESIUM													

REMARKS

REMARKS

^{*}TOUTNOTES***

*A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL

*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN

*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.

*R-QC INDICATES THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NECESSARY FOR VERIFICATION.

METALS DATA REPORT	EPA-KEGION IV	ESD, ATTIENS, GA.	. 03/02/94
*** * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	PROG ELEM: NSF COLLECTION START: 01/1: MD NUMBER: GJ56	* * * * * * * * * * * * * * * * * * *
*** * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *		* * * * * * * * * * * * * * * * * * *

REMARKS

REMARKS

^{*}A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL
*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L~ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN
*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.
*R-QC INDICATES THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NECESSARY FOR VERIFICATION.

SAMPLE AND ANALYSIS MANAGEMENT SYSTEM

EPA-REGION IV ESD, ATHENS, GA. 03/02/94 METALS DATA DEDORT

ME!ALS DA	IIA REPORT													
	ECT NO. 94-0234 CE: SUMTER INE		NO. 82106	SAMPLE	TYPE:	SOIL		* * * * * * * * * * * * * * * * * * *	COLLECTED	BY: FM C ST: SC	ARNS *	* * * *	* * * *	* ***
** STAT	ION ID: SD-05 NUMBER: 21510		AS NUMBER:				COL	LECTION START: NUMBER: GJ57	01/12/94		STOP: (00/00/00		**
** * * * *	* * * * * *	* * * * * :	* * * * *	* * * *	* * *	* * *	* * * * *	* * * * * * *	* * * * * *		* * *	* * * *	* * * :	**
MG/KG 6900J 5.1UR	ALUMINUM ANTIMONY	ANALYTICAL	RESULTS				MG/KG 91J 0.10U	MANGANESE MERCURY	ANALYTICA	AL RESULT	S			
20 50	ARSENIC BARIUM						3.7 420	NICKEL POTASSIUM						
1U 0.38U	BERYLLIUM CADMIUM						1.1U 1.6U	SELENIUM SILVER						
27000 9.1	CALCIUM CHROMIUM						220U 1.4U	SODIUM THALLIUM						
20 80 6900	COBALT COPPER IRON						NA 20U 60	TIN VANADIUM ZINC						
29 610	LEAD MAGNESIUM						50	PERCENT MO	ISTURE					

REMARKS

REMARKS

^{*}A-AVERAGE *NUE *NA-NOT ANALYZED *NAI~INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL
*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN
*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.
*R-QC INDICATES THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NECESSARY FOR VERIFICATION.

SAMPLE AND ANALYSIS MANAGEMENT SYSTEM EPA-REGION IV ESD, ATHENS, GA.

03/02/94

METALS DA	TA REPORT									
*** * * *	* * * * * * *	* * * * *	* * * * *	* * * * * *	* * * * * * *	* * * * *	* * * * * *	* * * * * * * *		* * * * ***
	ECT NO. 94-023		NO. 82107	SAMPLE TYPE	: SURFACEWA	PROG ELEM:		CTED BY: FM CAR	RNS	**
** SOUR	CE: SUMTER INE ION ID: S\-O5	RT SITE				CITY: SUMT	I START: 01/1	ST: SC 2/94 1015 S1	TOP: 00/00/00	**
** CASE	NUMBER: 21510)	SAS NUMBER			MD NUMBER	1: GJ58	2/34 1013 31	10F. 00/00/00	**
**										**
*** * * *	* * * * * * *		* * * * *	* * * * * *	* * * * * * *		* * * * * *	* * * * * * * *	* * * * * * *	* * * * ***
UG/L 220VJ	ALUMINUM	ANALYTICA	L RESULIS		50J	JG/L MANG	ANAL SANESE	YTICAL RESULTS		
2003 20UR	ANTIMONY					OUJ MERC				
3UJ	ARSENIC				50J	NICK	EL			
23J	BARIUM				130		SSIUM			
1UJ 2UJ	BERYLLIUM CADMIUM				30J 30J		NIUM			
2200J	CALCIUM				380					
301	CHROMIUM				4UJ		LIUM			
307	COBALT				ŅA	TIN				
8UJ	COPPER				<u>ອ</u> ິນປ		DIUM			
790J 4UJ	IRON LEAD				50	ZINC	•			
1300J	MAGNESIUM									

REMARKS SAMPLE RECEIVED WITH A PH GREATER THAN 2 ***REMARKS***

^{*}A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL
*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN
*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.
*R-QC INDICATES THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NECESSARY FOR VERIFICATION.

```
METALS DATA REPORT
PROJECT NO. 94-0234 SAMPLE NO. 82108 SAMPLE TYPE: SURFACEWA PROG ELEM: NSF COLLECTED BY: FM CARNS
                                                                                                       * *
   SOURCE: SUMTER INERT SITE
STATION ID: SW-08
                                                        CITY: SUMTER ST: SC
COLLECTION START: 01/12/94 1200 STOP: 00/00/00
MD NUMBER: GJ59
**
                                                                                                       **
* *
                                                                                                       * *
   CASE NUMBER: 21510
                          SAS NUMBER:
* *
                                                                                                       **
**
                                                                                                       * *
ANALYTICAL RESULTS
   UG/L
                   ANALYTICAL RESULTS
                                                      UG/L
                                                             MANGANESE
290UJ
       ALUMINUM
                                                     33J
20UR
       ANTIMONY
                                                      0.20UJ
                                                            MERCURY
                                                             NICKEL
3UJ
       ARSENIC
                                                     50J
                                                             POTASSIUM
20UJ
       BARIUM
                                                     1100UJ
                                                             SELENIUM
1UJ
       BERYLLIUM
                                                     3UJ
       CADMIUM
                                                             SILVER
2UJ
                                                     3UJ
1100J
       CALCIUM
                                                     2900J
                                                             SODIUM
                                                             THALLIUM
3UJ
        CHROMIUM
                                                     4UJ
3UJ
       COBALT
                                                     NA
                                                             TIN
       COPPER
                                                             VANADIUM
7UJ
                                                     307
520J
       IRON
                                                     5ÚJ
                                                             ZINC
4J
        LEAD
```

REMARKS SAMPLE RECEIVED WITH A PH GREATER THAN 2 ***REMARKS***

FOOTNOTES

1100J

MAGNESIUM

^{*}A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL
*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN
*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.
*R-QC INDICATES THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NECESSARY FOR VERIFICATION.

METALS DATA REPORT			,, -
*** * * * * * * * * * * * * * * * * * *	· • • • • • • • • • • • • • • • • • • •		* * * * * * * * * * ***
		ELEM: NSF COLLECTED BY: FM CARNS	**
** SOURCE: SUMTER INERT SITE		SUMTER ST: SC	**
** STATION ID: SD-08 ** CASE NUMBER: 21510 SAS NUMBER:		CTION START: 01/12/94 1215 STOP: NUMBER: GJ60	: 00/00/00 **
** CASE NUMBER: 21510 SAS NUMBER:	א טווו	IOMBER. GOOD	**
			* * * * * * * * * * ***
MG/KG ANALYTICAL RESULTS	MG/KG	ANALYTICAL RESULTS	
3700J ALUMINUM 3.4UR ANTIMONY	64J 0.06U	MANGANESE MERCURY	
1U ARSENIC	1.6J	NICKEL	
16 BARIUM	140	POTASSIUM	
O.O3U BERYLLIUM	0.700	SELENIUM	
0.25U CADMIUM	10	SILVER	
320 CALCIUM 4.1 CHROMIUM	140U 0.92U	SODIUM THALLIUM	
2U COBALT	NA NA	TIN	
2U COBALT 3U COPPER 3300 IRON	90	VANADIUM	
3300 IRON	9u 7u	ZINC	
5.6 LEAD	23	PERCENT MOISTURE	
230 MAGNESIUM			

^{*}A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL

*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN

*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.

*R-QC INDICATES THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NECESSARY FOR VERIFICATION.

METALS DATA R	DEDODT			EPA-	KEGION IV	230, A1	MENS, GA.			03/02/94
*** * * * * * ** PROJECT ** SOURCE: ** STATION	* * * * * * * NO. 94-0234 SUMTER INERT ID: MW-09 MBER: 21510		* * * * * 82110 SAN	* * * * PLE TYPE	* * * * * : GROUNDW	CIT	* * * * * * * * OG ELEM: NSF Y: SUMTER LECTION START: NUMBER: GJ61	* * * * * * * * * * * * * * * * * * *		* * * * *** ** ** **
20UR ANT 49J ARS 370J BAR 5UJ BER 3UJ CAD 20000J CAL 290J CHR 20UJ COP 80UJ COP 170000J IRO 190J LEA	UMINUM TIMONY SENIC RIUM RYLLIUM DMIUM LCIUM ROMIUM BALT PPER DN	* * * * * * * NALYTICAL RE	* * * * * SULTS	* * * *	* * * * *	* * * * * UG/L 180J 0.20UJ 48J 4800J 4UJ 7UJ 3100J 4UJ NA 470J 100UJ	MANGANESE MERCURY NICKEL POTASSIUM SELENIUM SILVER SODIUM THALLIUM TIN VANADIUM ZINC	* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * TS	* * * * ***

REMARKS SAMPLE RECEIVED WITH A PH GREATER THAN 2 ***REMARKS***

^{*}A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL
*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN
*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.
*R-QC INDICATES THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NECESSARY FOR VERIFICATION.

SAMPLE AND ANALYSIS MANAGEMENT SYSTEM EPA-REGION IV ESD, ATHENS, GA.

03/02/94

METALS D	DATA REPORT										
*** * * ** PRO ** SOU ** STA	X * * * * * * DJECT NO. 94-02 URCE: SUMTER IN ATION ID: MW-12 SE NUMBER: 2151	ERT SITE	* * * * * * NO. 82111 SAS NUMBER		E: GROUNDWA	CITY: COLLE	ELEM: NSF SUMTER CTION START: UMBER: GJ62		BY: FM CARNS ST: SC 1215 STOP:	00/00/00	* * * * *** ** ** **
*** * * UG/U 230000J 20UR 65J 380J 6JN 3UJ 21000J 400J 20UJ 90UJ 240000J 200J 6500J	* * * * * * * * ALUMINUM ANTIMONY ARSENIC BARIUM BERYLLIUM CADMIUM CALCIUM CHROMIUM COBALT COPPER IRON LEAD MAGNESIUM	* * * * * * * * * * * * * * * * * * *	* * * * * * * AL RESULTS	* * * * * *		* * * * * UG/L 260J 0.20UJ 45J 5100J 44 10UJ 4400J 4400J NA 610J 100UJ	MANGANESE MERCURY NICKEL POTASSIUM SELENIUM SILVER SODIUM THALLIUM TIN VANADIUM ZINC	* * * * * * * ANALYTICA	* * * * * * * L RESULTS	* * * *	* * * * ***

REMARKS SAMPLE RECEIVED WITH A PH GREATER THAN 2 ***REMARKS***

^{*}A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL
*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN
*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.
*R-QC INDICATES THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NECESSARY FOR VERIFICATION.

03/02/94

METALS DATA REPORT		ETA REGION IV COD, ATTENO, CA.	00/02/94
*** * * * * * * * * * * * * * * * * *	H-0234 SAMPLE NO. 82112 SAMPLE INERT SITE		* * * * * * * * * * * * * * * * * * *
### # # # # # # # # # # # # # # # # #			* * * * * * * * * * * * * * * * * * *

REMARKS SAMPLE RECEIVED WITH A PH GREATER THAN 2 ***REMARKS***

^{*}A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL
*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN
*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.
*R-QC INDICATES THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NECESSARY FOR VERIFICATION.

03/02/94

METALS D	ATA REPORT				•	-			· · · · ·
*** * * * * * * * * * * * * * * * * *	F F F F F F F F F F F F F F F F F F F			* * * * * * * * * * * * * * * * * * *	PROG		COLLECTED BY: FM CARNS ST: SC		* * * * ***
** STA	TION ID: MW-11 E NUMBER: 21510		AS NUMBER:		COLL	ECTION START: NUMBER: GJ64		: 00/00/00	**
	ALUMINUM ANTIMONY ARSENIC BARIUM BERYLLIUM CADMIUM CALCIUM CHROMIUM COBALT COPPER IRON LEAD MAGNESIUM	* * * * * * ANALYTICAL		* * * * * *	* * * * * UG/L 1900J D. 26J 130J 150000J 3UJ 3UJ 3UJ 3UJ 3UJ 3UJ 3UJ 4UJ 4UJ 2900J	MANGANESE MERCURY NICKEL POTASSIUM SELENIUM SILVER SODIUM TIN VANADIUM ZINC	* * * * * * * * * * * * * * * * * * *	* * * * *	• •

REMARKS SAMPLE RECEIVED WITH A PH GREATER THAN 2 ***REMARKS***

FOOTNOTES

*A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL
*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN
*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.
*R-QC INDICATES THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NECESSARY FOR VERIFICATION.

METALS DATA REPORT		EPA-REGION IV	ESU, AIRE	NS, UA.		03/02/94
** PROJECT NO. 94-023 ** SOURCE: SUMTER INE ** STATION ID: SB-13 ** CASE NUMBER: 21510	RT SITE	TYPE: SOIL	CITY: COLLE	ELEM: NSF COLLECTE SUMTER CTION START: 01/12/9 UMBER: GJ65	D BY: FM CARNS ST: SC 4 1010 STOP:	* * * * * * * * * * * * * * * * * * *
#** * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	* * * * * *	* * * * * * * MG/KG 9.7J 0.06U 3.6J 180 0.62U 2U 150U 0.82U NA 64 8U 16	* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	* * * * * * * * * ***

^{*}COTOCTO ****

*A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL

*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN

*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.

*R-QC INDICATES THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NECESSARY FOR VERIFICATION.

- 🖆

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region IV
Environmental Services Division
College Station Road, Athens, Ga. 30613

****MEMORANDUM*****

DATE: 03/03/94

SUBJECT: Results of Specified Analysis;

94-0234 SUMTER INERT SITE

SUMTER SC CASE NO: 21510

FROM: Charles H. Hooper

Chief, Laboratory Evaluation/Quality Assurance Section

TO: HAROLD SEABROOK

Attached are the results of analysis of samples collected as part of the subject project.

As a result of the Quality Assurance Review, certain data qualifiers may have been placed on the data. Attached is a DATA QUALIFIER REPORT which explains the reasons that these qualifiers were required.

If you have any questions please contact me.

ATTACHMENT

INORGANIC DATA QUALIFIERS REPORT

Case Number: 21510
Project Number: 94-0234
Site: Sumter Inert Site, Sumter, SC

Element	Flag	Samples Affected	Reason
A. Water Be, Cd, Cr, Co, Pb, Ag, V	U	All positives > IDL, but < CRDL	Baseline instability
Al, Ba, Cu, Fe, Mg, K, Na, Zn	U	All positives > IDL, but < 10X contaminant level	Positives in blanks
Sb	J R	All positives All negatives	Matrix spike recovery = 11.4%
Cr	J	A11	Matrix spike recovery = 71.8%
V	J	A11	Matrix spike recovery = 73.4%
Zn	J	All	Matrix spike recovery = 73.4%
CN	J	A11	Matrix spike recovery = 69%
Ca	J	A11	Serial dilution percent difference = 12.8%
A1	J	All positives	Blind spike recovery = 182%
Mn	J	All positives	Blind spike recovery = 206%
All Metals	J	A11	pH > 2.0 when received by the laboratory
CN	J	All	pH < 12.0 when received by the laboratory
Ве	JN	MDGJ62	Suspected positive interference from high levels of Al and Fe (>200,000 ug/L each)
Со	J	MDGJ50	<pre>% RSD > 20% for ICP multiple exposures</pre>
Sb	U	MDGJ64	% RSD > 20% for ICP multiple exposures and result > IDL, but < CRDL
Se	U	MDGJ61	% RSD > 20% for ICP multiple exposures and result > IDL, but < CRDL
Se _.	J	MDGJ62	Only 2X CRDL standard required for ICP analysis by SOW
B. Soil Be, Cd, Cr, Co, Pb, Ag, V	U	All positives > IDL, but < CRDL	Baseline instability
Al, Ca, Cu, Fe, Mg, Na, Zn	U	All positives > IDL, but < 10X contaminant level	Positives in blanks

INORGANIC DATA QUALIFIERS REPORT (continued)

Case Number: 21510
Project Number: 94-0234
Site: Sumter Inert Site, Sumter, SC

Element	Flag	Samples Affected	Reason
Sb	J R	All positives All negatives	Matrix spike recovery = 22.5%
Hg	J	All positives	Matrix spike recovery = 130.5%
Al	J	All positives	Blind spike recovery = 182%
Mn	J	All positives	Blind spike recovery = 206%
Ni	J	MDGJ52, 55, 60, & 65	% RSD > 20% for ICP multiple exposures
К	J	MDGJ55	% RSD > 20% for ICP multiple exposures
Tl	Ŭ	MDGJ53 & 54	%RSD > 20% for ICP multiple exposures and result > IDL, but < CRDL
As	U	MDGJ57 & 60	%RSD > 20% for ICP multiple exposures and result > IDL, but < CRDL
As	J	MDGJ55	Only 2X CRDL standard required for ICP analysis by SOW

SAMPLE AND ANALYSIS MANAGEMENT SYSTEM EPA-REGION IV ESD, ATHENS, GA.

03/02/94

SPECIFIED ANALYSIS DATA REPORT PROJECT NO. 94-0234 SAMPLE NO. 82102 SAMPLE TYPE: SOIL SOURCE: SUMTER INERT SITE STATION ID: SB-01 CASE.NO.: 21510 SAS NO.: PROG ELEM: NSF COLLECTED BY: FM CARNS CITY: SUMTER ST: SC COLLECTION START: 01/12/94 1010 STOP: 00/00/00 D. NO.: GJ53 MD NO: GJ53 ** ** * * * * * * ** * * ** * ***

> RESULTS UNITS PARAMETER 0.570 MG/KG CYANIDE

^{*}A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL *K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN *U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.

SPECIFIED ANALYSIS DATA REPORT

PROJECT NO. 94-0234 SAMPLE NO. 82103 SAMPLE TYPE: SOIL PROG ELEM: NSF COLLECTED BY: FM CARNS SOURCE: SUMTER INERT SITE CITY: SUMTER ST: SC COLLECTION START: 01/12/94 1150 STOP: 00/00/00 D. NO.: GJ54 MD NO: GJ54 * * * * * * * *

CASE NO .: 21510 SAS NO.: * * ** * * * ***

RESULTS UNITS PARAMETER 0.65U MG/KG CYANIDE

^{*}A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL
*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN
*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.

* *

* *

SPECIFIED ANALYSIS DATA REPORT PROJECT NO. 94-0234 SAMPLE NO. 82104 SAMPLE TYPE: SOIL PROG ELEM: NSF COLLECTED BY: FM CARNS CITY: SUMTER ST: SC ** SOURCE: SUMTER INERT SITE CITY: SUMTER ST: SC COLLECTION START: 01/12/94 1040 STOP: 00/00/00 * * * *

CASE.NO .: 21510 SAS NO.: D. NO.: GJ55 MD NO: GJ55 * * * *

> RESULTS UNITS PARAMETER 0.56U MG/KG CYANIDE

^{*}A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL
*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN
*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.

SAMPLE AND ANALYSIS MANAGEMENT SYSTEM EPA-REGION IV ESD, ATHENS, GA.

03/02/94

SPECIFIED ANALYSIS DATA REPORT PROJECT NO. 94-0234 SAMPLE NO. 82105 SAMPLE TYPE: SOIL SOURCE: SUMTER INERT SITE STATION ID: SB-04 CASE.NO.: PROG ELEM: NSF COLLECTED BY: FM CARNS * * CITY: SUMTER ST: SC COLLECTION START: 01/12/94 1225 STOP: 00/00/00 * * ** * * * * D. NO.: GJ56 MD NO: GJ56 * * * * * * * *

> RESULTS UNITS PARAMETER 0.59U MG/KG CYANIDE

^{*}A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL *K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN *U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.

SAMPLE AND ANALYSIS MANAGEMENT SYSTEM EPA-REGION IV ESD, ATHENS, GA.

03/02/94

* *

* *

**

* *

SPECIFIED ANALYSIS DATA REPORT

* *

PROJECT NO. 94-0234 SAMPLE NO. 82106 SAMPLE TYPE: SOIL SOURCE: SUMTER INERT SITE STATION ID: SD-05 PROG ELEM: NSF COLLECTED BY: FM CARNS * *

** * *

CITY: SUMTER ST: SC COLLECTION START: 01/12/94 1030 STOP: 00/00/00 CASE NO. : 21510 MD NO: GJ57 SAS NO.: D. NO.: GJ57

RESULTS UNITS PARAMETER 0.93U MG/KG CYANIDE

^{*}A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL
*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN
*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.

SAMPLE AND ANALYSIS MANAGEMENT SYSTEM EPA-REGION IV ESD, ATHENS, GA.

03/02/94

* ***

SPECIFIED ANALYSIS DATA REPORT

* *

PROJECT NO. 94-0234 SAMPLE NO. 82107 SAMPLE TYPE: SURFACEWA PROG ELEM: NSF COLLECTED BY: FM CARNS SOURCE: SUMTER INERT SITE ST: SC STATION ID: SW-05 COLLECTION START: 01/12/94 1015 STOP CITY: SUMTER ST: SC COLLECTION START: 01/12/94 1015 STOP: 00/00/00 * * ** * * ** CASE NO .: 21510 SAS NO.: MD NO: GJ58 * * D. NO.: GJ58 **

> RESULTS UNITS PARAMETER 10UJ UG/L CYANIDE

REMARKS ***REMARKS*** SAMPLE NOT PRESERVED, HOWEVER, HOLDING TIME & QC CRITERIA MET!

^{*}A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL
*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN
*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.

SAMPLE AND ANALYSIS MANAGEMENT SYSTEM EPA-REGION IV ESD. ATHENS. GA.

03/02/94

SPECIFIED ANALYSIS DATA REPORT PROJECT NO. 94-0234 SAMPLE NO. 82108 SAMPLE TYPE: SURFACEWA PROG ELEM: NSF COLLECTED BY: FM CARNS * * SOURCE: SUMTER INERT SITE STATION ID: SW-08 CITY: SUMTER ST: SC COLLECTION START: 01/12/94 1200 STOP: 00/00/00 * * * * * * * * CASE.NO .: 21510 SAS NO.: MD NO: GJ59 D. NO.: GJ59 ** * * * * * *

> RESULTS UNITS PARAMETER 10UJ UG/L CYANIDE

REMARKS ***REMARKS*** SAMPLE NOT PRESERVED, HOWEVER, HOLDING TIME & QC CRITERIA MET!

^{*}A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL *K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN *U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.

SAMPLE AND ANALYSIS MANAGEMENT SYSTEM EPA-REGION IV ESD, ATHENS, GA.

03/02/94

* *

SPECIFIED ANALYSIS DATA REPORT

**

PROJECT NO. 94-0234 SAMPLE NO. 82109 SAMPLE TYPE: SOIL PROG ELEM: NSF COLLECTED BY: FM CARNS ** * * SOURCE: SUMTER INERT SITE STATION ID: SD-08 CITY: SUMTER ST: SC COLLECTION START: 01/12/94 1215 STOP: 00/00/00 ** * * * * CASE NO.: 21510 D. NO.: GJ60 MD NO: GJ60 SAS NO.: * * * *

RESULTS UNITS PARAMETER 0.63U MG/KG CYANIDE

^{*}A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL *K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN *U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.

SPECIFIED ANALYSIS DATA REPORT

PROJECT NO. 94-0234 SAMPLE NO. 82110 SAMPLE TYPE: GROUNDWA PROG ELEM: NSF COLLECTED BY: FM CARNS CITY: SUMTER ST: SC COLLECTION START: 01/12/94 1055 STOP: 00/00/00 * * * * * *

SOURCE: SUMTER INERT SITE STATION ID: MW-09 CASE.NO.: 21510 SAS NO.: D. NO.: GJ61 MD NO: GJ61 * *

* * * * * *

> RESULTS UNITS PARAMETER 10UJ UG/L CYANIDE

REMARKS SAMPLE NOT PRESERVED, HOWEVER, HOLDING TIME & QC CRITERIA MET!

FOOTNOTES *A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL
*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN
*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.

REMARKS

SAMPLE AND ANALYSIS MANAGEMENT SYSTEM EPA-REGION IV ESD, ATHENS, GA.

03/02/94

SPECIFIED ANALYSIS DATA REPORT

PROJECT NO. 94-0234 SAMPLE NO. 82111 SAMPLE TYPE: GROUNDWA PROG ELEM: NSF COLLECTED BY: FM CARNS CITY: SUMTER ST: SC COLLECTION START: 01/12/94 1215 STOP: 00/00/00 SOURCE: SUMTER INERT SITE * * * * STATION ID: MW-12 * *

CASE.NO.: 21510 SAS NO.: D. NO.: GJ62 MD NO: GJ62 * * * * **

> RESULTS UNITS PARAMETER 10UJ UG/L CYANIDE

REMARKS SAMPLE NOT PRESERVED, HOWEVER, HOLDING TIME & QC CRITERIA MET!

FOOTNOTES

REMARKS

^{*}A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL
*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN
*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.

* *

* *

* *

* *

45

SPECIFIED ANALYSIS DATA REPORT

PROJECT NO. 94-0234 SAMPLE NO. 82112 SAMPLE TYPE: GROUNDWA PROG ELEM: NSF COLLECTED BY: FM CARNS

** SOURCE: SUMTER INERT SITE **

CITY: SUMTER ST: SC COLLECTION START: 01/12/94 1310 STOP: 00/00/00

** STATION ID: MW-10 * * CASE.NO.: 21510

* *

SAS NO.:

MD NO: GJ63 D. NO.: GJ63

RESULTS UNITS PARAMETER 10UJ UG/L CYANIDE

REMARKS SAMPLE NOT PRESERVED, HOWEVER, HOLDING TIME & QC CRITERIA MET! ***REMARKS***

FOOTNOTES *A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL *K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN *U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.

SPECIFIED ANALYSIS DATA REPORT

**

PROJECT NO. 94-0234 SAMPLE NO. 82113 SAMPLE TYPE: GROUNDWA PROG ELEM: NSF COLLECTED BY: FM CARNS

SOURCE: SUMTER INERT SITE STATION ID: MW-11 CITY: SUMTER ST: SC

* * COLLECTION START: 01/12/94 1420 STOP: 00/00/00 CASE.NO.: 21510 MD NO: GJ64 ** SAS NO.: D. NO.: GJ64

* * * * * *

> RESULTS UNITS PARAMETER 10UJ UG/L CYANIDE

REMARKS SAMPLE NOT PRESERVED, HOWEVER, HOLDING TIME & QC CRITERIA MET!

FOOTNOTES

*A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL
*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN
*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.

REMARKS

* *

**

<1

* *

* *

* *

**

** ***

SPECIFIED ANALYSIS DATA REPORT

**

PROG ELEM: NSF COLLECTED BY: FM CARNS CITY: SUMTER ST: SC COLLECTION START: 01/12/94 1010 STOP: 00/00/00 PROJECT NO. 94-0234 SAMPLE NO. 82114 SAMPLE TYPE: SOIL

SOURCE: SUMTER INERT SITE STATION ID: 58-13 **

CASE NO .: 21510 SAS NO.: D. NO.: GJ65 MD NO: GJ65 * * **

RESULTS UNITS PARAMETER 0.58U MG/KG CYANIDE

^{*}A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL
*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN
*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.

SITE GRANITEVILLE PROJECT # 94-0240	CO/LAG	GOON	(ESI)	STATE	SC		JOE SLYKERMAN 01/24/94	(B&V)
SOILVOA BOOKED	20	DATA	RECEIVE) /	/	FOR	SAMPLES	
H2OVOA BOOKED	12	DATA	RECEIVE) /	/	FOR	SAMPLES	
SOILEXT BOOKED	20	DATA	RECEIVE) /	/	FOR	SAMPLES	
H2OEXT BOOKED	11	DATA	RECEIVE	/	/	FOR	SAMPLES	
SOILPEST BOOKED	20	DATA	RECEIVE	/	/	FOR	SAMPLES	
H2OPEST BOOKED	11	DATA	RECEIVE) /	/	FOR	SAMPLES	
SOILMET BOOKED	20	DATA	RECEIVE	/	/	FOR	SAMPLES	
H2OMET BOOKED	12	DATA	RECEIVE) /	/	FOR	SAMPLES	
SOILCN BOOKED	20	DATA	RECEIVED) /	/	FOR	SAMPLES	
H20CN BOOKED	12	DATA	RECEIVED	/	/	FOR	SAMPLES	
SOILOTH1 BOOKED	4	DATA	RECEIVED	03/0	7/94	FOR 3	SAMPLES	
SOILOTH2 BOOKED	0	DATA	RECEIVED) /	/	FOR	SAMPLES	
H2OOTH1 BOOKED	0	DATA	RECEIVED) /	/	FOR	SAMPLES	
H2OOTH2 BOOKED	0	DATA	RECEIVED) /	/	FOR	SAMPLES	
OTHER1 BOOKED	0	DATA	RECEIVED	/	/	FOR	SAMPLES	
OTHER2 BOOKED	0	DATA	RECEIVED) /	/	FOR	SAMPLES	

REMARKS OTHER=DIOXIN

LAB(CLP/ESD/FASP/QTM) CLP

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region IV
Environmental Services Division
College Station Road, Athens, Ga. 30613

****MEMORANDUM*****

DATE: 03/03/94

SUBJECT; Results of Dioxin/Furan Analysis;

94-0240 GRANITEVILLE LAGOON

GRANITEVIL SC

CASE NO: 21557SAS NC: 8134D

FROM: Charles H. Hooper

Chief, Laboratory Evaluation/Quality Assurance Section

TO: JOE SLYKERMAN

Attached are the results of analysis of samples collected as part of the subject project.

As a result of the Quality Assurance Review, certain data qualifiers may have been placed on the data. Attached is a DATA QUALIFIER REPORT which explains the reasons that these qualifiers were required.

If you have any questions please contact me.

ATTACHMENT

DATA QUALIFIER REPORT

Project No.: 94-0240

Case No.: 21557 SAS No.: 8134D

: ;

Site Name: Graniteville, Graniteville, SC

Affected Samples	<u>Analyte</u>	Flag <u>Used</u>	Reason
All	total congeners	J	Assumed Resp. Factors/ Cal. Stds not available for all congeners
32423	OCDD	J	low internal standard recovery
82424	1234678 HpCDF	J .	2
82425	123789 HxCDD	J	2

TEQ's: The Toxic Equivalent (TEQ) represents a summation of values from the individual equivalents that are calculated for each of the 2,3,7,8 containing isomers. If 10% or greater of the total value was from data considered to be estimated, then the TEQ is reported as estimated (J flag).

Abbreviation Key:

TCDD =	Tetrach:	lorod	ibenzod	ioxin	TCDF	= '	retrach.	lorod	iben	zofi	uran
PeCDD =	Penta	11	П	11	PeCDF	=	Penta	11	**	11	11
HxCDD =	Hexa	11	11	11	HxCDF	=	Hexa	11	**	11	11
HpCDD =	Hepta	11	11	11	HpCDF	=	Hepta	11	11	11	11
OCDD =	Octa	11	**	11	OCDF	=	Octa	11	11	11	**

Reason Codes

- 1. Results lower than the minimum quantitation limit
- 2. Results higher than the maximum calibration limit
- 3. Poor precision on the 2,3,7,8-TCDF confirmation column

SAMPLE AND ANALYSIS MANAGEMENT SYSTEM EPA-REGION IV ESD, ATHENS, GA.

* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *
* * * * * E: SOIL	* * * * * * * * * * * * * * * * * * *
N. 9 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	* * * * * * * * * * * * * * * * * * *

FOOTNOTES
*A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL
*A-AVERAGE VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN
*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *LACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN
*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.
*R-QC INDICATES THAT DATA UNUSABLE. COMPOUND WAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NECESSARY FOR VERIFICATION.

3 °

SAMPLE AND ANALYSIS MANAGEMENT SYSTEM EPA-REGION IV ESD, ATHENS, GA.

> #	** * * * * * * * * * * * * * * * * * *
* LLI	MG/KG NG/KG NG/KG 1.0U 1.0

FOOTNOTES
*A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL
*A-AVERAGE VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN
*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN
*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.
*R-GC INDICATES THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NECESSARY FOR VERIFICATION.

DIOXIN/FURAN DATA REPORT

SITE SUMTER INERT PROJECT # 94-0234	SITE	(STATE)	STATE SC		HAROLD SEABROOK 01/10/94
SOILVOA BOOKED	8	DATA RECEIVE	02/23/94	FOR 7	SAMPLES
H2OVOA BOOKED	8	DATA RECEIVE	03/02/94	FOR 7	SAMPLES
SOILEXT BOOKED	8	DATA RECEIVE	02/23/94	FOR 7	SAMPLES
H2OEXT BOOKED	7	DATA RECEIVE	02/23/94	FOR 6	SAMPLES
SOILPEST BOOKED	0	DATA RECEIVE) / /	FOR 0	SAMPLES
H2OPEST BOOKED	7	DATA RECEIVE) / /	FOR 0	SAMPLES
SOILMET BOOKED	8	DATA RECEIVE) / /	FOR	SAMPLES
H2OMET BOOKED	7	DATA RECEIVE	/ /	FOR	SAMPLES
SOILCN BOOKED	8	DATA RECEIVE) / /	FOR	SAMPLES
H2OCN BOOKED	7	DATA RECEIVED	/ /	FOR	SAMPLES
SOILOTH1 BOOKED	0	DATA RECEIVED	//	FOR	SAMPLES
SOILOTH2 BOOKED	0	DATA RECEIVED	/ /	FOR	SAMPLES
H200TH1 BOOKED	0	DATA RECEIVED	/ /	FOR	SAMPLES
н200тн2 воокер	0	DATA RECEIVED	/ /	FOR	SAMPLES
OTHER1 BOOKED	0	DATA RECEIVED	/ /	FOR	SAMPLES
OTHER2 BOOKED	0	DATA RECEIVED	/ /	FOR	SAMPLES
LAB(CLP/ESD/FASP/	(MT	CLP			

REMARKS

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region IV
Environmental Services Division
College Station Road, Athens, Ga. 30613

****MEMORANDUM*****

, ~ 3° 8

DATE: 02/26/94

SUBJECT: Results of Purgeable Organic Analysis;

94-0234 SUMTER INERT SITE

SUMTER SC CASE NO: 21510

FROM: Charles H. Hooper

Chief, Laboratory Evaluation/Quality Assurance Section

TO: HAROLD SEABROOK

Attached are the results of analysis of samples collected as part of the subject project.

As a result of the Quality Assurance Review, certain data qualifiers may have been placed on the data. Attached is a DATA QUALIFIER REPORT which explains the reasons that these qualifiers were required.

If you have any questions please contact me.

ATTACHMENT

PURGEABLE ORGANICS DATA REPORT PROJECT NO. 94-0234 SAMPLE NO. 82495 SAMPLE TYPE: GROUNDWA SOURCE: SUMTER INERT SITE STATION ID: FB-01 PROG ELEM: NSF COLLECTED BY: FM CARNS CITY: SUMTER ST: SC COLLECTION START: 01/12/94 1000 STOP: 00/00/00 ** ** * * * * * * * * ** CASE NO.: 21510 SAS NO.: D. NO.: GJ66 * * ANALYTICAL RESULTS ANALYTICAL RESULTS UG/L 10U CHLOROMETHANE 10U BROMOMETHANE 10U 1.2-DICHLOROPROPANE 10U CIS-1.3-DICHLOROPROPENE 2J TRICHLOROETHENE(TRICHLOROETHYLENE) 100 VINYL CHLORIDE CHLOROETHANE METHYLENE CHLORIDE DIBROMOCHLOROMETHANE 100 100 100 1.1.2-TRICHLOROETHANE 100 10U ACETONE 100 BENZENE 10Ú CARBON DISULFIDE TRANS-1.3-DICHLOROPROPENE 100 1,1-DICHLOROETHENE(1,1-DICHLOROETHYLENE)
1,1-DICHLOROETHANE 100 100 BROMOFORM METHYL ISOBUTYL KETONE METHYL BUTYL KETONE TETRACHLOROETHENE(TETRACHLOROETHYLENE) 10U 100 100 1.2-DICHLOROETHENE (TOTAL) 100 CHLOROFORM 100 100 1,1,2,2-TETRACHLOROETHANE TOLUENE 100 1,2-DICHLOROETHANE 100 METHYL ETHYL KETONE 100 100 1.1.1-TRICHLOROETHANE 100 CHLOROBENZENE 10U CARBON TETRACHLORIDE ETHYL BENZENE 100 BROMODICHLOROMETHANE STYRENE 100 TOTAL XYLENES

REMARKS

REMARKS

FOOTNOTES

SITE SUMTER INERT PROJECT # 94-0234	SITE	(STAT)	E)	STATE	sc			AROLD SEABROOK 01/10/94
SOILVOA BOOKED	8	DATA	RECEIVED	02/2	3/94	FOR	7	SAMPLES
H2OVOA BOOKED	8	DATA	RECEIVED	02/2	3/94	FOR	6	SAMPLES
SOILEXT BOOKED	8	DATA	RECEIVED	02/2	3/94	FOR	7	SAMPLES
H2OEXT BOOKED	7	DATA	RECEIVED	02/2	3/94	FOR	6	SAMPLES
SOILPEST BOOKED	0	DATA	RECEIVED	/	/	FOR	0	SAMPLES
H2OPEST BOOKED	7	DATA	RECEIVED	/	/	FOR	. 0	SAMPLES
SOILMET BOOKED	8	DATA	RECEIVED	/	/	FOR		SAMPLES
H20MET BOOKED	7	DATA	RECEIVED	/	/	FOR		SAMPLES
SOILCN BOOKED	8	DATA	RECEIVED	/	/	FOR		SAMPLES
H20CN BOOKED	7	DATA	RECEIVED	/	/	FOR		SAMPLES
SOILOTH1 BOOKED	0	DATA	RECEIVED	/	/	FOR		SAMPLES
SOILOTH2 BOOKED	0	DATA	RECEIVED	/	/	FOR		SAMPLES
H2OOTH1 BOOKED	0	DATA	RECEIVED	/	/	FOR		SAMPLES
H2OOTH2 BOOKED	0	DATA	RECEIVED	/	/	FOR		SAMPLES
OTHER1 BOOKED	0	DATA	RECEIVED	/	/	FOR		SAMPLES
OTHER2 BOOKED	0	DATA	RECEIVED	/	/	FOR		SAMPLES
LAB(CLP/ESD/FASP/Q	(MT)	CIP						

REMARKS

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region IV
Environmental Services Division
College Station Road, Athens, Ga. 30613

****MEMORANDUM*****

DATE: 02/18/94

SUBJECT: Results of Purgeable Organic Analysis;

94-0234 SUMTER INERT SITE

SUMTER SC CASE NO: 21510

FROM: Charles H. Hooper

Chief, Laboratory Evaluation/Quality Assurance Section

TO: HAROLD SEABROOK

Attached are the results of analysis of samples collected as part of the subject project.

As a result of the Quality Assurance Review, certain data qualifiers may have been placed on the data. Attached is a DATA QUALIFIER REPORT which explains the reasons that these qualifiers were required.

If you have any questions please contact me.

ATTACHMENT

ORGANIC DATA QUALIFIER REPORT

ه ، رست

Case Number 21510 Project Number 94-0234 SAS Number Site ID. Sumter Inert Site, Sumter, SC

Affected Sample	Compound or Fraction	Flag <u>Used</u>	Reason
<u>Volatiles</u>			
82102	acetone	N	common lab contaminant
82103	all volatiles	J	low internal standards
82106	4-methyl-2-pentanone	J	low internal standard
	2-hexanone, xylenes	J	low internal standard
	tetrachloroethene	J	low internal standard
	1,1,2,2-tetrachloroetha		low internal standard
	toluene, styrene	J	low internal standard
	chlorobenzene	J	low internal standard
00105 00108 00113	ethylbenzene	J	low internal standard
82105,82108,82113	acetone	Й	common lab contaminant
82113	carbon disulfide	J	<quantitation limit<="" td=""></quantitation>
82495	trichloroethene	J	<quantitation limit<="" td=""></quantitation>
Extractables			
82103	4-methylphenol	J	<quantitation limit<="" td=""></quantitation>
	acenaphthylene	J	<quantitation limit<="" td=""></quantitation>
	acenaphthene	J	<quantitation dilution<="" limit,="" td=""></quantitation>
	fluorene	J	<quantitation dilution<="" limit,="" td=""></quantitation>
	4,6-dinitro-2-methylphe	nol J	
	N-nitrosodiphenylamine	J	low internal standard
	4-bromophenylphenylethe		low internal standard
	hexachlorobenzene	J	low internal standard
	pentachlorophenol	J	low internal standard
	anthracene	J	<quantitation dilution<="" limit,="" td=""></quantitation>
	carbazole	J	<quantitation dilution<="" limit,="" td=""></quantitation>
	di-n-butylphthalate	J	low internal standard
	butylbenzylphthalate	J	low internal standard
	3,3'-dichlorobenzidine	J	low internal standard
	bis(2-ethylhexyl)phthal	ate J	low internal standard
	di-n-octylphthalate	J	low internal standard
	indeno(1,2,3-cd)pyrene	J	<quantitation dilution<="" limit,="" td=""></quantitation>
	dibenz(a,h)anthracene	J	low internal standard
	benzo(g,h,i)perylene	J	low internal standard
82104	fluoranthene	J	<quantitation limit<="" td=""></quantitation>
	pyrene	J	<quantitation limit<="" td=""></quantitation>
	chrysene	J	<quantitation limit<="" td=""></quantitation>
82104,82106	di-n-octylphthalate	J	low internal standard
	benzo(b/k)fluoranthene	J	low internal standard
	benzo(a)pyrene	J	low internal standard
	indeno(1,2,3-cd)pyrene	J	low internal standard
	dibenz(a,h)anthracene	J	low internal standard
	benzo(g,h,i)perylene	J	low internal standard
82106,82109	fluoranthene	J	<quantitation limit<="" td=""></quantitation>
•	pyrene	J	<quantitation limit<="" td=""></quantitation>
82113	naphthalene	J	<quantitation limit<="" td=""></quantitation>
•	fluoranthene	J	<quantitation limit<="" td=""></quantitation>
	pyrene	J	<quantitation limit<="" td=""></quantitation>

٠,

```
PURGEABLE ORGANICS DATA REPORT
PROJECT NO. 94-0234 SAMPLE NO. 82102 SAMPLE TYPE: SOIL SOURCE: SUMTER INERT SITE STATION ID: SB-01
                                                              PROG ELEM: NSF COLLECTED BY: FM CARNS
CITY: SUMTER ST: SC
COLLECTION START: 01/12/94 1010 STOP: 00/00/00
**
* *
                                                                                                                   * *
**
                                                                                                                   * *
**
    CASE NO.: 21510
                                         SAS NO.:
                                                               D. NO.: GJ53
UG/KG
                    ANALYTICAL RESULTS
                                                             UG/KG ANALYTICAL RESULTS
                                                               12U 1,2-DICHLOROPROPANE
12U CIS-1.3-DICHLOROPROPENE
12U TRICHLOROETHENE(TRICHLOROETHYLENE)
    12U CHLOROMETHANE
    120 BROMOMETHANE
120 VINYL CHLORIDE
    12U CHLOROETHANE
                                                               12U DIBROMOCHLOROMETHANE
    120 METHYLENE CHLORIDE
                                                               12U 1,1,2-TRICHLOROETHANE
    14N ACETONE
                                                               12U BÉNZENE
                                                                   TRANS-1.3-DICHLOROPROPENE
    12U CARBON DISULFIDE
                                                               120
                                                               12U BROMOFORM
    12U 1,1-DICHLOROETHENE(1,1-DICHLOROETHYLENE)
                                                                   METHYL ISOBUTYL KETONE
    12U 1,1-DICHLOROETHANE
                                                               120
    12U 1,2-DICHLOROETHENE (TOTAL)
                                                               120
                                                                   METHYL BUTYL KETONE
        CHLOROFORM
                                                                   TETRACHLOROETHENE (TETRACHLOROETHYLENE)
                                                               120
    120
                                                                   1.1.2.2-TETRACHLOROETHANE
TOLUENE
    120
        1.2-DICHLOROETHANE
                                                               120
        METHYL ETHYL KETONE
    12U
                                                               12U
    12U 1,1,1-TRICHLOROETHANE
                                                               120
                                                                   CHLOROBENZENE
    12U CARBON TETRACHLORIDE
                                                               12U ETHYL BENZENE
        BROMODICHLOROMETHANE
                                                               12U STYRENE
                                                               12U TOTAL XYLENES
                                                                16 PERCENT MOISTURE
```

REMARKS

REMARKS

FOOTNOTES

PURGEABLE ORGANICS DATA REPORT	FA REGION IV ESD, ATTEMS, GA.	02/17/94
*** * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * * *	* * * * * * * * * * **
** PROJECT NO. 94-0234 SAMPLE NO. 82103 SAMPLE TY	YPE: SOIL PROG ELEM: NSF COLLECTED BY: FM CARNS	**
** SOURCE: SUMTER INERT SITE	CITY: SUMTER ST: SC	**
** STATION ID: SB-02	COLLECTION START: 01/12/94 1150 STOP: 0	00/00/00 **
**		**
** CASE NO.: 21510 SAS NO.	.: D. NO.: GJ54	**
		* * * * * * * * * ***
UG/KG ANALYTICAL RESULTS	UG/KG ANALYTICAL RESULTS	
13UJ CHLOROMETHANE 13UJ BROMOMETHANE 13UJ VINYL CHLORIDE 13UJ CHLOROETHANE 13UJ METHYLENE CHLORIDE 13UJ ACETONE 13UJ CARBON DISULFIDE 13UJ 1,1-DICHLOROETHANE 13UJ 1,2-DICHLOROETHANE 13UJ 1,2-DICHLOROETHANE 13UJ 1,2-DICHLOROETHANE 13UJ CHLOROFORM 13UJ 1,2-DICHLOROETHANE 13UJ METHYL ETHYL KETONE 13UJ CARBON TETRACHLORIDE 13UJ BROMODICHLOROMETHANE	13UJ 1.2-DICHLOROPROPANE 13UJ CIS-1.3-DICHLOROPROPENE 13UJ TRICHLOROETHENE (TRICHLOROETHYLENE) 13UJ DIBROMOCHLOROMETHANE 13UJ 1.1.2-TRICHLOROETHANE 13UJ BENZENE 13UJ TRANS-1.3-DICHLOROPROPENE 13UJ BROMOFORM 13UJ METHYL ISOBUTYL KETONE 13UJ METHYL BUTYL KETONE 13UJ TETRACHLOROETHENE (TETRACHLOROETHYLEN 13UJ 1.1.2.2-TETRACHLOROETHANE 2J TOLUENE 13UJ CHLOROBENZENE 13UJ ETHYL BENZENE 13UJ STYRENE 13UJ STYRENE 13UJ TOTAL XYLENES	⊌E)

REMARKS

^{*}A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL

*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN

*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.

*R-QC INDICATES THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NECESSARY FOR VERIFICATION.

```
PURGEARIE ORGANICS DATA REPORT
   PROG ELEM: NSF COLLECTED BY: FM CARNS CITY: SUMTER ST: SC COLLECTION START: 01/12/94 1040 STOP: 00/00/00
    PROJECT NO. 94-0234 SAMPLE NO. 82104 SAMPLE TYPE: SOIL
    SOURCE: SUMTER INERT SITE
* *
                                                                                                                 * *
**
    STATION ID: SR-03
                                                                                                                 * *
* *
                                                                                                                 **
* *
    CASE NO.: 21510
                                         SAS NO.:
                                                              D. NO.: GJ55
                                                                                                                 * *
ANALYTICAL RESULTS
   UG/KG
                                                            UG/KG
                                                                             ANALYTICAL RESULTS
                                                              11U 1,2-DICHLOROPROPANE
11U CIS-1,3-DICHLOROPROPENE
    11U CHLOROMETHANE
    11U BROMOMETHANE
    1111 VINYL CHLORIDE
                                                              11U TRICHLOROETHENE (TRICHLOROETHYLENE)
    1111 CHLOROFTHANE
                                                              11U DIBROMOCHLOROMETHANE
    11U METHYLENE CHLORIDE
                                                              110
                                                                  1 1 2-TRICHLOROFTHANE
        ACETONE
                                                              11U BÉNZENÉ
    57
                                                                  TRANS-1.3-DICHLOROPROPENE
    11U CARBON DISULFIDE
                                                              110
    11U 1.1-DICHLOROETHENE(1.1-DICHLOROETHYLENE)
                                                              110
                                                                  BROMOFORM
    11U 1.1-DICHLOROETHANE
                                                                  METHYL ISOBUTYL KETONE METHYL BUTYL KETONE
                                                              11Ü
    11U 1.2-DICHLOROETHENE (TOTAL)
                                                              11U
    11U CHLOROFORM
                                                                  TETRACHLOROETHENE (TETRACHLOROETHYLENE)
                                                              11Ú
                                                                  1,1.2,2-TETRACHLOROETHANE
TOLUENE
    11U 1.2-DICHLOROETHANE
                                                              11ŭ
    11U METHYL ETHYL KETONE
                                                              110
    11U 1.1.1-TRICHLOROETHANE
                                                              110
                                                                  CHLOROBENZENE
    11U CARBON TETRACHLORIDE
                                                              11U ETHYL BENZENE
    11U BROMODICHLOROMETHANE
                                                              11U STYRENE
                                                              11U TOTAL XYLENES
                                                              11 PERCENT MOISTURE
```

REMARKS

FOOTNOTES

REMARKS

FOOTNOTES

DIIDG	EABLE ORGANICS DATA REPORT	ESD, ATHENS, GA.	02/17/94
	* * * * * * * * * * * * * * * * * * *		
**	PROJECT NO. 94-0234 SAMPLE NO. 82106 SAMPLE TYPE: SOIL	PROG ELEM: NSF COLLECTED BY: FM CARN	\$ **
**	SOURCE: SUMTER INERT SITE	CITY: SUMTER ST: SC	**
**	STATION ID: SD-05	COLLECTION START: 01/12/94 1030 STO	P: 00/00/00 **
**		, ,	**
**	CASE NO.: 21510	D. NO.: GJ57	**
			* * * * * * * * * * * * * * *
	UG/KG ANALYTICAL RESULTS	UG/KG ANALYTICAL RESULTS	
	23U CHLOROMETHANE	23U 1,2-DICHLOROPROPANE	
	23U BROMOMETHANE	23U CIS-1.3-DICHLOROPROPENE	
	23U VINYL CHLORIDE	23U TRICHLOROETHENE (TRICHLOROETHYLEN	Fì
	23U CHLOROETHANE	23U DIBROMOCHLOROMETHANE	- /
	23Ú MEŤHYLĒNE CHLORIDE	23U 1,1,2-TRICHLOROETHANE	
	23U ACETONE	23U BÉNZENÉ	
	23U CARBON DISULFIDE	23U TRANS-1.3-DICHLOROPROPENE	
	23U 1,1-DICHLOROETHENE(1,1-DICHLOROETHYLENE)	23U BROMOFORM	
	23U 1,1-DICHLOROETHANE	23UJ METHYL ISOBUTYL KETONE	
	23U 1,2-DICHLOROETHENE (TOTAL)	23UJ METHYL BUTYL KETONE	W ENEX
	23U CHLOROFORM 23U 1.2-DICHLOROETHANE	23UJ TETRACHLOROETHENE (TETRACHLOROETH' 23UJ 1.1.2.2-TETRACHLOROETHANE	(LENE)
	23U METHYL ETHYL KETONE	23UJ TOLUENE	
	23U 1,1,1-TRICHLOROETHANE	23UJ CHLOROBENZENE	
	23U CARBON TETRACHLORIDE	23UJ ETHYL BENZENE	
	23U BROMODICHLOROMETHANE	23UJ STYRENE	
		23UJ TOTAL XYLENES	
		56 PERCENT MOISTURE	

REMARKS

FOOTNOTES

```
PURGEABLE ORGANICS DATA REPORT
PROJECT NO. 94-0234 SAMPLE NO. 82107 SAMPLE TYPE: SURFACEWA PROG ELEM: NSF COLLECTED BY: FM CARNS
. .
                                                                                                                  * *
    SOURCE: SUMTER INERT SITE
STATION ID: SW-05
                                                              CITY: SUMTER ST: SC
COLLECTION START: 01/12/94 1015 STOP: 00/00/00
+ +
                                                                                                                  **
* *
                                                                                                                  * *
* *
                                                                                                                  . .
* *
    CASE NO.: 21510
                                         SAS NO. :
                                                               D. NO.: GJ58
                                                                                                                  **
   UG/L
                     ANALYTICAL RESULTS
                                                             UG/L
                                                                              ANALYTICAL RESILTS
                                                               10U 1,2-DICHLOROPROPANE
10U CIS-1,3-DICHLOROPROPENE
    10U CHLOROMETHANE
    10U BROMOMETHANE
    10U VINYL CHLORIDE
                                                               10U TRICHLOROETHENE (TRICHLOROETHYLENE)
    100 CHLOROETHANE
100 METHYLENE CHLORIDE
                                                               10U DIBROMOCHLOROMETHANE
                                                                   1.1.2-TRICHLOROETHANE
                                                               10Ŭ
    100
        ACETONE
                                                               100
                                                                  BENZENE
    1ÕŬ
        CARBON DISULFIDE
                                                                   TRANS-1 3-DICHLOROPROPENE
                                                               100
        1.1-DICHLOROETHENE(1.1-DICHLOROETHYLENE)
    100
                                                                  BROMOFORM
                                                               100
    10U 1,1-DICHLOROETHANE
10U 1,2-DICHLOROETHENE (TOTAL)
                                                                   METHYL ISOBUTYL KETONE
                                                               100
                                                               100
                                                                   METHYL BUTYL KETONE
        CHLOROFORM
                                                                   TETRACHLOROETHENE (TETRACHLOROETHYLENE)
    100
                                                               100
                                                                   1,1,2,2-TETRACHLOROETHANE
TOLUENE
    10U 1.2-DICHLOROETHANE
                                                               100
    100
        METHYL ETHYL KETONE
                                                               100
    10U 1.1.1-TRICHLOROETHANE
                                                               100
                                                                   CHLOROBENZENE
    100 CARBON TETRACHLORIDE
                                                               100 ETHYL BENZENE
        BROMODICHLOROMETHANE
    100
                                                               100 STYRENE
                                                               100 TOTAL XYLENES
```

REMARKS

^{*}A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL
*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN
*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.
*R-QC INDICATES THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NECESSARY FOR VERIFICATION.

REMARKS

^{*}A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL
*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN
*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.

^{*}R-QC INDICATES THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NECESSARY FOR VERIFICATION.

REMARKS

^{*}A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL *K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN *U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.

^{*}R-QC INDICATES THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NECESSARY FOR VERIFICATION.

PURC	SEABLE ORGANICS DATA REPORT	EPA-REGION IV ESD	, ATHENS, GA.	02/17/94
*** ** ** **	PROJECT NO. 94-0234 SAMPLE NO. 82110 SAMP SOURCE: SUMTER INERT SITE STATION ID: MW-09		PROG ELEM: NSF COLLECTED BY: FM CARNS CITY: SUMTER ST: SC COLLECTION START: 01/12/94 1055 STOP: 00/00/00	* * * * * ** ** **
**	CASE NO.: 21510		D. NO.: GJ61 : * * * * * * * * * * * * * * * * * * *	**
	10U CHLOROMETHANE 10U BROMOMETHANE 10U VINYL CHLORIDE 10U CHLOROETHANE 10U METHYLENE CHLORIDE 10U ACETONE 10U CARBON DISULFIDE 10U 1,1-DICHLOROETHENE(1,1-DICHLOROETHYLENE 10U 1,1-DICHLOROETHANE 10U 1,2-DICHLOROETHENE (TOTAL) 10U CHLOROFORM 10U 1,2-DICHLOROETHANE 10U METHYL ETHYL KETONE 10U CARBON TETRACHLORIDE 10U BROMODICHLOROMETHANE	:)	10U 1,2-DICHLOROPROPANE 10U CIS-1.3-DICHLOROPROPENE 10U TRICHLOROETHENE (TRICHLOROETHYLENE) 10U DIBROMOCHLOROMETHANE 10U 1.1,2-TRICHLOROETHANE 10U BENZENE 10U TRANS-1,3-DICHLOROPROPENE 10U BROMOFORM 10U METHYL ISOBUTYL KETONE 10U METHYL BUTYL KETONE 10U METHYL BUTYL KETONE 10U TETRACHLOROETHENE (TETRACHLOROETHYLENE) 10U 1.1.2,2-TETRACHLOROETHANE 10U TOLUENE 10U CHLOROBENZENE 10U STYRENE 10U TOTAL XYLENES	

REMARKS

^{*}A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL
*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN
*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.
*R-QC INDICATES THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NECESSARY FOR VERIFICATION.

PURGEABLE ORGANICS DATA REPORT PROG ELEM: NSF COLLECTED BY: FM CARNS CITY: SUMTER ST: SC COLLECTION START: 01/12/94 1215 STOP: 00/00/00 PROJECT NO. 94-0234 SAMPLE NO. 82111 SAMPLE TYPE: GROUNDWA SOURCE: SUMTER INERT SITE STATION ID: MW-12 * * ** ** * * * * CASE NO.: 21510 SAS NO.: D. NO.: GJ62 ** * * ANALYTICAL RESULTS UG/L UG/L ANALYTICAL RESULTS 10U 1.2-DICHLOROPROPANE 10U CIS-1.3-DICHLOROPROPENE 10U CHLOROMETHANE 10U BROMOMETHANE 10U VINYL CHLORIDE 10U CHLOROETHANE 10U TRICHLOROETHENE (TRICHLOROETHYLENE)
10U DIBROMOCHLOROMETHANE 100 METHYLENE CHLORIDE 1,1,2-TRICHLOROETHANE 100 10U ACETONE BÉNZENE 100 10U CARBON DISULFIDE TRANS-1.3-DICHLOROPROPENE 100 10U 1.1-DICHLOROETHENE(1.1-DICHLOROETHYLENE) 100 BROMOFORM 10U 1,1-DICHLOROETHANE METHYL ISOBUTYL KETONE 100 METHYL BUTYL KETONE
TETRACHLOROETHENE(TETRACHLOROETHYLENE)
1.1.2.2-TETRACHLOROETHANE
TOLUENE 100 1.2-DICHLOROETHENE (TOTAL)
100 CHLOROFORM 100 10U 10U 1.2-DICHLOROETHANE 10U 100 METHYL ETHYL KETONE 100 10U 1,1,1-TRICHLOROETHANE CHLOROBENZENE 10U 10U CARBON TETRACHLORIDE 10U ETHYL BENZENE BROMODICHLOROMETHANE STYRENE 100 10U TOTAL XYLENES

REMARKS

REMARKS

FOOTNOTES

PURGEABLE ORGANICS DATA REPORT PROJECT NO. 94-0234 SAMPLE NO. 82112 SAMPLE TYPE: GROUNDWA SOURCE: SUMTER INERT SITE ST: SC STATION ID: MW-10 PROG ELEM: NSF COLLECTED BY: FM CARNS CITY: SUMTER ST: SC COLLECTION START: 01/12/94 1310 STOP: 00/00/00 ** ** * * ** * * CASE NO.: 21510 SAS NO.: * * D. NO.: GJ63 * * UG/L ANALYTICAL RESULTS UG/L ANALYTICAL RESULTS 10U 1,2-DICHLOROPROPANE 10U CIS-1,3-DICHLOROPROPENE 10U TRICHLOROETHENE(TRICHLOROETHYLENE) 10U DIBROMOCHLOROMETHANE 10U CHLOROMETHANE 100 BROMOMETHANE 100 VINYL CHLORIDE 100 CHLOROETHANE 100 METHYLENE CHLORIDE 1.1.2-TRICHLOROETHANE 100 10U ACETONE 100 BÉNZENE TRANS-1,3-DICHLOROPROPENE 10U CARBON DISULFIDE 100 10U 1,1-DICHLOROETHENE(1,1-DICHLOROETHYLENE) 10U BROMOFORM 10U 1,1-DICHLOROETHANE 10Ú METHYL ISOBUTYL KETONE 10U 1,2-DICHLOROETHENE (TOTAL)
10U CHLOROFORM METHYL BUTYL KETONE 100 100 TETRACHLOROETHENE (TETRACHLOROETHYLENE) 1.1.2.2-TETRACHLOROETHANE TOLUENE 10U 1.2-DICHLOROETHANE 10U METHYL ETHYL KETONE 100 100 10U 1,1,1-TRICHLOROETHANE 100 CHLOROBENZENE 10U CARBON TETRACHLORIDE 100 ETHYL BENZENE 10U BROMODICHLOROMETHANE 10U STYRENE 10U TOTAL XYLENES

REMARKS

REMARKS

^{*}A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL
*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN
*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.
*R-QC INDICATES THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NECESSARY FOR VERIFICATION.

PURGEABLE ORGANICS DATA REPORT PROJECT NO. 94-0234 SAMPLE NO. 82113 SAMPLE TYPE: GROUNDWA PROG ELEM: NSF COLLECTED BY: FM CARNS SOURCE: SUMTER INERT SITE ST: SC STATION ID: MW-11 COLLECTION START: 01/12/94 1420 STOP: 00/00/00 ** ** ** * * * * ** * * * * CASE NO.: 21510 SAS NO.: D. NO.: GJ64 * * ANALYTICAL RESULTS UG/L ANALYTICAL RESULTS 10U CHLOROMETHANE 10U 1,2-DICHLOROPROPANE 10U CIS-1.3-DICHLOROPROPENE 10U TRICHLOROETHENE(TRICHLOROETHYLENE) 10U BROMOMETHANE 10U VINYL CHLORIDE 100 CHLOROETHANE 10U DIBROMOCHLOROMETHANE 10U METHYLENE CHLORIDE 10U 1.1.2-TRICHLOROETHANE 15N ACFTONE BÉNZENE 14 CARBON DISULFIDE TRANS-1.3-DICHLOROPROPENE 100 100 1,1-DICHLOROETHENE(1,1-DICHLOROETHYLENE) 100 BROMOFORM METHYL ISOBUTYL KETONE METHYL BUTYL KETONE 10U 1,1-DICHLOROETHANE 100 1,2-DICHLOROETHENE (TOTAL) 100 100 CHLOROFORM TETRACHLOROETHENE (TETRACHLOROETHYLENE) 100 100 1.1.2.2-TETRACHLOROETHANE TOLUENE 1,2-DICHLOROETHANE 100 100 METHYL ETHYL KETONE 100 100 10U 1.1.1-TRICHLOROETHANE 18 CHLOROBENZENE 10U CARBON TETRACHLORIDE 10U ETHYL BENZENE BROMODICHLOROMETHANE 10U STYRENE 100 TOTAL XYLENES

REMARKS

REMARKS

^{*}NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL *A-AVERAGE VALUE *K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN *U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.

^{*}R-QC INDICATES THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NECESSARY FOR VERIFICATION.

DUDO	EABLE ORGANICS DATA REPORT	ESD, ATHENS, GA.	02/17/94
	* * * * * * * * * * * * * * * * * * *		
**	PROJECT NO. 94-0234 SAMPLE NO. 82114 SAMPLE TYPE: SOIL	PROG ELEM: NSF COLLECTED BY: FM CARNS	**
**	SOURCE: SUMTER INERT SITE STATION ID: SB-13	CITY: SUMTER ST: SC COLLECTION START: 01/12/94 1010 STOP: 0	00/00/00 ** **
**	CASE NO - 21510 SAS NO -	D NO . CIEE	**
***	CASE NO.: 21510 SAS NO.:	* * * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * * *
	UG/KG ANALYTICAL RESULTS	UG/KG ANALYTICAL RESULTS	
	12U CHLOROMETHANE 12U BROMOMETHANE 12U VINYL CHLORIDE 12U CHLOROETHANE	12U 1,2-DICHLOROPROPANE 12U CIS-1,3-DICHLOROPROPENE 12U TRICHLOROETHENE(TRICHLOROETHYLENE) 12U DIBROMOCHLOROMETHANE	
	120 METHYLENE CHLORIDE 120 ACETONE	12U 1,1,2-TRICHLOROETHANE 12U BÉNZENE	
	12U CARBON DISULFIDE 12U 1.1-DICHLOROETHENE(1,1-DICHLOROETHYLENE)	12U TRANS-1,3-DICHLOROPROPENE 12U BROMOFORM	
	120 1,1-DICHLOROETHANE	120 BROMOFORM 120 METHYL ISOBUTYL KETONE	
	12U 1,2-DICHLOROETHENE (TOTAL)	12U METHYL BUTYL KETONE	
	12U CHLOROFORM 12U 1,2-DICHLOROETHANE	12U TETRACHLOROETHENE(TETRACHLOROETHYLEN 12U 1.1.2.2-TETRACHLOROETHANE	NE)
	12U MÉTHYL ETHYL KETONE	12U TOLUENE	
	12U 1,1,1-TRICHLOROETHANE 12U CARBON TETRACHLORIDE	12U CHLOROBENZENE 12U ETHYL BENZENE	
	12U BROMODICHLOROMETHANE	120 ETHTE BENZENE 12U STYRENE	
		12U TOTAL XYLENES	
		16 PERCENT MOISTURE	

REMARKS

^{*}A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL
*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN
*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.
*R-QC INDICATES THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NECESSARY FOR VERIFICATION.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
Region IV
Environmental Services Division
College Station Road, Athens, Ga. 30613

****MEMORANDUM*****

DATE: 02/18/94

SUBJECT: Results of Extractable Organic Analysis;

94-0234 SUMTER INERT SITE

SUMTER SC CASE NO: 21510

FROM: Charles H. Hooper

Chief, Laboratory Evaluation/Quality Assurance Section

TO: HAROLD SEABROOK

Attached are the results of analysis of samples collected as part of the subject project.

As a result of the Quality Assurance Review, certain data qualifiers may have been placed on the data. Attached is a DATA QUALIFIER REPORT which explains the reasons that these qualifiers were required.

If you have any questions please contact me.

ATTACHMENT

ORGANIC DATA QUALIFIER REPORT

Case Number 21510 Project Number 94-0234 SAS Number Site ID. Sumter Inert Site, Sumter, SC

Affected Sample	Compound or Fraction	Flag Used	Reason
<u>Volatiles</u>			
82102	acetone	N	common lab contaminant
82103	all volatiles	J	low internal standards
82106	4-methy1-2-pentanone	J	low internal standard
	2-hexanone, xylenes	J	low internal standard
	tetrachloroethene	J	low internal standard
	1,1,2,2-tetrachloroetha	ne J	low internal standard
	toluene, styrene	J	low internal standard
	chlorobenzene	J	low internal standard
	ethylbenzene	J	low internal standard
82105,82108,82113	acetone	N	common lab contaminant
82113	carbon disulfide	J	<quantitation limit<="" td=""></quantitation>
82495	trichloroethene	J	<quantitation limit<="" td=""></quantitation>
Extractables		_	
82103	4-methylphenol	J	<quantitation limit<="" td=""></quantitation>
	acenaphthylene	J	<quantitation limit<="" td=""></quantitation>
	acenaphthene	J	<quantitation dilution<="" limit,="" td=""></quantitation>
	fluorene	J	<quantitation dilution<="" limit,="" td=""></quantitation>
	4,6-dinitro-2-methylphe		
	N-nitrosodiphenylamine	†	low internal standard
	4-bromophenylphenylethe		low internal standard
	hexachlorobenzene	J	low internal standard
	pentachlorophenol	J	low internal standard
	anthracene	J	<pre><quantitation dilution<="" limit,="" pre=""></quantitation></pre>
	carbazole	J J	<pre><quantitation attenderd<="" dilution="" interpol="" limit,="" low="" pre=""></quantitation></pre>
	di-n-butylphthalate		low internal standard
	butylbenzylphthalate	J J	low internal standard
	3,3'-dichlorobenzidine	_	low internal standard
	bis(2-ethylhexyl)phthal	ate J J	
	di-n-octylphthalate	J	low internal standard <quantitation dilution<="" limit,="" td=""></quantitation>
	indeno(1,2,3-cd)pyrene	J	
	dibenz(a,h)anthracene	J	low internal standard low internal standard
82104	benzo(g,h,i)perylene fluoranthene	J	<pre><quantitation limit<="" pre=""></quantitation></pre>
62104		J	<pre><quantitation limit<="" pre=""></quantitation></pre>
	pyrene	Ĵ	<pre><quantitation limit<="" pre=""></quantitation></pre>
82104,82106	chrysene di-n-octylphthalate	J	low internal standard
02104,02100	benzo(b/k)fluoranthene	J	low internal standard
	benzo(a)pyrene	J	low internal standard
	indeno(1,2,3-cd)pyrene	Ĵ	low internal standard
	dibenz(a,h)anthracene	Ĵ	low internal standard
	benzo(g,h,i)perylene	Ĵ	low internal standard
82106,82109	fluoranthene	Ĵ	<pre><quantitation limit<="" pre=""></quantitation></pre>
02100,02107	pyrene	Ĵ	<quantitation limit<="" td=""></quantitation>
82113	naphthalene	Ĵ	<pre><quantitation limit<="" pre=""></quantitation></pre>
	fluoranthene	Ĵ	<quantitation limit<="" td=""></quantitation>
	pyrene	Ĵ	<pre><quantitation limit<="" pre=""></quantitation></pre>
	L7	-	•

SAMPLE AND ANALYSIS MANAGEMENT SYSTEM EPA-REGION IV ESD, ATHENS, GA.

11)	* * * 00/00.	* * * * * * * * * * * * * * * * * * * *	
	* * * * * * * * * * * * * * * * * * *	NO.: GJS3 * * * * * * * * * * * * * * * * * * *	3-NITROANILINE ACENAPHTHENE ACENAPHTHENE ACENAPHTHENE 2.4-DINITROPHENOL DIENZOFURAN 2.4-DINITROPHENOL DIETHYL PHTHALATE 4-CHOROPHENYL PHENYL ETHER FLUORENE 4-NITROSODIPHENYLAMINE/DIPHENYLAMINE A-NITROSODIPHENYLAMINE/DIPHENYLAMINE A-NITROSODIPHENYLAMINE/DIPHENYLAMINE A-NITROSODIPHENYLAMINE/DIPHENYLAMINE BENZOHLOROBENZENE (HCB) PENTACHLOROPHENOL PHENANTHRENE ANTHRACENE CARBAZOLE DI-N-BUTYLPHTHALATE FLUORANTHENE PYRENE BENZOLE DI-N-BUTYLPHTHALATE SING-DINITROROBENZIDINE BENZOL
		, * , * UG/KG	9 1000000000000000000000000000000000000
RGANICS DATA REPORT	. * * * * * * * * NO. 94-0234 SUMTER INERT ID: SB-01	: 21510	PHENOL BIS(2-CHLOROETHYL) ETHER BIS(2-CHLOROETHYL) ETHER 1,3-DICHLOROBENZENE 1,4-DICHLOROBENZENE 1,2-DICHLOROBENZENE 2,2'-CHLOROISOPROPYLETHER 2,2'-CHLOROISOPROPYLETHER 3-AND/OR 4-)METHYLPHENOL N-NITROSODI-N-PROPYLAMINE HEXACHLOROETHOXY) METHANE 1SOBENZENE 1SOBENZENE 1SOBENZENE 1SOBENZENE 1SOBENZENE 1SOBENZENE 1SOBENZENE 1SOBENZENE 1SOBENZENE 1-2,4-DICHLOROETHOXY) METHANE 2-4-DICHLOROPHENOL 3-4-DICHLOROPHENOL 1,2,4-TRICHLOROPHENOL 1,2,4-TRICHLOROPHENOL 2-4-CHLORO-3-METHYLPHENOL 1,2,4-TRICHLOROPHENOL 2-4-G-TRICHLOROPHENOL 2-4-G-TRICHLOROPHENOL 2-4-G-TRICHLOROPHENOL 2-4-G-TRICHLOROPHENOL 2-4-G-TRICHLOROPHENOL 2-4-G-TRICHLOROPHENOL 2-4-G-TRICHLOROPHENOL 2-1-TRICHLOROPHENOL 2-1-TRI
EXTRACTABLE	PROJECT SOURCE: STATION	CASE NO.: * * * * UG/KG	00000000000000000000000000000000000000
EXTRA	* * * * * * * * * * * * * * * * * * * *		<i>പ്പെട്ടെ</i> പ്രത്യക്ഷ് പ്രത്യക്ക് വരത്യക്ക് പ്രത്യക്ക് പ്രത്യക്ക് പ്രത്യക്ക് പ്രത്യക്ക് പ്രത്യക്ക്

REMARKS

REMARKS

FOOTNOTES
*A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL
*A-AVERAGE VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN
*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *LACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN
*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.
*R-QC INDICATES THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NECESSARY FOR VERIFICATION.

SAMPLE AND ANALYSIS MANAGEMENT SYSTEM

02/17/94	ARNS ** * * * * * * * * * * * * * * * * *	***	
INS, GA.	* * * * * * * * * * * * * * * * * * *	D. NO.: GJ54 * * * * * * * * * * * * * * * * * * *	3-NITROANILINE ACENAPHTHENE 2.4-DINITROPHENOL DIENZOFURAN 2.4-DINITROPHENOL DIETHYL PHTHALATE DIETHYL PHTHALATE THORNOPHENYL PHENYL ETHER 4-NITROANILINE 2-METHYL-4.6-DINITROPHENOL N-NITROSODIPHENYLAMINE/DIPHENYLAMINE 1-NITROANILINE A-BUNTHRENE DIENZOFURANILE N-NITROSODIPHENYLETHER N-NITROSODIPHENY
ESD, ATHE	*	D. N(* * * * UG/KG	0.000044444000444400000000000000000000
SAMPLE AND ANALYSIS MANAGEMEN! SYSTEM EPA-REGION IV ESD, ATHENS, GA.	* * * * * * * * * * * * * * * * * * *	SAS NO.: * * * * * * * * * * * * * * * * * * *	HCCP)
EXTRACTABLE ORGANICS DATA REPORT	SAMPLE NO.	NO.: 21510 * * * * * * * * * * * * * * * * * * *	PHENOL BIS(2-CHLOROETHYL) ETHER 2-CHLOROBENZENE 1,3-DICHLOROBENZENE 1,2-DICHLOROBENZENE 1,2-DICHLOROBENZENE 2,2'-CHLOROISOPROPYLETHER 3,3-AND/OR 4-)METHYLPHENOL N-NITROSODI-N-PROPYLAMINE HEXACHLOROETHANE ISOPHOROE 2,4-DIMETHYLPHENOL 2,4-DIMETHYLPHENOL 2,4-DIMETHYLPHENOL 2,4-CHLOROBENTADIENE NAPHTHALENE NAPHTHALENE NAPHTHALENE HEXACHLOROBUTADIENE 4-CHLORO-3-METHYLPHENOL 2-4-G-TRICHLOROPHENOL 2-CHLORONAPHTHALENE 2-CHLORONAPHTHALENE 2-CHLORONAPHTHALENE 2-G-DINITROTOLUENE
FXTRACTAR	** * * * * * * * * * * * * * * * * * *	** CASE NO. *** * * * UG/KG	44444444444444444444444444444444444444
-			

REMARKS

REMARKS

FOOTNOTES
*A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL
*A-AVERAGE VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN
**K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN
**U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT
**U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM GAND REANALYSIS IS NECESSARY FOR VERIFICATION.

ī

05/	*	* *				
NS, GA.	* * * * * * * * * * * * * * * * * * *	NO.: GJ55 * * * * * * * * * * * * * * * * * * *	3-NITROANILINE ACENAPHTHENE 2.4-DINITROPHENOL DIBENZOFURAN 2.4-DINITROTOLUENE 2.4-DINITROTOLUENE DIETHYL PHTHALATE A-CHIODOLUENCI DELENCY ETHED	FLUCKENE 4-NITROANILINE 2-METHYL-4 6-DINITROPHENOL N-NITROSODIPHENYLAMINE /DIPHENYLAMINE HEXACHLOROBENZENE (HCB)	PHENANIHKENE ANTHRACENE CARBAZOLE DI-N-BUTYLPHTHALATE FLUORANTHENE PYRENE BENZYL PHTHALATE	BENZO(A) ANTHRACENE BENZO(A) ANTHRACENE CHRYSENE BIS(2-ETHYLHEXYL) PHTHALATE BIS(2-ETHYLHELATE DI-N-OCTYLPHTHALATE BENZO(B AND/OR K) FLUORANTHENE BENZO(A - PYRENE INDENZO(A, H) ANTHRACENE BENZO(GHI) PERYLENE BENZO(GHI) PERYLENE PERCENT MOISTURE
, ATHENS,	PROG CITY: COLLE	D. N * * * UG/KG	9000 9000 9000 3700 1970 1970	3200 3200 3200 3200 3200 300 300 300 300	3700 3700 3700 3700 3700 3700	3700 3700 3700 3700 3700 3700 3700 3700
EPA-REGION IV ESD A REPORT		SAS NO.: * * * * * * * * * * * * * * * * * * *	HYL) ETHER NZENE NZENE NZENE	PROPYLAMINE NE PROPYLAMINE NE ENOL	HOXY) ME HANE ENOL OBENZENE E E DIENE HYLPHENOL	ALENE ALENE OPHENOL ALENE LATE
N F ORGANICS DATA	* * * * * * * * * * * * * * * * * * *	NO.: 21510 * * * * * * *	PHENOL BIS (2-CHLOROE THE STATE OF THE STATE	(3-AND/ACA) (3-AND/ACA) N-NITROSODI-N-I HEXACHLOROETHAN-I NITROBENZENE 1 SOPHORONE 2-NITROPHENOL 2 4-DIMETHYLPHE	BIS(2-CHLOROPH 1, 2, 4-DICHLOROPH 1, 2, 4-DICHLOROPH 1, 2, 4-DICHLORO NAPHTHALENE 4-CHLOROBUTAL 4-CHLOROBUTAL	Z-ME IHYLNAPHIHALENE HEXACHLOROCYCLOPENTADIENE (2.4.6-TRICHLOROPHENOL 2.4.5-TRICHLOROPHENOL 2-CHLORONAPHTHALENE 2-NITROANILINE DIMETHYL PHTHALATE ACENAPHTHYLENE 2.6-DINITROTOLUENE
FXTRACTABLE	** PROJECT ** SOURCE: ** STATION	CASE * * * * UG/K	0.02 0.02 0.02 0.03 0.03 0.03 0.03 0.03	00000000000000000000000000000000000000	00000000000000000000000000000000000000	88888888888888888888888888888888888888

***REMARKS**

REMARKS

, GA. 02/17/94	* * * * * * * * * * * * * * * * * * *	NO.: GJ56 * * * * * * * * * * * * * * * * * * *	3-NITROANILINE ACENAPHTHENE ACENAPHTHENE 2.4-DINITROPHENOL DIBENZOFURAN 2.4-DINITROPHENOL DIETHVINITROTOLUENE DIETHVINITROTOLUENE DIETHVINITROTOLUENE DIETHVINITROTOLUENE A-CHLOROPHENYL PHENYL ETHER 1-UORENE 2-NITROANILINE A-CHLOROPHENOL A-MITROSODIPHENYL PHENYL ETHER 1-UORENE A-MITROSODIPHENYL PHENYL ETHER A-BROMOPHENOL A-BROMOPHENOL B-BROMOPHENOL A-BROMOPHENOL B-BROMOPHENOL B-
), ATHENS, GA	* * * * PROG E CITY; COLLEC	D. NG * * * * UG/KG	10000000000000000000000000000000000000
EPA-REGION IV ESD, XTRACTABLE ORGANICS DATA REPORT	* * * * * * * * * * * * * * * * * * *	CASE NO.: 21510	390U PHENOL 390U BIS(2-CHLOROETHYL) ETHER 390U 1.3-DICHLOROBENZENE 390U 1.3-DICHLOROBENZENE 390U 1.4-DICHLOROBENZENE 390U 1.4-DICHLOROBENZENE 390U 1.4-DICHLOROBENZENE 390U 2.2'-CHLOROISOPROPYLETHER 390U 2.2'-CHLOROISOPROPYLETHER 390U 1.7-DICHLOROBENZENE 390U N-NITROSODI-N-PROPYLAMINE 390U N-NITROSODI-N-PROPYLAMINE 390U 1.5-DICHLOROPHENOL 390U 2.4-DICHLOROPHENOL 390U 2.4-DICHLOROPHENOL 390U 2.4-DICHLOROPHENOL 390U 4-CHLOROPHENOL 390U 2-A-TRICHLOROPHENOL 390U 2-A-TRICHLOROPHENOL 390U 2-A-TRICHLOROPHENOL 390U 2-A-TRICHLOROPHENOL 390U 2-A-TRICHLOROPHENOL 390U 2-A-TRICHLOROPHENOL 390U 2-A-S-TRICHLOROPHENOL
Ψ.	* * * * *	* * *	

REMARKS

FOOTNOTES

*A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL

*A-AVERAGE VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN

*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *LACTUAL VALUE GIVEN VALUE GIVEN

*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.

*R-QC INDICATES THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NECESSARY FOR VERIFICATION.

SAMPLE AND ANALYSIS MANAGEMENT SYSTEM EPA-REGION IV ESD, ATHENS, GA.

EXTRACTABLE DRGANICS DATA REPORT EPA-REGION IV ESD. PROSECT NO. 96127 SOURCE: NO. 96124 SAMPLE NO. 82106 SAMPLE TYPE: SOIL CASE NO.: 21510 D. NO.: 6157 NALITICAL RESULTS SAS NO.: 0.6157 NALITICAL RESULTS SAS NO.: 0.6157 SAS NO.: 0.6157	Z-CHLORONAPH HALENE Z-NITROANITHINE DIMETHYL PHTHALATE ACENAPHTHYLENE Z, 6-DINITROTOLUENE Z5000
---	---

REMARKS

REMARKS

FOOTNOTES

*A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL

*A-AVERAGE VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN

*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *LACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN

*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT

*R-QC INDICATES THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NECESSARY FOR VERIFICATION.

SAMPLE AND ANALYSIS MANAGEMENT SYSTEM EPA-REGION IV ESD, ATHENS, GA.

SAMPLE AND ANALYSIS MANAGEMENT SYSTEM EPA-REGION IV ESD, ATHENS, GA.	* * * * * * * * * * * * * * * * * * *	O.: D. NO.: GJ58 ** * * * * * * * * * * * * * * * * *	25U 3-NITROANILINE 10U ACEAPAPHTHENE 25U 2.4-DINITROPHENOL 25U 2.4-DINITROPHENOL 25U 4-NITROPHENOL 10U 2.4-DINITROPHENOL 25U 4-NITROPHENOL 25U 4-NITROPHENOL 25U 4-NITROPHENOL 25U 4-NITROPHENOL 25U 2-METHYL A-4-DINITROPHENOL 25U 2-METHYL A-4-DINITROPHENOL 25U 2-METHYL A-4-DINITROPHENOL 10U HEXACHLOROPHENOL 10U HEXACHLOROPHENOL 10U HEXACHLOROPHENOL 10U HEXACHLOROPHENOL 10U HEXACHLOROPHENOL 10U DIN-BUTYL PHTHALATE 10U CARRAZOLE 10U BENZYL BUTYL PHTHALATE 10U DIN-OCTYL PHTHALATE 10U BENZYL BUTYL PHTHALATE 10U BENZYL GAL HJANHRACENE
SAMP EXTRACTABLE ORGANICS DATA REPORT	* * * * * * * * * * * * * * * * * * *	** CASE NO.: 21510 **	100 PHENOL 100 BIS(2-CHLOROETHYL) ETHER 100 2-CHLOROPHENOL 100 1.3-DICHLOROBENZENE 100 1.2-DICHLOROBENZENE 100 2.2'-CHLOROBENZENE 100 2.2'-CHLOROBENZENE 100 2.2'-CHLOROBENZENE 100 2.2'-CHLOROETHANE 100 N-NITROSODI-N-PROPYLAMINE 100 N-NITROSODI-N-PROPYLAMINE 100 N-NITROSODI-N-PROPYLAMINE 100 S-NITROBENZENE 100 S-NITROPHENOL 100 2.4-DIMETHYLPHENOL 100 2.4-DIMETHYLPHENOL 100 2.4-DIMETHYLPHENOL 100 4-CHLOROPHENOL 100 4-CHLOROPHENOL 100 4-CHLOROBENZENE 100 HEXACHLOROSOTOROPHENOL 100 2.4-G-TRICHLOROPHENOL

REMARKS

REMARKS

FOOTNOTES
*A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL
*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN
*L-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.
*P-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.
*R-QC INDICATES THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NECESSARY FOR VERIFICATION.

REMARKS

FOOTNOTES

*A-AVERAGE VALUE

*K-ACTUAL VALUE II

*U-MATERIAL WAS AI

*R-QC.INDICATES TI *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.

THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NEW OF PRESENCE GIVEN 유 MATERIAL

NECESSARY

FOR

VERIFICATION

SAMPLE AND ANALYSIS MANAGEMENT SYSTEM EPA-REGION IV ESD. ATHENS. GA.

. * * * * * * * * * * * * * * * * * * *	ANALYTICAL RESULTS ANALYTICAL RESULTS THENE THENE THENE THENE THOPHENOL FURAN TOOLUENE PHENOL FURAN THALATE DATHALATE SOD PHENYLAMINE PHENYLAMINE SOD PHENYLAMINE PHENYLAMINE FURE ENE ENE ENE ENE ENE ENE ENE ENE ENE E
F # # # # # # # # # # # # # # # # # # #	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
EXTRACTABLE ORGANICS DATA REPORT ** PROJECT NO. 94-0234 SAMPLE NO. 82109 ** SOURCE: SUMTER INERT SITE ** STATION ID: SD-08 ** CASE NO.: 21510	+ 0

REMARKS

REMARKS

FOOTNOTES
*A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL
*A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE SKNOWN TO BE GREATER THAN VALUE GIVEN
*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT
**U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.
*R-QC INDICATES THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NECESSARY FOR VERIFICATION.

REMARKS

FOOTNOTES

*A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED

*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS

*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM

*R-QC INDICATES THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. F VALUE *N-PRESUMPTIVE EVIDENCE KNOWN TO BE GREATER THAN VALUE A QUANTITATION LIMIT.
RESAMPLING AND REANALYSIS IS NE NECESSARY OF PRESENCE GIVEN FOR **VERIFICATION** 유 MATERIAL

REMARKS

FOOTNOTES

*A-AVERAGE VALUE I

*K-ACTUAL VALUE I

*U-MATERIAL WAS AI

*R-QC INDICATES TI *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.

THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NEITHAT DATA UNUSABLE. OF PRESENCE GIVEN 읶 MATERIAL

NECESSARY

FOR

VERIFICATION

02/	#	*	
ENT SYSTEM JS, GA.		D. NO.: GJ63 * * * * * * * * * * * * * * * * * * *	ACENAPHTHENE ACENAPHTHENE 2,4-DINITROPHENOL DIBENZOFURANOL DIBENZOFURANOL 2,4-DINITROPHENOL DIBENZOFURANOL DIBENZOFURANOL DIBENZOFURANOL DIBENZOFURANOL DIBENZOFURANOL DIFFER 4-NITROSONIPHENYL ETHER FLUORENE A-NITROSONIPHENYLAMINE A-NITROSONIPHENYLAMINE DIFNACHLOROPHENOL N-NITROSONIPHENOL N-NITROSONIPHENOL N-ROMENYL PHENYL ETHER HEXACHOROPHENOL N-ROMENOL DI-N-BUTYL PHTHALATE CARBAZOLE CARBAZOLE CARBAZOLE OI-N-BUTYL PHTHALATE FLUORANTHENE BENZO(A) ANTHRACENE CHRYSENE BENZO(A) ANTHRACENE CHRYSENE BIS (2-ETHYLHEXYL) PHTHALATE
NAGEME	* * * PROG E CITY: COLLEC	D. NO * * * UG/L	
SAMPLE AND ANALYSIS MANAGEMENT SYSTEM EPA-REGION IV ESD, ATHENS, GA.	* * * * * * * * * * * * * * * * * * *	SAS NO.: * * * * * * * * * * * * * * * * * * *	
	* * * * * NO. 821	* * * * RESULT	(HCCP
HE OPERATION DATA REPORT		21510 * * * * * * * * * * ANALYIICAL	PHENOL BIS (2-CHLOROETHYL) ETHER 2-CHLOROBHENOL 1.4-DICHLOROBENZENE 1.4-DICHLOROBENZENE 1.2-DICHLOROBENZENE 1.2-DICHLOROBENZENE 1.2-DICHLOROBENZENE 2.4-CHLOROISOPROPYLETHER (3-AMI)/OR 4-)METHYLPHENOL N-NITROSENZENE N-NITROSODI-N-PROPYLAMINE HEXACHLOROETHANE ISOPHORONE 2-4-DIMETHYLPHENOL 2-4-DIMETHYLPHENOL 1.2.4-TRICHLOROPHENOL 1.2.4-TRICHLOROPHENOL 1.2.4-TRICHLOROPHENOL 2-METHYLNAPHTHALENE HEXACHLORO-3-METHYLPHENOL 2-METHYLNAPHTHALENE E-METHYLOROYCLOPENIADIENE 1.2.4-5-TRICHLOROPHENOL 2-4-5-TRICHLOROPHENOL 2-4-5-TRICHOROPHENOL 2-4-5-TRICHLOROPHENOL 2-4-5-TRICHLOROPHENOL 2-4-5-TRICHLOROPHENOL 2-4-5-TRICHOROPHENOL
EXTENCTABLE	** PROJ ** SOUR ** STAT	** CASE NO.: *** * * * * * * UG/L	222222222222222222222222222222222222222

REMARKS

REMARKS

FOOTNOTES
*A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL
*R-AVERAGE VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN
*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN
*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.
*R-QC INDICATES THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NECESSARY FOR VERIFICATION.

REMARKS

REMARKS

FOOTNOTES

*A-AVERAGE VALUE

*K-ACTUAL VALUE I

*U-MATERIAL WAS A

*R-QC INDICATES T *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.

THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NEO NECESSARY OF PRESENCE GIVEN FOR VERIFICATION 유 MATERIAL

SAMPLE AND ANALYSIS MANAGEMENT SYSTEM EPA-REGION IV ESD, ATHENS, GA.

02/17/94	COLLECTED BY: FM CARNS ** * * * * * * * * * * * * * * * * *	* * * * * * * * * * * * * * * * * * *	3-NITROANILINE ACENAPHTHENE ACENAPHTHENE 2.4-DINITROPHENOL 2.4-DINITROPHENOL DIBENZOFURAN 2.4-DINITROTOLUENE DIETHYL DINITROBODIPHENYLAMINE ACHLOROPHENOL PENACHLOROPHENOL PENACHLOROPHENOL PENACHLOROPHENOL DINITRACENE ANTHRACENE ANTHRACENE ANTHRACENE DINITRACENE DINITRACENE DINITRACENE ANTHRACENE DINITRACENE CHRYSENE DINITRACENE CHRYSENE DINITRACENE CHRYSENE DINITRACENE DINITRACENE DINITRACENE DINITRACENE CHRYSENE DINITRACENE DINIT
EPA-REGION IV ESD, ATHENS, GA.	* * * * * * * * * * * * * * * * * * *	SAS NO.:	950U 3-NITROANILIN 390U DIETTROPHEND 390U DIETTROPHENDL 390U DIETTROPHENDL 390U DIETTROPHENDL 390U DIETTROPHENDL 390U PLUCRENE PHTHA 390U PLUCRENE PHTHA 390U PLUCRENE PHTHA 390U PLUCRENE PHTHA 390U PLENACHLOROPHENTL 390U BLENZOLE BUTYL 390U BENZOLA PANTHENE 390U BENZOLA PANTH
EXTRACTABLE ORGANICS DATA REPORT	* * * * * * * * * * * * * * * * * * *	** CASE NO.: 21510 *** * * * * * * * * * * * * * * * * *	390U PHENOL 390U BIS (2-CHLOROETHYL) ETHER 390U 1.3-DICHLOROBENZENE 390U 1.4-DICHLOROBENZENE 390U 2.2 — CHLOROBENZENE 390U 2.2 — CHLOROBENZENE 390U 2.2 — CHLOROBENZENE 390U N-NITROSODI-N-PROPYLETHER 390U N-NITROSODI-N-PROPYLAMINE 390U ISOPHORONE 390U 2.4-DIMETHYLPHENOL 390U 2.4-DIMETHYLPHENOL 390U 2.4-DICHLOROPHENOL 390U 2.4-DICHLOROPHENOL 390U 2.4-TRICHLOROBENZENE 390U 2.4-TRICHLOROBENZENE 390U A-CHLOROANILINE HEXACHLOROANILINE HEXACHLOROANILINE 390U 4-CHLOROANILINE 390U 2-4-TRICHLOROPHENOL 390U 2-4-TRICHLOROPHENOL 390U 2-4-TRICHLOROPHENOL 390U 2-4-G-TRICHLOROPHENOL 390U 2-1-TROANILINE

REMARKS

REMARKS

FOOTNOTES
*A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL
*A-AVERAGE VALUE *NA-NOT ANALYZED *NAIUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN
*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN
*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.
*R-QC INDICATES THAT DATA UNUSABLE. COMPOUND WAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NECESSARY FOR VERIFICATION.

* *

**

**

MISCELLANEOUS EXTRACTABLE COMPOUNDS - DATA REPORT

PROJECT NO. 94-0234 SAMPLE NO. 82103 SAMPLE TYPE: SOIL PROG ELEM: NSF COLLECTED BY: FM CARNS

SOURCE: SUMTER INERT SITE * *

CITY: SUMTER ST: SC COLLECTION START: 01/12/94 1150 STOP: 00/00/00 STATION ID: SB-02

CASE NO .: 21510 MD NO: GJ54 SAS NO.: D. NO.: GJ54 * * * * * * * *

ANALYTICAL RESULTS UG/KG

600JN 1-METHYLNAPHTHALENE 700JN DIMETHYLNAPHTHALENE 500JN DIHYDROFLUORENE 800JN 500JN 700JN **METHYLDIBENZOFURAN** METHYLFLUORENE FLUORENONE 700JN 2000JN DIBENZOTHIOPHENE METHYLANTHRACENE (2 ISOMERS) 2000JN CYCLOBUTAPHENANTHRENE 600JN PHENYLNAPHTHALENE ANTHRACENEDIONE CYCLOPENTAPHENANTHRENONE 600JN 500JN 10000JN BENZOFLUORENE (3 ISOMERS) 4000JN BENZANTHRACENONE (2 ISOMERS) 3000JN BENZONAPHTHOTHIOPHENE BENZOPYRENE (NOT A) 2000JN 2 UNIDENTIFIED COMPOUNDS 4000J

FOOTNOTES

**

^{*}A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL *K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN *U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.

^{*}R-QC INDICATES THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NECESSARY FOR VERIFICATION.

MISCELLANEOUS EXTRACTABLE COMPOUNDS - DATA REPORT PROJECT NO. 94-0234 SAMPLE NO. 82104 SAMPLE TYPE: SOIL SOURCE: SUMTER INERT SITE PROG ELEM: NSF COLLECTED BY: FM CARNS ** ST: SC CITY: SUMTER ** ** COLLECTION START: 01/12/94 1040 STOP: 00/00/00 STATION ID: SB-03 * * * * D. NO.: GJ55 MD NO: GJ55 * * CASE.NO.: 21510 SAS NO.: * * * * * *

ANALYTICAL RESULTS UG/KG

3000J 7 UNIDENTIFIED COMPOUNDS

^{*}A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL
*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN
*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.
*R-QC INDICATES THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NECESSARY FOR VERIFICATION.

SAMPLE AND ANALYSIS MANAGEMENT SYSTEM EPA-REGION IV ESD. ATHENS. GA.

02/17/94

MISCELLANEOUS EXTRACTABLE COMPOUNDS - DATA REPORT PROJECT NO. 94-0234 SAMPLE NO. 82105 SAMPLE TYPE: SOIL PROG ELEM: NSF COLLECTED BY: FM CARNS * * SOURCE: SUMTER INERT SITE ST: SC CITY: SUMTER * * * * COLLECTION START: 01/12/94 1225 STOP: 00/00/00 STATION ID: SB-04 ** * * MD NO: GJ56 CASE NO.: 21510 D. NO.: 6J56 * * * * SAS NO.: ++ * *

ANALYTICAL RESULTS UG/KG

1000J 3 UNIDENTIFIED COMPOUNDS

^{*}A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL *K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN *U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.

^{*}R-QC INDICATES THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NECESSARY FOR VERIFICATION.

SAMPLE AND ANALYSIS MANAGEMENT SYSTEM EPA-REGION IV ESD. ATHENS. GA.

02/17/94

MISCELLANEOUS EXTRACTABLE COMPOUNDS - DATA REPORT

ANALYTICAL RESULTS UG/KG

20000J 12 UNIDENTIFIED COMPOUNDS 800JN HEXADECANOIC ACID

^{*}A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL *K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN *U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.

^{*}U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.
*R-QC INDICATES THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NECESSARY FOR VERIFICATION.

MISCELLANEOUS EXTRACTABLE COMPOUNDS - DATA REPORT

ANALYTICAL RESULTS UG/KG

3000J 6 UNIDENTIFIED COMPOUNDS

^{*}A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL
*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN
*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.

^{*}R-QC INDICATES THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NECESSARY FOR VERIFICATION.

SAMPLE AND ANALYSIS MANAGEMENT SYSTEM EPA-REGION IV ESD, ATHENS, GA.

02/17/94

MISCELLANEOUS EXTRACTABLE COMPOUNDS - DATA REPORT

PROJECT NO. 94-0234 SAMPLE NO. 82110 SAMPLE TYPE: GROUNDWA SOURCE: SUMTER INERT SITE STATION ID: MW-09 PROG ELEM: NSF COLLECTED BY: FM CARNS CITY: SUMTER ST: SC COLLECTION START: 01/12/94 1055 STOP: 00/00/00 * * ** * * **

CASE.NO.: 21510 SAS NO.: D. NO.: GJ61 MD NO: GJ61 ** * * ** * *

ANALYTICAL RESULTS UG/L

1 UNIDENTIFIED COMPOUND

^{*}A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL
*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN
*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.
*R-QC INDICATES THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NECESSARY FOR VERIFICATION.

* *

* *

MISCELLANEOUS EXTRACTABLE COMPOUNDS - DATA REPORT

PROG ELEM: NSF COLLECTED BY: FM CARNS CITY: SUMTER ST: SC PROJECT NO. 94-0234 SAMPLE NO. 82111 SAMPLE TYPE: GROUNDWA

** SOURCE: SUMTER INERT SITE STATION ID: MW-12 * * * *

CITY: SUMTER ST: SC COLLECTION START: 01/12/94 1215 STOP: 00/00/00

* * CASE.NO.: 21510 SAS NO.: D. NO.: GJ62 MD NO: GJ62 * * ***

ANALYTICAL RESULTS UG/L

30J 1 UNIDENTIFIED COMPOUND

^{*}A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL
*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN
*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.
*R-QC INDICATES THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NECESSARY FOR VERIFICATION.

SAMPLE AND ANALYSIS MANAGEMENT SYSTEM EPA-REGION IV ESD, ATHENS, GA.

02/17/94

MISCELLANEOUS EXTRACTABLE COMPOUNDS - DATA REPORT PROJECT NO. 94-0234 SAMPLE NO. 82112 SAMPLE TYPE: GROUNDWA PROG ELEM: NSF COLLECTED BY: FM CARNS * * SOURCE: SUMTER INERT SITE ST: SC CITY: SUMTER * * * * COLLECTION START: 01/12/94 1310 STOP: 00/00/00 * * STATION ID: MW-10 * * MD NO: GJ63 CASE.NO.: 21510 SAS NO.: D. NO.: GJ63 * * * * * *

ANALYTICAL RESULTS UG/L

10JN BUTYLBENZENESULFONAMIDE DICHLOROPROPANOL, PHOSPHATE 3JN

^{*}A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL
*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN
*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.
*R-QC INDICATES THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NECESSARY FOR VERIFICATION.

SAMPLE AND ANALYSIS MANAGEMENT SYSTEM EPA-REGION IV ESD, ATHENS, GA.

02/17/94

MISCELLANEOUS EXTRACTABLE COMPOUNDS - DATA REPORT PROJECT NO. 94-0234 SAMPLE NO. 82113 SAMPLE TYPE: GROUNDWA COLLECTED BY: FM CARNS PROG ELEM: NSF SOURCE: SUMTER INERT SITE CITY: SUMTER ST: SC COLLECTION START: 01/12/94 1420 STOP: 00/00/00 * * * * * * * * CASE.NO.: 21510 SAS NO.: D. NO.: GJ64 MD NO: GJ64 * * * * * *

ANALYTICAL RESULTS UG/L

40J 4 UNIDENTIFIED COMPOUNDS BENZOTHIAZOLONE 6JN

^{*}A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL *K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN *U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.

^{*}R-QC INDICATES THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NECESSARY FOR VERIFICATION.

SAMPLE AND ANALYSIS MANAGEMENT SYSTEM EPA-REGION IV ESD, ATHENS, GA.

02/17/94

MISCELLANEOUS EXTRACTABLE COMPOUNDS - DATA REPORT

*** PROJECT NO. 94-0234 SAMPLE NO. 82114 SAMPLE TYPE: SOIL PROJECT SUMTER INERT SITE

** STATION ID: SB-13

** CASE.NO.: 21510 SAS NO.:

** PROJECT NO. 94-0234 SAMPLE NO. 82114 SAMPLE TYPE: SOIL PROG ELEM: NSF COLLECTED BY: FM CARNS

** CLITY: SUMTER ST: SC

** COLLECTION START: 01/12/94 1010 STOP: 00/00/00 **

** D. NO.: GJ65 **

ANALYTICAL RESULTS UG/KG

90JN HEXADECANOIC ACID
100JN TOCOPHEROL

^{*}A-AVERAGE VALUE *NA-NOT ANALYZED *NAI-INTERFERENCES *J-ESTIMATED VALUE *N-PRESUMPTIVE EVIDENCE OF PRESENCE OF MATERIAL
*K-ACTUAL VALUE IS KNOWN TO BE LESS THAN VALUE GIVEN *L-ACTUAL VALUE IS KNOWN TO BE GREATER THAN VALUE GIVEN
*U-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT.

^{*}V-MATERIAL WAS ANALYZED FOR BUT NOT DETECTED. THE NUMBER IS THE MINIMUM QUANTITATION LIMIT. *R-QC INDICATES THAT DATA UNUSABLE. COMPOUND MAY OR MAY NOT BE PRESENT. RESAMPLING AND REANALYSIS IS NECESSARY FOR VERIFICATION.

SITE INSPECTION PRIORITIZATION

SUMTER INERT SITE SCD 981 474 729

SUMTER COUNTY

Low Privity EST

COMPLETED BY: HARVEY S. DANIEL REVIEWED BY: GERALD STEWART SITE SCREENING SECTION BUREAU OF SOLID & HAZARDOUS WASTE MANAGEMENT SOUTH CAROLINA DEPARTMENT OF HEALTH & ENVIRONMENTAL CONTROL 2600 BULL STREET COLUMBIA, SC 29201

> DATE COMPLETED: September 8, 1992

TABLE OF CONTENTS

I. SCOPE C	OF WORK	•	. 1
II. EXECUT	TTIVE SUMMARY	•	. 2
III. SITE	BACKGROUND AND HISTORY		. 3
	A. Ownership History	•	. 3
	B. Site Description	•	. 3
	C. Regulatory History/RCRA Summary	•	. 3 . 3
	D. Process and Waste Disposal History		. 4
	E. Removal/Remedial Actions		
IV. FIELD	INVESTIGATIONS	•	. 5
V. GROUND	OWATER PATHWAY		. 5
	A. Regional Hydrogeology		. 5
	B. Groundwater Use		
	C. Groundwater Impact		
VI. SURFAC	ACE WATER PATHWAY		. 7
	A. Regional Characteristics		. 7
	B. Surface Water Use		. 7
	C. Surface Water Impact		
VII. SOIL	L EXPOSURE PATHWAY	•	. 8
VIII. AIR	R PATHWAY		
	A. Demography and Regional Use		
	B. Air Impact	•	. 10
IX. CONCL	LUSIONS AND RECOMMENDATIONS		. 10
v prerpri	FNORC		1:

I. SCOPE OF WORK

Comprehensive Environmental Pursuant to the Response, Compensation, and Liability Act (CERCLA) of 1980, as amended by the Superfund Amendments and Reauthorization Act (SARA) of 1986, the United States Environmental Protection Agency (U.S. EPA) in March 1991, began implementation of significant revisions in the Hazard Ranking System (HRS) used to evaluate sites for inclusion on the National Priority List (NPL) for Superfund cleanup. Because of the extent of the changes, sites that had CERCLA/SARA inspections prior to the revisions are generally lacking the required data for evaluation under the revised HRS. A Site Inspection Prioritization (SIP) is designed to revaluate sites using the revised HRS. SIP involves reviewing the files, identifying data gaps, and updating target information on the site.

The South Carolina Department of Health & Environmental Control (SCDHEC) has been tasked by the U.S. EPA to conduct a SIP on the Sumter Inert Site. The Sumter Inert Site was the subject of a CERCLA/SARA Site Screening Investigation (SSI) completed by the SCDHEC in January 1988. Because of the relatively recent date of the SSI, this SIP relies to some extent on the findings of the SSI.

II. EXECUTIVE SUMMARY

The Sumter Inert Site is located in Sumter County on the outskirts of the City of Sumter, S.C. The unlined landfill at the site was operated by the City from 1958 until 1971, and operated by Sumter County from 1971 until 1991. Southern Coating has disposed waste bags containing metalic waste, and drums containing paint sludge into the landfill at the site. Southern Coating also disposed liquid waste containing paints and solvents into a lagoon at the site. Santee Printing disposed liquid waste containing solvents into the lagoon.

Analysis of groundwater in a monitoring well at the site in June 1981 found, among other substances, lead, chromium, and cadmium. It is probable that these substances are attributable to the site. Groundwater wells located within four miles of the site are the sole source of potable water for approximately 54,495 Surface water samples were not taken during the SSI in 1987; however, since the site is partially located in Green Swamp, there is a high potential for hazardous substances to be released from the site to perennial surface water. Drinking water treatment plant intakes are not located within fifteen miles downstream of the site, however fishing occurs within fifteen miles downstream. The Pocotaligo River flows through Green Swamp at the site. least 45 miles of freshwater wetlands are contiguous with the River within fifteen miles downstream of the site. Habitats for endangered species are not located within fifteen miles downstream of the site. Because the landfill is not completely covered at the present time, there is potential for hazardous substances to be released to the atmosphere at the site. Approximately 51,305 A habitat for an people live within four miles of the site. endangered species and a habitat for a species under federal status review are located within four miles of the site.

It is probable that hazardous substances in the groundwater at the site are attributable to the site. A large number of people are supplied water by wells located within four miles of the site. There is potential for hazardous substances from the site to be released to perennial surface and the atmosphere. Therefore, the site is given a high priority for an Expanded Site Inspection.

III. SITE BACKGROUND AND HISTORY

A. Ownership History

Owner

Unspecified time until present
City of Sumter
21 North Main Street
Sumter, S.C. 29150
Telephone: (803) 773-3371
Contact: Talmage Tobias, City Manager
(Owns the property on which the Sumter Inert Site (SIS) is located.) (Ref. 1).

<u>Operators</u>

Circa 1958 until 1971
City of Sumter
21 North Main Street
Sumter, S.C. 29150
Telephone: (803) 773-3371
Contact: Talmage Tobias, City Manager
(Operated the landfill on the SIS.) (Ref. 1, 2, 3).

1971 until 1991
Sumter County Public Works
1289 North Main Street
Sumter, S.C. 29153
Telephone: (803) 773-9835
Contact: Eddie Newman, Director
(Operated the landfill on the SIS.) (Ref. 1, 2, 3, 4).

B. Site Description

The SIS was not visited during the SIP. The description is given in the SSI. An official with Sumter County Public Works describes the landfill as being forty acres in size (Ref. 4). The geographical coordinates have been recalculated to be 33 degrees, 54 minutes, 15.8 seconds north latitude, and 080 degrees, 21 minutes, 38.6 seconds west longitude (Ref. 5).

C. Regulatory History/RCRA Summary

The regulatory status of the SIS has not changed since the SSI Report.

D. Process and Waste Disposal History

The process and waste disposal history of the SIS has been described in the SSI Report. Operations at the site ended in February 1991 (Ref. 4).

The waste sources used to evaluate the site for this SIP are quantified and qualified as follows:

Landfill: The landfill is forty acres in size (Ref. 4). Between the years 1958 to 1974 Southern Coating disposed waste bags containing lead, zinc, and copper waste into the landfill (Ref. 6). The amount of waste disposed is unknown. The SCDHEC took one soil sample from the lower southwestern portion of the landfill during the SSI in September 1987. Analysis found the sample to contain, among other substances, lead (42 mg/kg), PCB's (0.138 mg/kg), DDT (0.0235 mg/kg), DDD (0.0179 mg/kg), and DDE (0.0135 mg/kg) (Ref. 7, 8). However, background samples are needed to attribute these substances to the landfill.

Lagoon: A lagoon approximately 75 to 100 feet long, and approximately 50 feet wide was used for the disposal of industrial liquid waste at the site. Prior to 1973 or early 1974, Southern Coating deposited liquid waste containing paints and solvents into the lagoon. Toluene and xylene are some of the solvents that were used at Southern Coating at the time. It is reported that for at least one year Southern Coating disposed 8,000 gallons of waste per month into the lagoon (at least 96,000 gallons) (Ref. 6, 9). From 1968 to 1973, each week Santee Print disposed 3,500 gallons of dye waste containing some solvents into the lagoon (approximately 1,092,000 gallons) (Ref. 9, 10).

Drums: During the construction of a sewer line through the site sometime around 1980, drums were excavated and strong fumes were reported (Ref. 11). Southern Coating has disposed drums containing paint sludge at the site. The chemical composition of Southern Coating's product include solvents and oxides of chromium, lead, copper, and titanium (Ref. 12). The number of drums disposed into the site is unknown.

E. Removal/Remedial Actions

There have been no removal or remedial actions at the SIS (Ref. 13).

IV. FIELD INVESTIGATIONS

The SIS was not visited during the SIP. More than five samples are needed to adequately assess the site (only one sample was taken during the SSI). An Expanded Site Investigation is needed to reconnoiter site conditions and targets, and to collect samples.

V. GROUNDWATER PATHWAY

A. Regional Hydrogeology

The following geologic units underlie the SIS site.

Name	Description	Depth of Occurence
Shallow Aquifer	A mixture of Black Mingo, Duplin, and undifferentiated Pliocene, Pleistocene, and recent alluvial deposits.	0 - 75 ft.
Black Creek Aquifer	Fossiliferous, fine- to-medium-grain light sands, and dark colored clays.	75 - 525 ft.
Middendorf Aquifer	Light colored, felds- pathic, micaceous sands interbedded with clays.	525+ ft.

A section of clay fifty to one-hundred feet thick is located near the top of the Black Creek Aquifer, however its continuity throughout the four-mile site radius has not been documented. There is no indication that the site is located in an area of karst topography (Ref. 14, 15).

The depth to groundwater is three feet. Groundwater flow direction in the Shallow Aquifer at the site is toward the west-southwest, south, and east (Ref. 5, 14).

B. Groundwater Use

Based on the number of houses on USGS topographical maps not served by public waterlines, and 2.91 persons per household in Sumter County as indicated by the 1990 U.S. Census, it is estimated that 6,936 people are supplied potable water by private wells located within four miles of the SIS (Ref. 5, 16, 17). The City of Sumter is served by seventeen wells. Three of the wells are located between one-half and one mile of the site; two are located between one and two miles of the site; nine are located between two and three miles of the site; and, three are located between three and four miles of the site. No well in the system supplies forty percent or more of the water, the water in the system is mixed, and the system serves 16,343 taps. Based on 2.91 persons per household, it is estimated that the system serves 47,559 people (Ref. 5, 16, 18, 19). Table 1 depicts the population served by wells located within four miles of the site.

TABLE 1: POPULATION SERVED BY WELLS LOCATED WITHIN FOUR MILES OF THE SUMTER INERT SITE							
Site Radius (miles)	Total Population						
0 - 1	29	N/A	29				
Greater than 1/4 to 1/2	49	N/A	49				
Greater than $\frac{1}{2}$ to 1	567	8,393	8,960				
Greater than 1 to 2	850	5,593	6,445				
Greater than 2 to 3	2,319	25,178	27,497				
Greater than 3 to 4	3,122	8,393	11,515				

N/A - Not Applicable. No wells are located within the site radius.

C. Groundwater Impact

The SCDHEC sampled monitoring well number 1 located at the southern periphery of the landfill at the SIS in June 1981, and found the groundwater to contain, among other substances, lead (0.22 mg/l), chromium (0.10 mg/l), cadmium (0.01 mg/l), and iron (130 mg/l) (Ref. 11, 20). The SCDHEC took one soil sample from the lower southwestern portion of the unlined landfill during the SSI in September 1987, and found the sample to contain, among other substances, lead (Ref. 7, 8, 21). However, background soil and groundwater samples are needed to attribute these releases to the site.

VI. SURFACE WATER PATHWAY

A. Regional Characteristics

The SIS is located on the outskirts of the City of Sumter, S.C. Sumter County has a two-year 24-hour rainfall of 3.80 inches (Ref 5, 22). The site is partially located in the 100-year flood zone (Ref. 5, 23).

The drainage area for the site is approximately 41 acres. This includes the forty acre site and the approximately one acre upgradient drainage area. The upgradient drainage area is defined by Sooks Branch north of the site and the street east of the site (Ref. 4, 5). The predominant soil type in the drainage area is Pocalla sand. Pocalla soils are medium-textured soils with moderate infiltration rates (Ref. 5; 24-pg. 35).

Being partially located in Green Swamp, the site is located in perennial surface water. The Pocotaligo River flows through Green Swamp at the site. The Pocotaligo River is categorized as having a flow rate between 10 and 100 cubic feet per second within fifteen miles downstream of the site. The fifteen mile distance downstream of the site ends in the Pocotaligo River (Ref. 5, 25).

B. Surface Water Use

Drinking water treatment plant intakes are not located within fifteen miles downstream of the SIS (Ref. 5; 26-fig. 57). The Pocotaligo River is fished approximately two miles downstream of the site (Ref. 5, 27). The annual poundage captured is unknown. It is assumed that at least one pound is captured.

The site is partially located in the freshwater wetlands of Green Swamp. The Pocotaligo River flows through the swamp at the site. The river diverges and converges several times within fifteen miles downstream of the site. Freshwater wetlands are located along both banks of the river along the fifteen mile segment. Considering both banks, it is estimated that at least forty-five miles of freshwater wetlands interface the river within fifteen miles downstream of the site. Besides freshwater wetlands,

no other sensitive environments, including habitats for endangered species, are located within fifteen miles downstream of the site (Ref. 5, 28, 29).

C. Surface Water Impact

Perennial surface water at the SIS was not sampled during the SSI in September 1987 (Ref. 7). However, since the site is partially located in the perennial surface water of Green Swamp, there is a great potential for hazardous substances from the site to be released to surface water (Ref. 5).

VII. SOIL EXPOSURE PATHWAY

The SIS is located on the outskirts of the City of Sumter, S.C. The one mile radius around the site is a mixture of swampland, residential and commercial land (Ref. 5). Based on the 1990 U.S. Census, 5,939 people lives nearby (within one mile) the site (Ref. 5, 30). Table 2 depicts the population living nearby the site.

TABLE 2: POPULATION LIVING NEARBY THE SUMTER INERT SITE			
Site Radius (miles)	Population		
0 - 1/4	114		
Greater than 1/4 - 1/2	725		
Greater than $\frac{1}{2}$ - 1	5,100		

The SSI Report mentions that the site is fenced; however, there is no evidence that the fence is maintained at the present time. Currently, the site has no recreational value (Ref. 5, 13).

There are no workers at the site. Operations at the site ended in February 1991 (Ref. 4). Soil contamination has not been documented within 200 feet of a residence, school, or child day care center (Ref. 5, 13, 31).

Habitats for endangered species or other terrestrial sensitive environments are not located on areas of observed contamination at the site (Ref. 5, 28, 29).

VIII. AIR PATHWAY

A. Demography and Regional Use

The four mile radius around the SSI is a mixture of urban, rural, and swamplands. The site is located on the outskirts of the City of Sumter, S.C., all of which is located within the four mile site radius (Ref. 5). Sumter has a population of 41,943 people (Ref. 32). No one lives on-site and there are no workers on-site, operations ceased at the site in February 1991 (Ref. 4, 5). According to the 1990 U.S. Census, 51,305 people live within four miles of the site. The nearest individual resides in a residence approximately 100 feet east of the site (Ref. 5, 30). Table 3 depicts the population living within four miles of the site.

TABLE 3: POPULATION LIVING WITHIN FOUR MILES OF THE SUMTER INERT SITE			
Site Radius (miles)	Population		
On-site	0		
0 - 1/4	114		
Greater than 1/4 - 1/2	725		
Greater than ½ - 1	5,100		
Greater than 1 - 2	14,253		
Greater than 2 - 3	19,060		
Greater than 3 - 4	12,053		

A habitat for the Red-cockaded woodpecker (Picoides borealis), a federal endangered bird species, is located 3.83 miles east-northeast of the site. Also, a habitat for the awned meadowbeauty (Rhexia aristosa), a plant under federal status review, is located 3.43 miles west-northwest of the site (Ref. 28). Freshwater wetlands are located through the four mile site radius. Based on USGS topographical maps, table 4 depicts the estimation of the number of acres of freshwater wetlands located throughout the four mile site radius (Ref. 5).

TABLE 4: ACREAGE OF FRESHWATER WETLANDS LOCATED WITHIN FOUR MILES OF THE SUMTER INERT SITE				
Site Radius (miles) Wetland Acreage				
On-site	25			
Greater than 0 - 1/4	85			
Greater than 1/4 - 1/2	75			
Greater than $\frac{1}{2}$ - 1	180			
Greater than 1 - 2	745			
Greater than 2 - 3	840			
Greater than 3 - 4	1,100			

B. Air Impact

The SCDHEC did not take air samples during the SSI at the SIS in September 1987, therefore it is not known if hazardous substances are being released to the atmosphere at the site (Ref. 7). Both Southern Coating and Santee Print disposed liquid waste containing some solvents into the lagoon at the site (Ref. 6, 9, 10). It is reported that waste deposited into the landfill was frequently uncovered. Sumter County is in the process of covering the landfill; however, the landfill is not completely covered at the present time (Ref. 4, 21). Therefore, there is potential for hazardous substances to be released to the atmosphere at the site.

IX. CONCLUSIONS AND RECOMMENDATIONS

Industrial waste including lead, zinc, and copper waste has been disposed into the unlined landfill at the SIS. Analysis of a soil sample taken by the SCDHEC during the SSI at the site found the soil to contain, among other substances, lead, PCB's, DDT, DDD, and DDE. A large volume of liquid waste containing paint waste, dye waste and solvents has been disposed into a lagoon at the site. Also, drums containing paint sludge have been disposed at the site.

In June 1981, analysis of groundwater from a monitoring well at the site found the groundwater to contain, among other substances, lead, chromium, cadmium, and iron. It is probable that these substances are attributable to the site. Groundwater wells

located within four miles of the site are the sole source of potable water for approximately 54,495 people.

Samples were not taken from perennial surface water during the SSI; however, since the site is partially located in the perennial surface water of Green Swamp, there is a high potential for hazardous substances from the site to be released to surface water. Drinking water treatment intakes are not located within fifteen miles downstream of the site, however there is fishing within fifteen miles downstream of the site. There is potential for hazardous substances from the site to be released to the atmosphere at the site. Approximately 51,305 people live within four miles of the site. Also, many acres of freshwater wetlands are located throughout the four mile site radius.

It is probable that hazardous substances in the groundwater at the site are attributable to the site. A large number of people are supplied water by wells located within four miles of the site. There is potential for hazardous substances from the site to be released to perennial surface and the atmosphere. Therefore, the site is given a high priority for an Expanded Site Inspection (ESI). Because only one sample was taken during the SSI, several samples should be taken during the ESI. These samples should include: soil and background soil; groundwater (monitoring wells and public and/or private wells) and background groundwater; and, sediment/water and background from Green Swamp. Also during the ESI, the number of workers and students in close proximity to the site (within one or two miles) need to be enumerated.

X. REFERENCES

All references are included unless otherwise indicated.

- 1. Harvey Daniel, SCDHEC. Telephone conversation with Talmage Tobias, City of Sumter, S.C. May 20, 1992.
- SCDHEC. Landfill Facility Form. Sumter Inert Waste Disposal Site. October 15, 1980.
- 3. Jeff Williams, SCDHEC. Telephone conversation with Luke Rogers, Sumter County Public Works. May 4, 1987.
- 4. Harvey Daniel, SCDHEC. Telephone conversation with Eddie Newman, Sumter County Public Works. May 20, 1992.
- 5. USGS Topographical Maps. 7.5 Minute Series. Sumter east, S.C., 1957 edition, photorevised 1982; Sumter West, S.C., 1957 edition, photorevised 1982; Privateer, S.C., 1983 provisional edition; Brogdon, S.C., 1983 provisional edition.
- 6. Helen McGill, SCDHEC. Telephone conversation with Tom Robertson, Southern Coating. November 19, 1987. See Reference 30 in the SSI Report.
- 7. Helen McGill, SCDHEC. Memorandum to Sumnter Inert File. Re: Site Inspection Trip Report and Sampling Scheme. November 2, 1987. See Reference 8 in the SSI Report.
- 8. SCDHEC. Analytical Services Data Sheet for Solid Waste and Hydrology, Sumter Inert, Sumter County. September 30, 1987.
- 9. Capers Dixon, Wateree District, SCDHEC. Memorandum to John Cain, SCDHEC. Re: Hazardous Waste Disposal - Sumter Inert Site on Cooks Street. See Reference 31 in the SSI Report.
- 10. Helen McGill, SCDHEC. Telephone conversation with Bill Boswell, Santee Print. November 5, 1987. See Reference 20 of the SSI Report.
- 11. Capers Dixon, Wateree District, SCDHEC. Memorandum to Raymond Knox, SCDHEC. Re: Sumter County Inert Landfill, Cooks Street, Sumter. July 6, 1981. See Reference 3 of the SSI Report.

- 12. Helen McGill, SCDHEC. Telephone conversation with Roy McLaurin, Southern Coating. November 12, 1987. See Reference 29 in the SSI Report.
- 13. SCDHEC. CERCLA Files, Sumter County, Sumter Inert Site, SCD 981 474 729. In Site Screening Section, SCDHEC.
- 14. Judy Canova, SCDHEC. Memorandum to John Cresswell, SCDHEC. Re: Sumter Inert Landfill. November 10, 1987. See Reference 2 in the SSI Report.
- 15. Harvey Daniel, SCDHEC. Memorandum, with attachment, to Sumter Inert Site File. Re: Hydrogeologic Characteristics. May 19, 1992.
- 16. U.S. Census Bureau. Table: Housing Units by Occupancy Status, Total Population, and Persons Per Household. 1990. Copy in Site Screening Section, SCDHEC.
- 17. Waterline Map for the City of Sumter, S.C. See Reference 5.
- 18. Harvey Daniel, SCDHEC. Memorandum, with attachment, to Sumter Inert Site File. Re: City of Sumter Water System. May 18, 1992.
- 19. Harvey Daniel, SCDHEC. Memorandum, with attachments, to Sumter Inert Site File. Re: Location of City of Sumter Wells. May 18, 1992.
- 20. SCDHEC. Analytical Services Data Sheet for Solid Waste and Hydrology, Cooks Street Landfill, Sumter County. June 29, 1981.
- 21. Helen McGill, SCDHEC. Discussion with Capers Dixon, Wateree District, SCDHEC. October 19, 1987. See Reference 4 in the SSI Report.
- 22. S.C. Water Resources Commission. Table: Maximum Rainfall Intensity Expected at Center of Each South Carolina County. Copy in Site Screening Section, SCDHEC.
- 23. Federal Emergency Management Agency, National Flood Insurance Program. Flood Insurance Rate Map, Sumter County, S.C., Community-Panel No. 450182 0180 B. January 5, 1989. Copy in Site Screening Section, SCDHEC.
- 24. U.S. Department of Agriculture, Soil Conservation Service.
 Soil Survey of Florence and Sumter Counties, South
 Carolina. September 1974.

- 25. Harvey Daniel, SCDHEC. Memorandum, with attachment, to Sumter Inert Site File. Re: Surface Water Pathway Characteristics. May 19, 1992.
- 26. S.C. Water Resources Commission. South Carolina State Water Assessment, Report No. 140. September 1983.
- 27. Helen McGill, SCDHEC. Telephone conversation with Chris Lock, SCDHEC. November 6, 1987. See Reference 21 in the SSI Report.
- 28. SCDHEC, Bureau of Solid and Hazardous Waste. Printout: The Endangered Species Found Within Four Miles of the Sumter Inert Site. July 2, 1992.
- 29. South Carolina Heritage Trust. Endangered Species List. May 1, 1991. Copy in Site Screening Section, SCDHEC.
- 30. Harvey Daniel, SCDHEC. Memorandum, with attachments, to the Sumter Inert Site File. Re: Four Mile Site Radius Population. July 2, 1992.
- 31. S.C. Department of Social Services. Listing of All Child Day Care Facilities on File. July 28, 1989. Copy in Site Screening Section, SCDHEC.
- 32. U.S. Census Bureau. Table: Selected Populations and Housing Characteristics for South Carolina. 1990. Copy in Site Screening Section, SCDHEC.

PAGE:

PRESCORE 1.0 - PRESCORE.TCL File 12/23/91 HRS DOCUMENTATION RECORD Sumter Inert Site - 08/06/92

 Site Name: Sumter Inert Site (as entered in CERCLIS)

2. Site CERCLIS Number: SCD 981 474 729

3. Site Reviewer: Harvey S. Daniel

4. Date: June 26, 1992

5. Site Location: Sumter/Sumter County/South Carolina (City/County, State)

6. Congressional District:

7. Site Coordinates: Single

Latitude: 33°54'15.8" Longitude: 080°21'38.6"

	Score
Ground Water Migration Pathway Score (Sgw)	100.00
Surface Water Migration Pathway Score (Ssw)	13.58
Soil Exposure Pathway Score (Ss)	0.24
Air Migration Pathway Score (Sa)	1.14

Site Score	50.46
	 I

NOTE

EPA uses the terms "facility," "site," and "release" interchangeably. The term "facility" is broadly defined in CERCLA to include any area where hazardous substances have "come to be located" (CERCLA Section 109(9)), and the listing process is not intended to define or reflect boundaries of such facilities or releases. Site names, and references to specific parcels or properties, are provided for general identification purposes only. Knowledge regarding the extent of sites will be refined as more information is developed during the RI/FS and even during implementation of the remedy.

PRESCORE 1.0 - PRESCORE.TCL File 12/23/91 PAGE: 2 WASTE QUANTITY
Sumter Inert Site - 08/06/92

1. WASTESTREAM QUANTITY SUMMARY TABLE, SOURCE: landfill

. 🕏

a. Wastestream ID	
b. Hazardous Constituent Quantity (C) (lbs.)	0.00
c. Data Complete?	NO
d. Hazardous Wastestream Quantity (W) (lbs.)	0.00
e. Data Complete?	NO
f. Wastestream Quantity Value (W/5,000)	0.00E+00

3

PRESCORE 1.0 - PRESCORE.TCL File 12/23/91 WASTE QUANTITY

Sumter Inert Site - 08/06/92

2. SOURCE HAZARDOUS WASTE QUANTITY FACTOR TABLE

a.	Source ID		landfill	
b. Source Type			Landfill	
c.	Secondary Source Type	2	N.A.	
d.	Source Volume (yd3)	Source Area (ft2)	0.00	1742400.00
e.	Source Volume/Area Va	ılue	5.12E+02	
f.	Source Hazardous Cons (HCQ) Value (sum of 1		0.00E+00	
g.	Data Complete?		NO	
h. Source Hazardous Wastestream Quantity (WSQ) Value (sum of 1f)			0.00E+00	
i.	Data Complete?		NO	
k.	Source Hazardous Wast Value (2e, 2f, or 2h)		5.12E+02	

Source Hazardous Substances	Depth (feet)	Liquid	Concent.	Units	
Copper	< 2	NO	0.0E+00	ppm	
DDD	< 2	NO	1.8E-02	ppm	
DDE	< 2	NO	1.3E-02	ppm	
DDT	< 2	NO	2.4E-02	ppm	
Lead	< 2	NO	4.2E+01	mqq	
PCBs	< 2	NO	1.4E-01	ppm	
Toluene	< 2	YES	0.0E+00	ppm	
Xylene, m-	< 2	YES	0.0E+00	ppm	
Zinc	< 2	NO	0.0E+00	mag	

Documentation for Source Hazardous Substances:

Between the years 1958 to 1974 Southern Coating disposed waste bags containing lead, zinc, and copper waste. The amount of waste deposited is unknown. During the SSI sampling in September 1987, the SCDHEC found the soil in the landfill to contain PCB's (0.138 mg/kg), DDT (0.0235 mg/kg), DDD (0.0179 mg/kg), and DDE (0.0135 mg/kg).

PREscore 1.0 - PRESCORE.TCL File 12/23/91 WASTE QUANTITY

Sumter Inert Site - 08/06/92

Reference: 14, 15, 16.

Documentation for Source Area:

The landfill is forty acres (1,742,400 square feet) in size.

Reference: 13

PAGE:

PRESCORE 1.0 - PRESCORE.TCL File 12/23/91 PAGE: WASTE QUANTITY

Sumter Inert Site - 08/06/92

1. WASTESTREAM QUANTITY SUMMARY TABLE, SOURCE: lagoon

a. Wastestream ID	Southern Coating
b. Hazardous Constituent Quantity (C) (lbs.)	0.00
c. Data Complete?	NO
d. Hazardous Wastestream Quantity (W) (lbs.)	960000.00
e. Data Complete?	NO
f. Wastestream Quantity Value (W/5,000)	1.92E+02

Documentation for Wastestream Quantity:

It is reported that for at least one year Southern Coating dumped 8,000 gallons per month of liquid waste containing paints and solvents into the lagoon (at least 96,000 gallons).

Reference: 17

. 5.

a. Wastestream ID	Santee Print
b. Hazardous Constituent Quantity (C) (lbs.)	0.00
c. Data Complete?	NO
d. Hazardous Wastestream Quantity (W) (lbs.)	10920000.00
e. Data Complete?	YES
f. Wastestream Quantity Value (W/5,000)	2.18E+03

PREscore 1.0 - PRESCORE.TCL File 12/23/91 WASTE QUANTITY

Sumter Inert Site - 08/06/92

Documentation for Wastestream Quantity:

From 1968 to 1973, each week Santee Print dumped 3,500 gallons of dye waste containing some solvents into the lagoon at the site (1,092,000 gallons).

Reference: 17, 30.

. 50

6

PAGE:

PAGE:

7

PRESCORE 1.0 - PRESCORE.TCL File 12/23/91 WASTE QUANTITY Sumter Inert Site - 08/06/92

2. SOURCE HAZARDOUS WASTE QUANTITY FACTOR TABLE

. .

a.	Source ID		lagoon	
b.	Source Type		Surface Impoundment	
c.	C. Secondary Source Type		N.A.	
d.	Source Volume (yd3)	Source Area (ft2)	0.00	4375.00
e.	. Source Volume/Area Value		3.37E+02	
f.	. Source Hazardous Constituent Quantity (HCQ) Value (sum of 1b)		0.00E+00	
g.	. Data Complete?		NO	
h.	. Source Hazardous Wastestream Quantity (WSQ) Value (sum of 1f)		2.38E+03	
i.	. Data Complete?		NO	
k.	. Source Hazardous Waste Quantity (HWQ) Value (2e, 2f, or 2h)		2.38E+03	

Source Hazardous Substances	Depth (feet)	Liquid 	Concent.	Units
Toluene	< 2	NO	0.0E+00	ppm
Xylene, o-	< 2	NO	0.0E+00	ppm

Documentation for Source Hazardous Substances:

Prior to 1973 or early 1974 Southern Coating deposited liquid waste containing paints and solvents into a lagoon at the site. Toluene and xylene are some of the solvents that were used at Southern Coating at the time. Santee Print also used the lagoon to dispose of dye waste containing some solvents.

Reference: 14, 17, 30.

PREscore 1.0 - PRESCORE.TCL File 12/23/91 WASTE QUANTITY

Sumter Inert Site - 08/06/92

Documentation for Source Area:

The lagoon used to deposit liquid chemical waste was approximately 75 to 100 feet long, and approximately 50 feet wide.

Reference: 17

. .

8

PAGE:

PREscore 1.0 - PRESCORE.TCL File 12/23/91 WASTE QUANTITY Sumter Inert Site - 08/06/92

1. WASTESTREAM QUANTITY SUMMARY TABLE, SOURCE: drums

. 2.

a. Wastestream ID	
b. Hazardous Constituent Quantity (C) (lbs.)	0.00
c. Data Complete?	NO
d. Hazardous Wastestream Quantity (W) (lbs.)	0.00
e. Data Complete?	NO
f. Wastestream Quantity Value (W/5,000)	0.00E+00

PAGE: 9

PREscore 1.0 - PRESCORE.TCL File 12/23/91 PAGE: 10 WASTE QUANTITY

Sumter Inert Site - 08/06/92

2. SOURCE HAZARDOUS WASTE QUANTITY FACTOR TABLE

a.	Source ID		drums	
b.	Source Type		Drums	
c.	Secondary Source Type	2	N.A.	
d.	Source Volume (yd3)	Source Area (ft2)	100.00	0.00
e.	Source Volume/Area Va	alue	2.00E-01	
f.	Source Hazardous Cons (HCQ) Value (sum of 1	I	0.00E+00	
g.	Data Complete?		NO	
h.	Source Hazardous Wast (WSQ) Value (sum of 1		0.00E+00	
i.	Data Complete?		NO	
k.	Source Hazardous Wast Value (2e, 2f, or 2h)	_ ,,	2.00E-01	

Source Hazardous Substances	Depth (feet)	Liquid	Concent.	Units
Chromium	< 2	YES	0.0E+00	ppm
Copper	< 2	YES	0.0E+00	mqq
Lead	< 2	YES	0.0E+00	mqq
Toluene	< 2	YES	0.0E+00	mqq
Xylene, m-	< 2	YES	0.0E+00	ppm

Documentation for Source Type:

Southern Coating took drums to the site.

Reference: 18.

. .

PREscore 1.0 - PRESCORE.TCL File 12/23/91 WASTE QUANTITY

Sumter Inert Site - 08/06/92

Documentation for Source Hazardous Substances:

Southern Coating deposited drums containing paint sludge af the The chemical composition of the processes at Southern Coating included oxides of chromium, lead, and copper. Solvents including toluene and xylene were also part of the process at Southern Coating.

Reference: 14, 18.

. .

Documentation for Source Volume:

The number of drums that have been depostied at the site is unknown. It is assumed that at least two drums have been deposited at the site.

Reference: 11, 18.

PAGE:

11

PREscore 1.0 - PRESCORE.TCL File 12/23/91 WASTE QUANTITY
Sumter Inert Site - 08/06/92

3. SITE HAZARDOUS WASTE QUANTITY SUMMARY

. .

No. Source ID	Migration Pathways	Vol. or Area Value (2e)	Constituent or Wastestream Value (2f,2h)	Hazardous Waste Qty. Value (2k)
1 landfill	GW-SW-SE-A	5.12E+02	0.00E+00	5.12E+02
2 lagoon	GW-SW-SE-A	3.37E+02	2.38E+03	2.38E+03
3 drums	GW-SW-SE-A	2.00E-01	0.00E+00	2.00E-01

PAGE: 12 PRESCORE 1.0 - PRESCORE.TCL File 12/23/91
WASTE QUANTITY

Sumter Inert Site - 08/06/92

4. PATHWAY HAZARDOUS WASTE QUANTITY AND WASTE CHARACTERISTICS SUMMARY TABLE

Migration Pathway	Contaminant Value	es	HWQVs*	WCVs**
Ground Water	Toxicity/Mobility	1.00E+04	100	32
SW: Overland Flow, DW	Tox./Persistence	1.00E+04	100	32
SW: Overland Flow, HFC	Tox./Persis./Bioacc.	5.00E+08	100	320
SW: Overland Flow, Env	Etox./Persis./Bioacc.	5.00E+08	100	320
SW: GW to SW, DW	Tox./Persistence	1.00E+04	100	32
SW: GW to SW, HFC	Tox./Persis./Bioacc.	5.00E+07	100	180
SW: GW to SW, Env	Etox./Persis./Bioacc.	5.00E+06	100	100
Soil Exposure:Resident	Toxicity	1.00E+04	100	32
Soil Exposure: Nearby	Toxicity	1.00E+04	100	32
Air	Toxicity/Mobility	1.00E+01	100	6

^{*} Hazardous Waste Quantity Factor Values

Note:

SW = Surface Water
GW = Ground Water

DW = Drinking Water Threat HFC = Human Food Chain Threat Env = Environmental Threat PAGE: 13

^{**} Waste Characteristics Factor Category Values

PAGE:

PREscore 1.0 - PRESCORE.TCL File 12/23/91 GROUND WATER MIGRATION PATHWAY SCORESHEET Sumter Inert Site - 08/06/92

GROUND WATER MIGRATION PATHWAY Factor Categories & Factors	Maximum Value	Value Assigned
Likelihood of Release to an Aquifer Aquifer: Shallow Aquifer		
1. Observed Release	550	550
2. Potential to Release		
2a. Containment	10	10
2b. Net Precipitation 2c. Depth to Aquifer	10 5	0 5
2d. Travel Time	35	35
2e. Potential to Release		
[lines 2a(2b+2c+2d)]	500	400
3. Likelihood of Release	550	550
Waste Characteristics		
4. Toxicity/Mobility	*	1.00E+04
5. Hazardous Waste Quantity	*	100
6. Waste Characteristics	100	32
Targets		
7. Nearest Well	50	1.80E+01
	1	ĺ
8. Population		
8a. Level I Concentrations	**	0.00E+00
8a. Level I Concentrations 8b. Level II Concentrations	**	0.00E+00
8a. Level I Concentrations8b. Level II Concentrations8c. Potential Contamination	**	0.00E+00 6.09E+02
8a. Level I Concentrations 8b. Level II Concentrations 8c. Potential Contamination 8d. Population (lines 8a+8b+8c)	** ** **	0.00E+00 6.09E+02 6.09E+02
8a. Level I Concentrations 8b. Level II Concentrations 8c. Potential Contamination 8d. Population (lines 8a+8b+8c) 9. Resources	** ** ** 5	0.00E+00 6.09E+02 6.09E+02 0.00E+00
8a. Level I Concentrations 8b. Level II Concentrations 8c. Potential Contamination 8d. Population (lines 8a+8b+8c) 9. Resources 10. Wellhead Protection Area	** ** **	0.00E+00 6.09E+02 6.09E+02
8a. Level I Concentrations 8b. Level II Concentrations 8c. Potential Contamination 8d. Population (lines 8a+8b+8c) 9. Resources	** ** ** 5 20	0.00E+00 6.09E+02 6.09E+02 0.00E+00 0.00E+00
8a. Level I Concentrations 8b. Level II Concentrations 8c. Potential Contamination 8d. Population (lines 8a+8b+8c) 9. Resources 10. Wellhead Protection Area 11. Targets (lines 7+8d+9+10)	** ** 5 20 **	0.00E+00 6.09E+02 6.09E+02 0.00E+00 0.00E+00 6.27E+02

^{*} Maximum value applies to waste characteristics category. ** Maximum value not applicable.

PRESCORE 1.0 - PRESCORE.TCL File 12/23/91 PAG SURFACE WATER OVERLAND/FLOOD MIGRATION COMPONENT SCORESHEET Sumter Inert Site - 08/06/92 PAGE:

SURFACE WATER OVERLAND/FLOOD MIGRATION COMPONENT Factor Categories & Factors DRINKING WATER THREAT	Maximum Value	Value Assigned
Likelihood of Release		
1. Observed Release	550	0
2. Potential to Release by Overland Flow 2a. Containment	10	10
2b. Runoff	25	1
2c. Distance to Surface Water	25	25
2d. Potential to Release by Overland Flow [lines 2a(2b+2c)] 3. Potential to Release by Flood	500	260
3a. Containment (Flood)	10	10
3b. Flood Frequency	50	25
3c. Potential to Release by Flood	500	250
(lines 3a x 3b)		
4. Potential to Release (lines 2d+3c)	500	500
5. Likelihood of Release	550	500
Waste Characteristics		
6. Toxicity/Persistence	*	1.00E+04
7. Hazardous Waste Quantity	*	100
8. Waste Characteristics	100	32
Targets		
9. Nearest Intake 10. Population	50	0.00E+00
10a. Level I Concentrations	**	0.00E+00
10b. Level II Concentrations	**	0.00E+00
10c. Potential Contamination	**	0.00E+00
10d. Population (lines 10a+10b+10c)	**	0.00E+00
11. Resources	5	0.00E+00
12. Targets (lines 9+10d+11)	**	0.00E+00
13. DRINKING WATER THREAT SCORE	100	0.00

^{*} Maximum value applies to waste characteristics category.
** Maximum value not applicable.

PRESCORE 1.0 - PRESCORE.TCL File 12/23/91 PAGE SURFACE WATER OVERLAND/FLOOD MIGRATION COMPONENT SCORESHEET Sumter Inert Site - 08/06/92 PAGE:

SURFACE WATER OVERLAND/FLOOD MIGRATION COMPONENT Factor Categories & Factors HUMAN FOOD CHAIN THREAT	Maximum Value	Value Assigned
Likelihood of Release		
14. Likelihood of Release (same as line 5)	550	500
Waste Characteristics		
15. Toxicity/Persistence/Bioaccumulation 16. Hazardous Waste Quantity 17. Waste Characteristics	* * 1000	5.00E+08 100 320
Targets		
18. Food Chain Individual 19. Population 19a. Level I Concentrations 19b. Level II Concentrations 19c. Pot. Human Food Chain Contamination 19d. Population (lines 19a+19b+19c) 20. Targets (lines 18+19d)	50 ** ** ** **	2.00E+00 0.00E+00 0.00E+00 3.00E-04 3.00E-04 2.00E+00
21. HUMAN FOOD CHAIN THREAT SCORE	100	3.88

^{*} Maximum value applies to waste characteristics category. ** Maximum value not applicable.

PRESCORE 1.0 - PRESCORE.TCL File 12/23/91 PAGE SURFACE WATER OVERLAND/FLOOD MIGRATION COMPONENT SCORESHEET PAGE: Sumter Inert Site - 08/06/92

SURFACE WATER OVERLAND/FLOOD MIGRATION COMPONENT Factor Categories & Factors ENVIRONMENTAL THREAT	Maximum Value	Value Assigned
Likelihood of Release		
22. Likelihood of Release (same as line 5)	550	500
Waste Characteristics		
23. Ecosystem Toxicity/Persistence/Bioacc. 24. Hazardous Waste Quantity 25. Waste Characteristics	* * 1000	5.00E+08 100 320
Targets		
26. Sensitive Environments 26a. Level I Concentrations 26b. Level II Concentrations 26c. Potential Contamination 26d. Sensitive Environments (lines 26a+26b+26c) 27. Targets (line 26d)	** ** ** **	0.00E+00 0.00E+00 5.00E+00 5.00E+00
28. ENVIRONMENTAL THREAT SCORE	60	9.70
29. WATERSHED SCORE	100	13.58
30. SW: OVERLAND/FLOOD COMPONENT SCORE (Sof)	100	13.58

^{*} Maximum value applies to waste characteristics category.
** Maximum value not applicable.

PRESCORE 1.0 - PRESCORE.TCL File 12/23/91 PAGE GROUND WATER TO SURFACE WATER MIGRATION COMPONENT SCORESHEET PAGE: Sumter Inert Site - 08/06/92

GROUND WATER TO SURFACE WATER MIGRATION COMPONENT Factor Categories & Factors DRINKING WATER THREAT	Maximum Value	Value Assigned
Likelihood of Release to Aquifer Aquifer: Shallow Aquifer		
 Observed Release Potential to Release Containment Net Precipitation Depth to Aquifer Travel Time Potential to Release [lines 2a(2b+2c+2d)] Likelihood of Release 	550 10 10 5 35 500 550	550 10 0 5 35 400 550
Waste Characteristics		
4. Toxicity/Mobility/Persistence 5. Hazardous Waste Quantity 6. Waste Characteristics	* * 100	1.00E+04 100 32
Targets		
7. Nearest Intake 8. Population 8a. Level I Concentrations 8b. Level II Concentrations 8c. Potential Contamination 8d. Population (lines 8a+8b+8c) 9. Resources 10. Targets (lines 7+8d+9)	50 ** ** ** 5 **	0.00E+00 0.00E+00 0.00E+00 0.00E+00 0.00E+00 0.00E+00
11. DRINKING WATER THREAT SCORE	100	0.00

^{*} Maximum value applies to waste characteristics category.
** Maximum value not applicable.

PRESCORE 1.0 - PRESCORE.TCL File 12/23/91 PAGE GROUND WATER TO SURFACE WATER MIGRATION COMPONENT SCORESHEET PAGE: Sumter Inert Site - 08/06/92

GROUND WATER TO SURFACE WATER MIGRATION COMPONENT Factor Categories & Factors HUMAN FOOD CHAIN THREAT	Maximum Value	Value Assigned
Likelihood of Release		
12. Likelihood of Release (same as line 3)	550	550
Waste Characteristics		
13. Toxicity/Mobility/Persistence/Bioacc. 14. Hazardous Waste Quantity 15. Waste Characteristics	* * 1000	5.00E+07 100 180
Targets		
16. Food Chain Individual 17. Population	50	0.00E+00
17a. Level I Concentrations 17b. Level II Concentrations 17c. Pot. Human Food Chain Contamination 17d. Population (lines 17a+17b+17c) 18. Targets (lines 16+17d)	** ** ** **	0.00E+00 0.00E+00 0.00E+00 0.00E+00 0.00E+00
19. HUMAN FOOD CHAIN THREAT SCORE	100	0.00

^{*} Maximum value applies to waste characteristics category.
** Maximum value not applicable.

PRESCORE 1.0 - PRESCORE.TCL File 12/23/91 PAGE GROUND WATER TO SURFACE WATER MIGRATION COMPONENT SCORESHEET PAGE: Sumter Inert Site - 08/06/92

GROUND WATER TO SURFACE WATER MIGRATION COMPONENT Factor Categories & Factors ENVIRONMENTAL THREAT	Maximum Value	Value Assigned
Likelihood of Release		
20. Likelihood of Release (same as line 3)	550	550
Waste Characteristics		
21. Ecosystem Tox./Mobility/Persist./Bioacc. 22. Hazardous Waste Quantity 23. Waste Characteristics	* * 1000	5.00E+06 100 100
Targets		
24. Sensitive Environments 24a. Level I Concentrations 24b. Level II Concentrations 24c. Potential Contamination 24d. Sensitive Environments (lines 24a+24b+24c) 25. Targets (line 24d)	** ** ** **	0.00E+00 0.00E+00 0.00E+00 0.00E+00
26. ENVIRONMENTAL THREAT SCORE	60	0.00
27. WATERSHED SCORE	100	0.00
28. SW: GW to SW COMPONENT SCORE (Sgs)	100	0.00

^{*} Maximum value applies to waste characteristics category. ** Maximum value not applicable.

8.

PAGE:

PREscore 1.0 - PRESCORE.TCL File 12/23/91 SOIL EXPOSURE PATHWAY SCORESHEET Sumter Inert Site - 08/06/92

SOIL EXPOSURE PATHWAY Factor Categories & Factors RESIDENT POPULATION THREAT	Maximum Value	Value Assigned
Likelihood of Exposure		
1. Likelihood of Exposure	550	550
Waste Characteristics		
2. Toxicity 3. Hazardous Waste Quantity 4. Waste Characteristics	* * 100	1.00E+04 100 32
Targets		
5. Resident Individual 6. Resident Population	50	0.00E+00
6a. Level I Concentrations	**	0.00E+00
6b. Level II Concentrations	**	0.00E+00
6c. Resident Population (lines 6a+6b)	**	0.00E+00
7. Workers	15	0.00E+00
8. Resources 9. Terrestrial Sensitive Environments	***	1
10. Targets (lines 5+6c+7+8+9)	**	0.00E+00
11. RESIDENT POPULATION THREAT SCORE	**	0.00E+00

^{*} Maximum value applies to waste characteristics category.

** Maximum value not applicable.

*** No specific maximum value applies, see HRS for details.

PAGE:

PREscore 1.0 - PRESCORE.TCL File 12/23/91 SOIL EXPOSURE PATHWAY SCORESHEET Sumter Inert Site - 08/06/92

SOIL EXPOSURE PATHWAY Factor Categories & Factors NEARBY POPULATION THREAT	Maximum Value	Value Assigned
Likelihood of Exposure		
12. Attractiveness/Accessibility 13. Area of Contamination 14. Likelihood of Exposure	100 100 500	1.00E+01 1.00E+02 1.25E+02
Waste Characteristics		
15. Toxicity 16. Hazardous Waste Quantity 17. Waste Characteristics	* * 100	1.00E+04 100 32
Targets		
18. Nearby Individual 19. Population Within 1 Mile 20. Targets (lines 18+19)	1 ** **	1.00E+00 4.00E+00 5.00E+00
21. NEARBY POPULATION THREAT SCORE	**	2.00E+04
SOIL EXPOSURE PATHWAY SCORE (Ss)	100	0.24

^{*} Maximum value applies to waste characteristics category.
** Maximum value not applicable.

PAGE: 10

PREscore 1.0 - PRESCORE.TCL File 12/23/91 AIR PATHWAY SCORESHEET Sumter Inert Site - 08/06/92

AIR MIGRATION PATHWAY Factor Categories & Factors	Maximum Value	Value Assigned
Likelihood of Release		-
1. Observed Release 2. Potential to Release	550	0
2a. Gas Potential to Release	500	280
2b. Particulate Potential to Release	500	280
2c. Potential to Release 3. Likelihood of Release	500 550	280 280
Waste Characteristics		
4. Toxicity/Mobility 5. Hazardous Waste Quantity 6. Waste Characteristics	* * 100	1.00E+01 100 6
Targets		
7. Nearest Individual 8. Population	50	2.00E+01
8a. Level I Concentrations	**	0.00E+00
8b. Level II Concentrations	**	0.00E+00
8c. Potential Contamination	**	3.00E+01
8d. Population (lines 8a+8b+8c)	**	3.00E+01
9. Resources	5	0.00E+00
10. Sensitive Environments	***	0.008100
10a. Actual Contamination 10b. Potential Contamination	***	0.00E+00 6.00E+00
10c. Sens. Environments(lines 10a+10b)	***	6.00E+00
11. Targets (lines 7+8d+9+10c)	**	5.60E+01
AIR MIGRATION PATHWAY SCORE (Sa)	100	1.14E+00

^{*} Maximum value applies to waste characteristics category.

** Maximum value not applicable.

*** No specific maximum value applies, see HRS for details.

١.

PRESCORE 1.0 - PRESCORE.TCL File 12/23/91 REFERENCES

Sumter Inert Site - 09/28/92

- Judy Canova, SCDHEC. Memorandum to John Cresswell, SCDHEC. Re: Sumter Inert Landfill. November 10, 1987. See Reference 2 in the SSI Report.
- 2. Harvey Daniel, SCDHEC. Memorandum to Sumter Inert Site File. RE: Hydrogeologic Characteristics. May 19, 1992.
- 3. Raymond Knox, SCDHEC. Memorandum to Capers Dixon, Wateree District. Re: Sumter County Inert Landfill. July 6, 1981. See Reference 3 in the SSI Report.
- 4. SCDHEC. Analytical Services Data Sheet for Solid Waste and Hydrology, Cooks Street Landfill, Sumter County. June 29, 1981.
- 5. USGS Topographical Maps. 7.5 minute series. Sumter East, S.C., 1957 ed., photorevised 1982; Sumter West, S.C., 1957 ed., photorevised 1982; Privateer, S.C. 1983 provisional ed.; Brogdon, 1983 pro. ed
- 6. U.S. Census Bureau. Table: Housing Units by Occupancy Status, Total Population, and Persons Per Household. 1990. Copy in Site Screening Section, SCDHEC.
- 7. Harvey Daniel, SCDHEC. Memorandum to Sumter Inert Site File. Re: City of Sumter Water System. May 18, 1992.
- 8. Harvey Daniel, SCDHEC. Memorandum to Sumter Inert Site File. Re: Location of City of Sumter Wells. May 18, 1992.
- 9. Helen McGill, SCDHEC. Discussion with Capers Dixon, Wateree District, SCDHEC. October 19, 1987. See Reference 4 in the SSI Report.
- 10. Helen McGill, SCDHEC. Discussion with Lee Rawl, SCDHEC. October 22, 1987. See Reference 32 in the SSI Report.
- 11. CERCLA Files. Sumter Inert Site, Sumter County, SCD 981 474 729.
 In Site Screening Section, SCDHEC.
- 12. Federal Emergency Management Agency, National Flood Insurance Program.
 Flood Insurance Rate Map, Sumter County, S.C., Community-Panel
 # 450182 0180 B. January 5, 1989. Copy in Site Screening, SCDHEC.
- 13. Harvey Daniel, SCDHEC. Telephone conversation with Eddie Newman, Sumter County Public Works. May 20, 1992.
- 14. Helen McGill, SCDHEC. Telephone conversation with Tom Robertson, Southern Coating. November 19, 1987. See Reference 30 in the SSI Report.

2

PREscore 1.0 - PRESCORE.TCL File 12/23/91 REFERENCES

Sumter Inert Site - 09/28/92

- Helen McGill, SCDHEC. Memorandum to Sumter Inert File. Re: Site 15. Inspection Trip Report and Sampling Scheme. November 2, 1987. See Reference 8 in the SSI Report.
- 16. SCDHEC. Analytical Services Data Sheet for Solid Waste and Hydrology, Sumter Inert, Sumter County. September 30, 1987.
- Capers Dixon, Wateree District, SCDHEC. Memorandum to John Cain, 17. SCDHEC. Re: Hazardous Waste Disposal-Sumter Inert Site on Cooks Street, Sumter County. November 9, 1987. See Ref. 31 in SSI.
- Helen McGill, SCDHEC. Telephone conversation with Roy McLaurin, 18. Southern Coating. November 12, 1987. See Reference 29 in the SSI Report.
- 19. Congressional Federal Register (40 CFR Part 300). Hazard Ranking System; Final Rule. Friday, December 14, 1990. Copy in Site Screening Section, SCDHEC.
- 20. Helen McGill, SCDHEC. Telephone conversation with Mac McCoy, McCoy Utilities. November 25, 1987. See Reference 34 in the SSI Report.
- South Carolina Water Resources Commission. Table: Maximum Rainfall 21. Intensity Expected at Center of Each South Carolina County. Copy in site Screening Section, SCDHEC.
- U.S. Department of Agriculture, Soil Conservation Service. 22. Survey of Florence and Sumter Counties, South Carolina. September 1974. Copy in Division of Hydrogeology, SCDHEC.
- S.C. Water Resources Commission. South Carolina State Water 23. Assessment, Report No. 140. September 1983.
- 24. Helen McGill, SCDHEC. Telephone conversation with Chris Lock, SCDHEC. November 6, 1987. See Reference 21 in the SSI Report.
- Harvey Daniel, SCDHEC. Memorandum to Sumter Inert Site File. 25. Surface Water Pathway Characteristics. May 19, 1992.
- 26. S.C. Department of Social Services. Listing of All Child Day Care Facilities on File. July 28, 1989. Copy in Site Screening Section, SCDHEC.
- 27. SCDHEC, Bureau of Solid and Hazardous Waste. Printout: The Endangered Species Found Within Four Miles of The Sumter Inert Site. July 2, 1992.

3

PAGE:

PREscore 1.0 - PRESCORE.TCL File 12/23/91 REFERENCES

Sumter Inert Site - 09/28/92

- 28. Harvey Daniel, SCDHEC. Memorandum to Sumter Inert Site File. Re: Four Mile Site Radius Population. July 2, 1992.
- Waterline Map for the City of Sumter, S.C. See Reference 5. 29.
- 30. Helen McGill, SCDHEC. Telephone conversation with Bill Boswell, Santee Print. November 5, 1987. See Reference 20 in the SSI Report.

SITE INSPECTION PRIORITIZATION

SUMTER INERT SITE SCD 981 474 729 SUMTER COUNTY

Low Privity EST

COMPLETED BY: HARVEY S. DANIEL REVIEWED BY: GERALD STEWART

SITE SCREENING SECTION BUREAU OF SOLID & HAZARDOUS WASTE MANAGEMENT SOUTH CAROLINA DEPARTMENT OF HEALTH & ENVIRONMENTAL CONTROL 2600 BULL STREET COLUMBIA, SC 29201

> DATE COMPLETED: September 8, 1992

TABLE OF CONTENTS

I. SCOPE C	OF WORK	1
II. EXECUT	TIVE SUMMARY	2
III. SITE	BACKGROUND AND HISTORY	3
	A. Ownership History	3
	B. Site Description	3 3 4
	C. Requiatory History/RCRA Summary	3
	D. Process and Waste Disposal History	4
	E. Removal/Remedial Actions	4
IV. FIELD	INVESTIGATIONS	5
V. GROUND	WATER PATHWAY	5
	A. Regional Hydrogeology	5
	B. Groundwater Use	5 6
	C. Groundwater Impact	6
VI. SURFAC	CE WATER PATHWAY	7
	A. Regional Characteristics	7
	B. Surface Water Use	7
	C. Surface Water Impact	7 7 8
VII. SOIL	EXPOSURE PATHWAY	8
VIII. AIR	PATHWAY	9
	A. Demography and Regional Use	9
	B. Air Impact	10
IX. CONCL	USIONS AND RECOMMENDATIONS	10
v necene	MOEC	1 2

I. SCOPE OF WORK

Pursuant to the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) of 1980, as amended by the Superfund Amendments and Reauthorization Act (SARA) of 1986, the United States Environmental Protection Agency (U.S. EPA) in March 1991, began implementation of significant revisions in the Hazard Ranking System (HRS) used to evaluate sites for inclusion on the National Priority List (NPL) for Superfund cleanup. Because of the extent of the changes, sites that had CERCLA/SARA inspections prior to the revisions are generally lacking the required data for evaluation under the revised HRS. A Site Inspection Prioritization (SIP) is designed to revaluate sites using the revised HRS. The SIP involves reviewing the files, identifying data gaps, and updating target information on the site.

The South Carolina Department of Health & Environmental Control (SCDHEC) has been tasked by the U.S. EPA to conduct a SIP on the Sumter Inert Site. The Sumter Inert Site was the subject of a CERCLA/SARA Site Screening Investigation (SSI) completed by the SCDHEC in January 1988. Because of the relatively recent date of the SSI, this SIP relies to some extent on the findings of the SSI.

II. EXECUTIVE SUMMARY

The Sumter Inert Site is located in Sumter County on the outskirts of the City of Sumter, S.C. The unlined landfill at the site was operated by the City from 1958 until 1971, and operated by Sumter County from 1971 until 1991. Southern Coating has disposed waste bags containing metalic waste, and drums containing paint sludge into the landfill at the site. Southern Coating also disposed liquid waste containing paints and solvents into a lagoon at the site. Santee Printing disposed liquid waste containing solvents into the lagoon.

Analysis of groundwater in a monitoring well at the site in June 1981 found, among other substances, lead, chromium, and It is probable that these substances are attributable to the site. Groundwater wells located within four miles of the site are the sole source of potable water for approximately 54,495 Surface water samples were not taken during the SSI in 1987; however, since the site is partially located in Green Swamp, there is a high potential for hazardous substances to be released from the site to perennial surface water. Drinking water treatment plant intakes are not located within fifteen miles downstream of the site, however fishing occurs within fifteen miles downstream. The Pocotaligo River flows through Green Swamp at the site. least 45 miles of freshwater wetlands are contiguous with the River within fifteen miles downstream of the site. endangered species are not located within fifteen miles downstream of the site. Because the landfill is not completely covered at the present time, there is potential for hazardous substances to be released to the atmosphere at the site. Approximately 51,305 people live within four miles of the site. A habitat for an endangered species and a habitat for a species under federal status review are located within four miles of the site.

It is probable that hazardous substances in the groundwater at the site are attributable to the site. A large number of people are supplied water by wells located within four miles of the site. There is potential for hazardous substances from the site to be released to perennial surface and the atmosphere. Therefore, the site is given a high priority for an Expanded Site Inspection.

III. SITE BACKGROUND AND HISTORY

Unspecified time until present

A. Ownership History

Owner

City of Sumter
21 North Main Street
Sumter, S.C. 29150
Telephone: (803) 773-3371
Contact: Talmage Tobias, City Manager
(Owns the property on which the Sumter Inert Site (SIS) is located.) (Ref. 1).

<u>Operators</u>

Circa 1958 until 1971
City of Sumter
21 North Main Street
Sumter, S.C. 29150
Telephone: (803) 773-3371
Contact: Talmage Tobias, City Manager
(Operated the landfill on the SIS.) (Ref. 1, 2, 3).

Sumter County Public Works
1289 North Main Street
Sumter, S.C. 29153
Telephone: (803) 773-9835
Contact: Eddie Newman, Director
(Operated the landfill on the SIS.) (Ref. 1, 2, 3, 4).

B. Site Description

1971 until 1991

The SIS was not visited during the SIP. The description is given in the SSI. An official with Sumter County Public Works describes the landfill as being forty acres in size (Ref. 4). The geographical coordinates have been recalculated to be 33 degrees, 54 minutes, 15.8 seconds north latitude, and 080 degrees, 21 minutes, 38.6 seconds west longitude (Ref. 5).

C. Regulatory History/RCRA Summary

The regulatory status of the SIS has not changed since the SSI Report.

D. Process and Waste Disposal History

The process and waste disposal history of the SIS has been described in the SSI Report. Operations at the site ended in February 1991 (Ref. 4).

The waste sources used to evaluate the site for this SIP are quantified and qualified as follows:

Landfill: The landfill is forty acres in size (Ref. 4). Between the years 1958 to 1974 Southern Coating disposed waste bags containing lead, zinc, and copper waste into the landfill (Ref. 6). The amount of waste disposed is unknown. The SCDHEC took one soil sample from the lower southwestern portion of the landfill during the SSI in September 1987. Analysis found the sample to contain, among other substances, lead (42 mg/kg), PCB's (0.138 mg/kg), DDT (0.0235 mg/kg), DDD (0.0179 mg/kg), and DDE (0.0135 mg/kg) (Ref. 7, 8). However, background samples are needed to attribute these substances to the landfill.

Lagoon: A lagoon approximately 75 to 100 feet long, and approximately 50 feet wide was used for the disposal of industrial liquid waste at the site. Prior to 1973 or early 1974, Southern Coating deposited liquid waste containing paints and solvents into the lagoon. Toluene and xylene are some of the solvents that were used at Southern Coating at the time. It is reported that for at least one year Southern Coating disposed 8,000 gallons of waste per month into the lagoon (at least 96,000 gallons) (Ref. 6, 9). From 1968 to 1973, each week Santee Print disposed 3,500 gallons of dye waste containing some solvents into the lagoon (approximately 1,092,000 gallons) (Ref. 9, 10).

Drums: During the construction of a sewer line through the site sometime around 1980, drums were excavated and strong fumes were reported (Ref. 11). Southern Coating has disposed drums containing paint sludge at the site. The chemical composition of Southern Coating's product include solvents and oxides of chromium, lead, copper, and titanium (Ref. 12). The number of drums disposed into the site is unknown.

E. Removal/Remedial Actions

There have been no removal or remedial actions at the SIS (Ref. 13).

IV. FIELD INVESTIGATIONS

The SIS was not visited during the SIP. More than five samples are needed to adequately assess the site (only one sample was taken during the SSI). An Expanded Site Investigation is needed to reconnoiter site conditions and targets, and to collect samples.

V. GROUNDWATER PATHWAY

A. Regional Hydrogeology

The following geologic units underlie the SIS site.

Name	Description	Depth of Occurence
Shallow Aquifer	A mixture of Black Mingo, Duplin, and undifferentiated Pliocene, Pleistocene, and recent alluvial deposits.	0 - 75 ft.
Black Creek Aquifer	Fossiliferous, fine- to-medium-grain light sands, and dark colored clays.	75 - 525 ft.
Middendorf Aquifer	Light colored, felds- pathic, micaceous sands interbedded with clays.	525+ ft.

A section of clay fifty to one-hundred feet thick is located near the top of the Black Creek Aquifer, however its continuity throughout the four-mile site radius has not been documented. There is no indication that the site is located in an area of karst topography (Ref. 14, 15).

The depth to groundwater is three feet. Groundwater flow direction in the Shallow Aquifer at the site is toward the west-southwest, south, and east (Ref. 5, 14).

B. Groundwater Use

Based on the number of houses on USGS topographical maps not served by public waterlines, and 2.91 persons per household in Sumter County as indicated by the 1990 U.S. Census, it is estimated that 6,936 people are supplied potable water by private wells located within four miles of the SIS (Ref. 5, 16, 17). The City of Sumter is served by seventeen wells. Three of the wells are located between one-half and one mile of the site; two are located between one and two miles of the site; nine are located between two and three miles of the site; and, three are located between three and four miles of the site. No well in the system supplies forty percent or more of the water, the water in the system is mixed, and the system serves 16,343 taps. Based on 2.91 persons per household, it is estimated that the system serves 47,559 people (Ref. 5, 16, 18, 19). Table 1 depicts the population served by wells located within four miles of the site.

TABLE 1: POPULATION SERVED BY WELLS LOCATED WITHIN FOUR MILES OF THE SUMTER INERT SITE			
Site Radius (miles)	Private Well Population	City of Sumter Population	Total Population
0 - 1/4	29	N/A	29
Greater than $\frac{1}{4}$ to $\frac{1}{2}$	49	N/A	49
Greater than ½ to 1	567	8,393	8,960
Greater than 1 to 2	850	5,593	6,445
Greater than 2 to 3	2,319	25,178	27,497
Greater than 3 to 4	3,122	8,393	11,515

N/A - Not Applicable. No wells are located within the site radius.

C. Groundwater Impact

The SCDHEC sampled monitoring well number 1 located at the southern periphery of the landfill at the SIS in June 1981, and found the groundwater to contain, among other substances, lead (0.22 mg/l), chromium (0.10 mg/l), cadmium (0.01 mg/l), and iron (130 mg/l) (Ref. 11, 20). The SCDHEC took one soil sample from the lower southwestern portion of the unlined landfill during the SSI in September 1987, and found the sample to contain, among other substances, lead (Ref. 7, 8, 21). However, background soil and groundwater samples are needed to attribute these releases to the site.

VI. SURFACE WATER PATHWAY

A. Regional Characteristics

The SIS is located on the outskirts of the City of Sumter, S.C. Sumter County has a two-year 24-hour rainfall of 3.80 inches (Ref 5, 22). The site is partially located in the 100-year flood zone (Ref. 5, 23).

The drainage area for the site is approximately 41 acres. This includes the forty acre site and the approximately one acre upgradient drainage area. The upgradient drainage area is defined by Sooks Branch north of the site and the street east of the site (Ref. 4, 5). The predominant soil type in the drainage area is Pocalla sand. Pocalla soils are medium-textured soils with moderate infiltration rates (Ref. 5; 24-pg. 35).

Being partially located in Green Swamp, the site is located in perennial surface water. The Pocotaligo River flows through Green Swamp at the site. The Pocotaligo River is categorized as having a flow rate between 10 and 100 cubic feet per second within fifteen miles downstream of the site. The fifteen mile distance downstream of the site ends in the Pocotaligo River (Ref. 5, 25).

B. Surface Water Use

Drinking water treatment plant intakes are not located within fifteen miles downstream of the SIS (Ref. 5; 26-fig. 57). The Pocotaligo River is fished approximately two miles downstream of the site (Ref. 5, 27). The annual poundage captured is unknown. It is assumed that at least one pound is captured.

The site is partially located in the freshwater wetlands of Green Swamp. The Pocotaligo River flows through the swamp at the site. The river diverges and converges several times within fifteen miles downstream of the site. Freshwater wetlands are located along both banks of the river along the fifteen mile segment. Considering both banks, it is estimated that at least forty-five miles of freshwater wetlands interface the river within fifteen miles downstream of the site. Besides freshwater wetlands,

no other sensitive environments, including habitats for endangered species, are located within fifteen miles downstream of the site (Ref. 5, 28, 29).

C. Surface Water Impact

Perennial surface water at the SIS was not sampled during the SSI in September 1987 (Ref. 7). However, since the site is partially located in the perennial surface water of Green Swamp, there is a great potential for hazardous substances from the site to be released to surface water (Ref. 5).

VII. SOIL EXPOSURE PATHWAY

The SIS is located on the outskirts of the City of Sumter, S.C. The one mile radius around the site is a mixture of swampland, residential and commercial land (Ref. 5). Based on the 1990 U.S. Census, 5,939 people lives nearby (within one mile) the site (Ref. 5, 30). Table 2 depicts the population living nearby the site.

TABLE 2: POPULATION LIVING NEARBY THE SUMTER INERT SITE	
Site Radius (miles)	Population
0 - 1/4	114
Greater than $\frac{1}{4} - \frac{1}{2}$	725
Greater than ½ - 1	5,100

The SSI Report mentions that the site is fenced; however, there is no evidence that the fence is maintained at the present time. Currently, the site has no recreational value (Ref. 5, 13).

There are no workers at the site. Operations at the site ended in February 1991 (Ref. 4). Soil contamination has not been documented within 200 feet of a residence, school, or child day care center (Ref. 5, 13, 31).

Habitats for endangered species or other terrestrial sensitive environments are not located on areas of observed contamination at the site (Ref. 5, 28, 29).

VIII. AIR PATHWAY

A. Demography and Regional Use

The four mile radius around the SSI is a mixture of urban, rural, and swamplands. The site is located on the outskirts of the City of Sumter, S.C., all of which is located within the four mile site radius (Ref. 5). Sumter has a population of 41,943 people (Ref. 32). No one lives on-site and there are no workers on-site, operations ceased at the site in February 1991 (Ref. 4, 5). According to the 1990 U.S. Census, 51,305 people live within four miles of the site. The nearest individual resides in a residence approximately 100 feet east of the site (Ref. 5, 30). Table 3 depicts the population living within four miles of the site.

TABLE 3: POPULATION LIVING WITHIN FOUR MILES OF THE SUMTER INERT SITE		
Site Radius (miles)	Population	
On-site	0	
0 - 1/4	114	
Greater than $\frac{1}{4} - \frac{1}{2}$	725	
Greater than $\frac{1}{2}$ - 1	5,100	
Greater than 1 - 2	14,253	
Greater than 2 - 3	19,060	
Greater than 3 - 4	12,053	

A habitat for the Red-cockaded woodpecker (Picoides borealis), a federal endangered bird species, is located 3.83 miles east-northeast of the site. Also, a habitat for the awned meadowbeauty (Rhexia aristosa), a plant under federal status review, is located 3.43 miles west-northwest of the site (Ref. 28). Freshwater wetlands are located through the four mile site radius. Based on USGS topographical maps, table 4 depicts the estimation of the number of acres of freshwater wetlands located throughout the four mile site radius (Ref. 5).

TABLE 4: ACREAGE OF FRESHWATER WETLANDS LOCATED WITHIN FOUR MILES OF THE SUMTER INERT SITE		
Site Radius (miles)	Wetland Acreage	
On-site	25	
Greater than 0 - 1/4	85	
Greater than 1/4 - 1/2	75	
Greater than $\frac{1}{2}$ - 1	180	
Greater than 1 - 2	745	
Greater than 2 - 3	840	
Greater than 3 - 4	1,100	

B. Air Impact

The SCDHEC did not take air samples during the SSI at the SIS in September 1987, therefore it is not known if hazardous substances are being released to the atmosphere at the site (Ref. 7). Both Southern Coating and Santee Print disposed liquid waste containing some solvents into the lagoon at the site (Ref. 6, 9, 10). It is reported that waste deposited into the landfill was frequently uncovered. Sumter County is in the process of covering the landfill; however, the landfill is not completely covered at the present time (Ref. 4, 21). Therefore, there is potential for hazardous substances to be released to the atmosphere at the site.

IX. CONCLUSIONS AND RECOMMENDATIONS

Industrial waste including lead, zinc, and copper waste has been disposed into the unlined landfill at the SIS. Analysis of a soil sample taken by the SCDHEC during the SSI at the site found the soil to contain, among other substances, lead, PCB's, DDT, DDD, and DDE. A large volume of liquid waste containing paint waste, dye waste and solvents has been disposed into a lagoon at the site. Also, drums containing paint sludge have been disposed at the site.

In June 1981, analysis of groundwater from a monitoring well at the site found the groundwater to contain, among other substances, lead, chromium, cadmium, and iron. It is probable that these substances are attributable to the site. Groundwater wells

located within four miles of the site are the sole source of potable water for approximately 54,495 people.

Samples were not taken from perennial surface water during the SSI; however, since the site is partially located in the perennial surface water of Green Swamp, there is a high potential for hazardous substances from the site to be released to surface water. Drinking water treatment intakes are not located within fifteen miles downstream of the site, however there is fishing within fifteen miles downstream of the site. There is potential for hazardous substances from the site to be released to the atmosphere at the site. Approximately 51,305 people live within four miles of the site. Also, many acres of freshwater wetlands are located throughout the four mile site radius.

It is probable that hazardous substances in the groundwater at the site are attributable to the site. A large number of people are supplied water by wells located within four miles of the site. There is potential for hazardous substances from the site to be released to perennial surface and the atmosphere. Therefore, the site is given a high priority for an Expanded Site Inspection (ESI). Because only one sample was taken during the SSI, several samples should be taken during the ESI. These samples should include: soil and background soil; groundwater (monitoring wells and public and/or private wells) and background groundwater; and, sediment/water and background from Green Swamp. Also during the ESI, the number of workers and students in close proximity to the site (within one or two miles) need to be enumerated.

X. REFERENCES

All references are included unless otherwise indicated.

- 1. Harvey Daniel, SCDHEC. Telephone conversation with Talmage Tobias, City of Sumter, S.C. May 20, 1992.
- 2. SCDHEC. Landfill Facility Form. Sumter Inert Waste Disposal Site. October 15, 1980.
- 3. Jeff Williams, SCDHEC. Telephone conversation with Luke Rogers, Sumter County Public Works. May 4, 1987.
- 4. Harvey Daniel, SCDHEC. Telephone conversation with Eddie Newman, Sumter County Public Works. May 20, 1992.
- 5. USGS Topographical Maps. 7.5 Minute Series. Sumter east, S.C., 1957 edition, photorevised 1982; Sumter West, S.C., 1957 edition, photorevised 1982; Privateer, S.C., 1983 provisional edition; Brogdon, S.C., 1983 provisional edition.
- 6. Helen McGill, SCDHEC. Telephone conversation with Tom Robertson, Southern Coating. November 19, 1987. See Reference 30 in the SSI Report.
- 7. Helen McGill, SCDHEC. Memorandum to Sumnter Inert File. Re: Site Inspection Trip Report and Sampling Scheme. November 2, 1987. See Reference 8 in the SSI Report.
- 8. SCDHEC. Analytical Services Data Sheet for Solid Waste and Hydrology, Sumter Inert, Sumter County. September 30, 1987.
- Capers Dixon, Wateree District, SCDHEC. Memorandum to John Cain, SCDHEC. Re: Hazardous Waste Disposal - Sumter Inert Site on Cooks Street. See Reference 31 in the SSI Report.
- 10. Helen McGill, SCDHEC. Telephone conversation with Bill Boswell, Santee Print. November 5, 1987. See Reference 20 of the SSI Report.
- 11. Capers Dixon, Wateree District, SCDHEC. Memorandum to Raymond Knox, SCDHEC. Re: Sumter County Inert Landfill, Cooks Street, Sumter. July 6, 1981. See Reference 3 of the SSI Report.

- 12. Helen McGill, SCDHEC. Telephone conversation with Roy McLaurin, Southern Coating. November 12, 1987. See Reference 29 in the SSI Report.
- 13. SCDHEC. CERCLA Files, Sumter County, Sumter Inert Site, SCD 981 474 729. In Site Screening Section, SCDHEC.
- 14. Judy Canova, SCDHEC. Memorandum to John Cresswell, SCDHEC. Re: Sumter Inert Landfill. November 10, 1987. See Reference 2 in the SSI Report.
- 15. Harvey Daniel, SCDHEC. Memorandum, with attachment, to Sumter Inert Site File. Re: Hydrogeologic Characteristics. May 19, 1992.
- 16. U.S. Census Bureau. Table: Housing Units by Occupancy Status, Total Population, and Persons Per Household. 1990. Copy in Site Screening Section, SCDHEC.
- 17. Waterline Map for the City of Sumter, S.C. See Reference 5.
- 18. Harvey Daniel, SCDHEC. Memorandum, with attachment, to Sumter Inert Site File. Re: City of Sumter Water System. May 18, 1992.
- 19. Harvey Daniel, SCDHEC. Memorandum, with attachments, to Sumter Inert Site File. Re: Location of City of Sumter Wells. May 18, 1992.
- 20. SCDHEC. Analytical Services Data Sheet for Solid Waste and Hydrology, Cooks Street Landfill, Sumter County. June 29, 1981.
- 21. Helen McGill, SCDHEC. Discussion with Capers Dixon, Wateree District, SCDHEC. October 19, 1987. See Reference 4 in the SSI Report.
- 22. S.C. Water Resources Commission. Table: Maximum Rainfall Intensity Expected at Center of Each South Carolina County. Copy in Site Screening Section, SCDHEC.
- 23. Federal Emergency Management Agency, National Flood Insurance Program. Flood Insurance Rate Map, Sumter County, S.C., Community-Panel No. 450182 0180 B. January 5, 1989. Copy in Site Screening Section, SCDHEC.
- 24. U.S. Department of Agriculture, Soil Conservation Service. Soil Survey of Florence and Sumter Counties, South Carolina. September 1974.

- 25. Harvey Daniel, SCDHEC. Memorandum, with attachment, to Sumter Inert Site File. Re: Surface Water Pathway Characteristics. May 19, 1992.
- 26. S.C. Water Resources Commission. South Carolina State Water Assessment, Report No. 140. September 1983.
- 27. Helen McGill, SCDHEC. Telephone conversation with Chris Lock, SCDHEC. November 6, 1987. See Reference 21 in the SSI Report.
- 28. SCDHEC, Bureau of Solid and Hazardous Waste. Printout: The Endangered Species Found Within Four Miles of the Sumter Inert Site. July 2, 1992.
- 29. South Carolina Heritage Trust. Endangered Species List. May 1, 1991. Copy in Site Screening Section, SCDHEC.
- 30. Harvey Daniel, SCDHEC. Memorandum, with attachments, to the Sumter Inert Site File. Re: Four Mile Site Radius Population. July 2, 1992.
- 31. S.C. Department of Social Services. Listing of All Child Day Care Facilities on File. July 28, 1989. Copy in Site Screening Section, SCDHEC.
- 32. U.S. Census Bureau. Table: Selected Populations and Housing Characteristics for South Carolina. 1990. Copy in Site Screening Section, SCDHEC.

PRESCORE DOCUMENTATION

fef. 2

MEMORANDUM

TO:

Sumter Inert Site File

SCD 981 474 729

FROM:

Harvey S. Daniel

Site Screening Section

SUBJECT:

Hydrogeologic Characteristics

DATE:

May 19, 1992

According to USGS topographical maps, the Sumter Inert Site is approximately two miles southwest of the Bobby Hanna Property site (renammed Old Sumter Municipal Landfill Site). The attached record of communication (conversation with Marion Feagin, SCDHEC, dated November 21, 1991) to the Bobby Hanna Property File is submitted to the Sumter Inert Site File for information.

SITE NAME: Bobby Hanna Property File EPA ID NUMBER: SCD 987 584 158

RECORD OF COMMUNICATION

Phone Control Phone Conferent Conferent Other (So	on p ace		
TO:	Bobby Hanna Property File	FROM:	Harvey S. Daniel Site Screening Section
DATE:	November 21, 1991	TIME:	1:15 PM
SUBJECT:	Conversation with Marion Feagin, F Waste Management, SCDHEC. (80		eau of Solid & Hazardous
SUMMARY	OF COMMUNICATION:		
on the Bobb	rring to the November 20, 1991 Preling y Hanna property, Ms. Feagin pointed chacts as a confining bed is continuous	out that it is no	t known if the Eocene-age
CONCLUSI	ONS, ACTIONS TAKEN OR REQUI	RED:	
INFORMAT	TION COPIES TO:		

File

SOUTH CARC_.NA DL .RTMENT OF HEALTH AND EN\ JNMEI

LTCONTROL Environmental Quality Control

Analytical Services Data Sheet for Solid Waste and Hydrology.

Sample Location (2065 54	2,=		County Juin to	R AND	A Commence	, pasti
Sample Type Grand	- water	Comments Sing	Kesults to Ground	Weter Pite	ton Dy	
Date // -24-X/	Collect	ted by Kn. K - F.	An "X" in test reque	the small co	olumn indicat	es
me Collected (Milit.)	1115	1345			1345	
mple Point	13-2	11.1001		13 2	11. West 1	1
.b No. H	177	178	1+	177	178	
. ₃ -№, mg/l			Calcium			
₃ /NO ₂ -N, mg/l			Magnesium			
(N			Sodium			
trite, N, mg/l			Potassium			
-P,			Arsenic			
irdness, mg/l			Barium			
, mg/l	X 130	X 55	Cadmium	X 0.010	0.010	1
) ₄ mg/1	1		Chromium	0.15	V 0.10	1
lashpoint, ^O F			Copper			1
olids, Total, mg/l			Iron	V 120	M 130	
olids, Tot. Diss, mg/l	390	X 410	Lead	0.85	N 0.22	1
olids, %	1		Manganese			
H	 	11	Mercury			1
lkalinity mg/l	1123	Y 800	Nickel		1	
luoride, mg/l	1	14 23 11	Selenium			1
OC .	XI	X 3/6	Silver			
henols, µg/l	11	1	Zinc			
OD						
yanide, mg/l	1			ingle	nall	
'BAS, mg/1	1		Remarks:	<u> </u>	11031	·
	11					
	1					
Date Received in Regi	ional Labo	ratory	by -			
Date Released from Re			þν			
Date Received in Cen	_	1 7	1-81 by DAY	γ		
Date Released from S			7	Harra	<u> </u>	
Date Released from M		ala III	by Am	Apucles		
DHEC 40 90 (01/81)		7	llow - Program; Pir		Gold - Lab	

DHEC 40-89 (01/81)

SOUTH CAROLINA PARTMENT OF HEALTH AND ENVIRONM TAL CONTROL Environmental Quality Control Analytical Services Data Sheet for Organic Compounds in Solid Waste and Hydrology Samples

Sample Location Cook's Street of Sample Type Ground Water	1.	, F, Cour	nt	y Sun	Her		
Sample Type Ground Water		Comments Send X	Po	sults to	Tround	11	O Protestion De
Date 6/29/8/ Collec	te	d By FACETE/A	<u>K</u> ,	nox An	"X" in	th	ne small column
/ //		' /		ind	ıcates	te	est requested.
Time Collected (Milit.)		11 15		1345	5.		
Station No.		13-2	\top	Mon His	191	\top	
Lab. No.	Γ	177	T	178	7		
Chlorinated hydrocarbons, µg/l	X	10.05	X	40.0	5	T	
Endrin, mg/l			1			T	
Lindane, mg/l	\top		T			1	
Methoxychlor, mg/l	1		\dagger			\top	
Toxaphene, mg/l	1		+				
	I		Ţ			I	
	\downarrow		\downarrow	ļ		 	
Organophosphates, μg/1	\downarrow		\downarrow	ļ		\perp	
	1		\downarrow			$oxed{\perp}$	
DOD (1)	\downarrow		\dashv			$oxed{\downarrow}$	
PCBs, μg/1	+		\dashv			\dashv	
	+		\dashv	 		 	
Other	+		\dashv			\vdash	
Other	+		+			H	
	+		\dashv		 .	${+}$	
	+		\dashv			+	
	+		-			╁	
	+		-			╁	
	+					$\dagger \dagger$	
Comments				<u> </u>	1.7	111	نبر ۱۱
Continents				····		,	
-					5 A C Co		- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1
						þt - c	Jehandra, zv.: Control
Date Received in Regional Labo	 ora	atory		By			
Date Released from Regional La				By			
Date Received in Central Labor		(000	31	By 🕅	M		
Date Released from Organic Sec		1/00/10	7	By	april	13	Miano
TOP (100 top)	٠.	· · · · · · · · · · · · · · · · · · ·	الم ز	caram: Mal	10w - !	l ah	

fet. 1

MEMORANDUM

TO:

Sumter Inert Site File

SCD 981 474 729

FROM:

Harvey S. Daniel

Site Screening Section

SUBJECT:

City of Sumter Water System

DATE:

May 18, 1992

The attached record of communication (conversation with Grady Grubs, City of Sumter Water Company, dated November 22, 1991) to the Bobby Hanna Property (renammed Old Sumter Municipal Landfill Site) File is submitted to the Sumter Inert Site File for information.

RECORD OF COMMUNICATION

X Pho Dis Fie Con Oth	cussion ld Trip		
TO:	Bobby Hanna Property File SCD 987 584 158	FROM:	Harvey S. Daniel Site Screening Section
DATE:	November 22, 1991	TIME:	1:15 PM
SUBJECT:	Conversation with Grad Sumter Water Company.	y Grubs, (803)773	Superintendent, City of 3-3977
SUMMARY C	F COMMUNICATION		
Mr. Grubs water in percent of that the concurred taps as in Systems.	s will send a map showing the system is mixed. No or more of the water. The city serves is the call that the system serves indicated in the SCDHEC's These include the taps	y the look well in the only of ommunity approximation in the of	the system supplies forty other public water system of Oswego. Mr. Grubs nately 16,343 residential ry of Public Water Supply
CONCLUSIO	ONS, ACTION TAKEN OR REQ	UIRED	

INFORMATION COPIES

TO:

fet. 8

MEMORANDUM

TO:

Sumter Inert Site File

SCD 981 474 729

FROM:

Harvey S. Daniel 7

Site Screening Section

SUBJECT:

Location of City of Sumter Wells

DATE:

May 18, 1992

Based on the geographical coordinates of the Sumter Inert Site (33 degrees, 54 minutes, 15.8 seconds north latitude; and 080 degrees, 21 minutes, 38.6 seconds west longitude) and the geographical coordinates for the City of Sumter wells (see attached record of communication (conversation with Grady Grubbs, City of Sumter Water Company, dated December 20, 1991) to the Bobby Hanna Property (renamed Old Sumter Municipal Landfill Site) File), a City of Sumter map, and USGS topographical maps, the locations of the City of Sumter wells are given below.

Well Number	Distance From Site (miles)
1	2.10
2	1.96
3	1.98
4	2.04
5	2.24
6	2.01
7	2.18
8	2.92
9	2.78
10	2.82
11	2.72
12	3.04
13	0.77
14	0.69
15	0.66
16	3.40°
17	3.40*

^{*}Distance based on City of Sumter map and USGS topographical maps.

RECORD OF COMMUNICATION

Fie Con Oth	cussion ld Trip ference er (Specify)		
TO:	Bobby Hanna Property File SCD 987 584 158	FROM:	Harvey S. Daniel Site Screening Section
DATE:	December 20, 1991	TIME:	3:20 PM
SUBJECT:	Conversation with Grady Sumter Water Company.		Superintendant, City of 3-3977
SUMMARY O	F COMMUNICATION		
the wells Mr. Grubs wells on on W. Wes	s in the City of Sumter's s acknowleged that he ser which sheets were not se	Water S nt only ent are	titudes and longitudes of System (see attachments), fifteen sheets. The two located at water plant #5 s northwest of the Bobby
CONCLUSIO	ONS, ACTION TAKEN OR REQU	JIRED	
INFORMAT:	ION COPIES		

S. C. Department of

th and Environmental Control

Bureau of Drinking Water Protection

01/01/80

Page 2

Public Water Supply Source / Plant Inventory

Name: SUMTER, CITY OF

() Add (X) Modafy () Renumber

() Delete

Reason: 5/5

GROUNDWATER SOURCE INFORMATION:

System Number: 4310001

Source ID:

643101

Description 1:

WELL ONE (SUMTER 1)

Description 2:

Receiving Plant: WTR FLT#/

Plant ID: G43

Availability Code f Latitude 335608 Source Code G

WELL CHARACTERISTICS:

Casing Type

Drawdown - 24 Hours

(FT from surface) #.0/34.

Static Level

Regulated Capacity (TGD)

WELL PUMP CHARACTERISTICS:

Manufacturer: Lyysbe-

- Model No.:

H.P.

Yield (GPM) 7252

Avg. Daily Production (TGD)

Treatment:

COMMENTS

DEC 19 3991

S. C. Poot, of Horith & Edizion-mental Control-Residue of Final & Hazardous Waste Managerient

Signature: Janua Z. Horston

S. C. Department of HE and Environmental Control Bureau of Drinking Water Protection 01/01/80

Page 3

Public Water Supply Source / Plant Inventory

Add
Hodify
Senumber
Delete

25

	;
	<i>5</i> /5
eason:	J/.3
C 8 3 0 11 1	

System Number: 4310001 Name: SUMTER, CITY OF	Todays Date: <u>07/29/</u>
GROUNDWATER SOURCE INFORMATION:	
Description 2: Receiving Plant: WARK PLANT & Plant 10:	Availability Code
WELL CHARACTERISTICS: Depth (FT)	WELL PUMP CHARACTERISTICS: Manufacturer: 49,70% Model No.: H.P. 9.0707 Type

COMMENTS

Signature: Ame. L. Horeston

S. C. Department of He. .. and Environmental Control Bureau of Drinking Water Protection 01/01/80

Page 4

Public Water Supply Source / Plant Inventory

Ĺ	j	Add
U,	×Ί	Modify
()	Kenusber
í)	Delete

. ,	• • • • • • • • • • • • • • • • • • • •	
Pageon.	5/5	

System Number: 4310001 Name: SUMTER, CITY OF	Todays Date: <u>87 129 190</u>
GROUNDWATER SOURCE INFORMATION:	
Source ID: G43103 Description 1: WELL THREE (SUMTERE 4) Description 2: WATER PLANT =) Receiving Plant: Plant ID:	Availability Code
WELL CHARACTERISTICS: Depth (FT)	WELL PUMP CHARACTERISTICS: Manufacturer: LAYME Model No.: 100 H.P0.0 Type
Static Level (FT from surface)	Treatment:

COMMENTS

(Well yield X 1000 min./day)

Signature: Arve I Houston

S. C. Department of He and Environmental Control Bureau of Drinking Water Protection 01/01/80

Page

Public Water Supply Source / Plant Inventory

DDA () (X) Modify () Renumber () Delete

Reason: 3/5

Todays Date: 07/29/40 System Number: 4310001 Name: SUMTER, CITY OF

GROUNDWATER SOURCE INFORMATION:

Source ID: G43104 WELL FOUR (SUNTER # 5) Availability Code P Description 1: Latitude 335559 Description 2: WOTER PLANT EIL Longitude 0802033 Receiving Plant: Plant 10: Source Code G

WELL CHARACTERISTICS: WELL PUMP CHARACTERISTICS: Manufacturer: LAYIVE Model No.: H.P. 476 /25 Yield (GPM) Drawdown - #4 Hours Avg. Daily (FT from surface) Production (TGD) Static Level (FT from surface) Treatment: Regulated Capacity (TGD) 1440. (Well yield % 1000 min./day)

COMMENTS

Signature: Arres - F. Houston

S. C. Department of He and Environmental Control Bureau of Drinking Water Protection 01/01/80

Page 6

Public Water Supply Source / Plant Inventory

() Add Modify () Renumber () Delete

eason:	5/5	
	/	

System Number: 4310001

Name: SUMTER, CITY OF

Todays Date: 07/29/90

GROUNDWATER SOURCE INFORMATION:

Source ID: G43105 Description 1: WELL FIVE (SumTer # 1) Description 2: WATER PLANT H 12.
Receiving Plant: Plant ID:

Availability Co	ie .	 	 	 		Ø
Latitude						
Longitude		 	 	 	• • • •	0501917
Source Code		 	 	 		û

WELL CHARACTERISTICS:	
Depth (FT)	;) /o
Type	¥•/ ,
Casing Diameter (IN)	. / v, /
Casing Type	1 / 1
Depth (FT) Type Casing Diameter (IN) Casing Type Yield (GPM) Drawdown - 24 Hour (FT from surface)	/ /5/
Drawdown - 24 Hour	
(FT from surface)	/o.o/
Prefric Feasi	•
(FT from surface)	0.0
Regulated Capacity (T&D)	
(Well yield X 1000 min./day)	0.00

WELL PUMP CHARACTERISTICS: Manufacturer: Model No.: Yield (GPM) Avg. Daily 0.00 Production (TGD) Treatment:

Well Carnot be used

S. C. Department of He and Environmental Control Bureau of Drinking Water Protection 01/01/80

Page 7

Public Water Supply Source / Plant Inventory

() Add (X) Modify () Renumber () Delete

eason:	5/5	

System Number: 4310001 Name: SUMTER, CITY OF

Todays Date: 27/29/90

GROUNDWATER SOURCE INFORMATION:

Source ID: 643106

Description 1: WELL SIX (SUMTER # 2)

Description 2: Water Plant # 2

Receiving Plant:

Plant ID:

Treatment:

COMMENTS

Signature: Dices Z. Houston

S. C. Department of Hel .. and Environmental Control Bureau of Drinking Water Protection 01/01/80

Page 8

Public Water Supply Source / Flant Inventory

() Add (X4 Modify

() Renumber () Delete

Reason: 5/5

System Number: 4310001	Name: SUMTER, CITY OF	Todays Date:	07124190

GROUNDWATER SOURCE INFORMATION: Source ID: WELL SEVEN (SUMTER H 3) Availability Code P Description 1: Latitude 335506 Description 2: UNTRA PLANT 2 Receiving Plant: Plant ID: Source Code û WELL CHARACTERISTICS: WELL PUMP CHARACTERISTICS: Depth (FT) Manufacturer: Layar MIA Type 3 Model No.: Casing Diameter (IN) Type Yield (GPM) Drawdown - 24 Hour Avg. Daily Production (TGD) 0.00 Static Level (FT from surface) Treatment: Regulated Capacity (TGD) 1584.

COMMENTS

(Well yield X 1000 min./day)

S.	Č.	Department of He and Environmental Conf	tro
		Bureau of Orinking Water Protection	
		01/01/80	

Page 3

Public Water Supply Source / Plant Inventory

()	Add
()	4	Modify
ľ)	Renuabe
1	١	Dalata

	<i>~</i> , ,	
Reason:	<u>S/5</u>	

System Number: 4310001 Name: SUMTER, CITY OF	Todays Date: 07/29/90		
GROUNDWATER SOURCE INFORMATION:			
Source ID: 043108 Description 1: WELL EIGHT (SUMTSE # 1) Description 2: water Plant # 3 Kecerving Plant: Plant 10:	Availability Code		
WELL CHARACTERISTICS: Depth (FT)	WELL PUMP CHARACTERISTICS: Manufacturer: Layne Model No.: H.P		

Avg. Daily

Treatment:

1062.72

COMMENTS

Drawdown - 24 Hour

Regulated Capacity (TGD)

Static Level

(FT from surface)

(FT from surface)

(Well yield X 1000 min./day)

Signature: Janus P. Howern

Production (TGD)

S. C. Department of H. . and Environmental Control Bureau of Drinking Water Protection 01/01/80

Page 10

Public Water Supply Source / Plant Inventory

() Add (Nodify () Renumber () Delete

735

Reason:	5/5	

System Number: 4310001 Name: SUMTER, CITY OF	Todays Date: <u>07,24,90</u>
GROUNDWATER SOURCE INFORMATION:	
Source ID: G43109 Description 1: WELL NINE (SumTia #2) Description 2: WATER PLANT 3 Receiving Plant: Plant ID:	Availability Code
WELL CHARACTERISTICS: Depth (FT)	WELL PUMP CHARACTERISTICS: Manufacturer: L.Ay-12. Model No.: H.P

COMMENTS The WELL IS OUT OF SERVICE FOR REPAIRS

Signature: Down Y. Horston

S. C. Department of He. .. and Environmental Control Bureau of Drinking Water Protection 01/01/80

Page 11

Public Water Supply Source / Plant Inventory

ť	Ì	Add
7	4	Modify
ţ)	Renuabe
(j	Delete

17	? ///
2	5

Reason: S/s

System Number: 4310001 Name: SUMTER, CITY OF	Todays Date: <u>07, 24, 90</u>
GROUNDWATER SOURCE INFORMATION:	
Source ID: 643110 Description 1: WELL IEN (SUNTER # 3) Description 2: WATER PLANET # 3 Receiving Plant: Plant ID:	Availability Code

Manufacturer: Luywa Туре 3 Model No.: H.P. 4.6/20 Casing Type 5 Yield (GPM)
Drawdown - ♣ Hour> Yield (GPM) Production (16D) 0.00 Static Level Treatment: Regulated Capacity (TGD) 841.84 0.00 (Well yield % 1000 min./day)

WELL PUMP CHARACTERISTICS:

COMMENTS

WELL CHARACTERISTICS:

Signature: Down L. Houston

S. C. Department of Health and Environmental Control Bureau of Brinking Water Protection 01/01/80

Page 12

Public Water Supply Source / Plant Inventory

() Add Modify () Kenumber () Delete

1	7	_
/	_ Z	5

Reason: 5/5

System Number: 4310001 Name: SUNTER, CITY OF	Túdays Dáte: 07/29/90
GROUNDWATER SOURCE INFORMATION:	
Source ID: G43111 Description 1: NELL ELEVEN (SUMTER FLA) Description 2: WATER PLANT FF 3 Receiving Plant: Plant ID:	Availability Code
	UELL DUNG CHARACTERISTICS.
WELL CHARACTERISTICS: Deptn (FT)	WELL PUMP CHARACTERISTICS: Manufacturer: 人のタルモ
Туре	Model No.:
Casing Diameter (IN)/Ø	H.P
Casing Type	Tyne
Yield (GPM)/265	Yield (GPM)
Drawdown - 24 Hour	Avg. Daily
(FT from surface)	Production (TGD)
Static Level	
(FT from surface)	Treatment:
Regulated Capacity (TGD) /14て、40 (Well yield X 1000 min./day)	
y	

CONMENTS

Signature: Almus L. Horiston

S. L. Department of hi and Environmental Control Bureau of Drinking Water Protection 01/01/80

Page 13

Public Water Supply Source / Plant Inventory

Name: SUMTER, CITY OF

() Add i >≯ Modify () Renumber () Delete

Reason: S/5

Todays Date: 07/29/90

GROUNDWATER SOURCE INFORMATION:

System Number: 4310001

Source ID:

Description 1: Description 2:

Plant ID:

WATER PLANTS

Receiving Plant:

Availability Code P

Source Code ú

WELL CHARACTERISTICS: Yield (GPM)850

Drawdown - 24 Hour (1/2 hours (FT from surface) 40 260

Static Level

Regulated Capacity (TGD) 1008 (Well yield X 1000 min./day) 0.00WELL PUMP CHARACTERISTICS:

Manufacturer: LAYNE

Model No.:

Yield (GPM) Avg. Daily

Production (TGD)

0.00

Treatment:

COMMENTS

Signature: Drus P. Honoton

S. C. Department of Health and Environmental Control Bureau of Drinking Water Protection 01/01/80 Page 14 Public Water Supply Source / Plant Inventory

() Add (>) Modriy () Kenumber () Delete

Reason: 5/5'

	Reason:
ystem Number: 4310001 Name: SUNTER, CITY OF	Todays Date: 07,30,90
ROUNDWATER SOURCE INFORMATION:	
Source ID: 643113 Description 1: WELL THIRTEEN (SUMTER A) Description 2: WATER PLANT IF 4 Receiving Plant: Plant ID:	Availability Code
WELL CHARACTERISTICS: Depth (FT)	
(FT from surface)	3 Treatment:

COMMENTS

A. P Howards

S. C. Department of Hearm and Environmental Control Bureau of Drinking Water Protection 01/01/80

01/01/80 Page 15

Public Water Supply Source / Plant Inventory

()	Add
()	4	Modify
Ĺ)	Renusber
()	Delete

24	
2	<i>></i>

	cle	
Reason:		

System Number: 4310001 Name: SUMTER, CITY OF	Todays Date: 07, 30, 90.
GROUNDWATER SOURCE INFORMATION:	
Description 1: WELL FOURTEEN (Swarter 2) Description 2: WATER PLANT #4 Receiving Plant: Plant 1D:	Availability Code
WELL CHARACTERISTICS: Depth (FT) Type Casing Diameter (IN) Casing Type Yield (SPM) Drawdown - 24 Hour (FT from surface) (FT from surface) Regulated Capacity (TGD) (Well yield 1 1000 min./day) G944 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	WELL PUMP CHARACTERISTICS: Manufacturer: 20702 Model No.: H.P

COMMENTS

Bureau of Drinking Water Protection 01/01/80

Page 16

Public Water Supply Source / Plant Inventory

() Add (>) Modify () Kenumber () Delete

Reason:	3/	3		
	\mathcal{T}	~	,	- O (

System Number: 4310001 Name: SUMTER, CITY OF Todays Date: 4 16,90

GROUNDWATER SOURCE INFORMATION:

Source ID: G43115 WELL FIFTEEN (S.1.0 Tere 223) Description 1: WATER PLANT #4 Description 2: Receiving Plant: Plant ID:

Availability Code P Latitude 335331 Source Code 6

WELL CHARACTERISTICS: Casing Diameter (IN) サノと Casing Type 5 Yield (GPM) Drawdown - 24 Hour Static Level (FT from surface) 4.6 17.1 1440 Regulated Capacity (TGD)

WELL PUMP CHARACTERISTICS: Manufacturer: Model No.: H.P.

Type T Avg. Daily Production (TGD) 0.00

Treatment:

COMMENTS

Names P. Haston

Lef. 13

RECORD OF COMMUNICATION

___X__ Phone Call
_____ Discussion
____ Field Trip
____ Conference
____ Other (Specify)

TO: Sumter Inert Site File FROM: Harvey S. Daniel

SCD 981 474 729 Site Screening Section

DATE: May 20, 1992 TIME: 9:40 AM

SUBJECT: Conversation with Eddie Newman, Director, Sumter County

Public Works. (803) 773-9835

SUMMARY OF COMMUNICATION

Sumter County has not operated the Sumter Inert Landfill on McCrays Mill Road and Cooks Street (Sumter Inert Site) since The County is in the process of closing out the February, 1991. forty acre landfill. Approximately half of the landfill has been closed. Closure involves covering the landfill with one foot of compacted clay, and then covering the clay with one foot of topsoil. Groundwater samples were taken during the closure, and according to Mr. Newman, analysis did not find hazardous substances. However, soil samples were not taken. Mr. Newman has been with the County for approximately twenty years, and doesn't recall seeing the lagoon where, according to the files, liquid waste was deposited at the landfill. Mr. Newman speculates that the lagoon has since been filled in with solid inert waste. Geophysical surveys to detect the buried drums refered to in the files were not done during the closure. Mr. Newman visited the landfill recently. There are no unusual odors associated with the landfill.

The City of Sumter still owns the land on which the landfill is located. The contact for the City is Talmage Tobias, City Manager, or Al Harris, City Engineer ((803) 773-3371. The address for the County is:

Sumter County Public Works 1289 North Main Street Sumter, South Carolina 29153

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CERRECE

Environmental Quality Control

Analy	tical Servi	ces Data She	eet for Sol	id Waste a	and Hydrol	ogy JUN 2	8 1988
Sample Location SuntER		_	County	, S. M	t. C S.	. C. DEPT. OF	HEALTH AN
Sample Type Sed	liments	Comments	<u>₹</u>		E	Sureau of Soli	d & Hazardou
Date 9/30/87	Collecte	ed by C.A.	'n	An "X" 1n		Waste Me	MAROHITO
			<u></u>	test reque			
Time Collected (Milit.)	1615		N.		1615		
Sample Point	SI-1				21-1		
Lab No. 100187					036	,	
NH ₃ -N, mg/1				Calcium			
NO ₃ /NO ₂ -N, mg/1	1			Magnes i um			
TKN				Sodium			
Nitrite, N, mg/l	1			Potassium			
T-P,			1	Arsenic	1.7		
Hardness, mg/l	1			Barium	1250		
Cl, mg/l	11			Cadmi um	1,0	5 11	
SO ₄ mg/1	11			Chromium	5.8		
Flashpoint, ^O F				Copper			
Solids, Total, mg/l		11		Iron			
Solids, Tot. Diss, mg/	1			Lead	142		
Solids, %	11			Manganese			
На	X 8.6			Mercury	H < 0.6	25	
Alkalinity mg/l	11	1		Nickel .	125,0		
Fluoride, mg/l				Selenium	¥ 20.	1 1 -	
TOC		11	 	Silver	11		
Phenols, 49/7 664 Kg	X design	7		Zinc			
COD Ju 3							
Cyanide, mg/l					ma	Tha	
MBAS, mg/l				Remarks:	may,	0	
				C	ERCIA	t	
			1				
		11					
			1	1			
Date Received in Re	gional Labor	ratory	<u>.l_l</u>	by			-
Date Released from	_		,)	by		1	
Date Received in Ce	•	1	1197	by (la P	<i>}</i>	
Date Released from				by			
Date Released from	-	-7-	6188	DY ICA	C)		

OF.

conta - John Caes: well

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL Environmental Quality Control
Analytical Services Data Sheet for Organic Compounds in Solid Waste and Hydrology Samples

ample Type SECIMEN+ Comments Date 9/30/67 Collected By Cain / Second An "X" in the small collected (Milit.) Station No. 100187 SI-1 Lab. Mo. 1082 TO D3 L2 Chlorinated hydrocarbons, ug/1 Endrin, mg/1 Lindane, mg/1 Toxaphene, mg/1 Organophosphates, ug/1 Other VC10+1E CRGANIS BASE New +FAI CC.id EX+FAC+hbles Comments Comments	ample ocation.Simi.ER INERT			nty Sc	m+ ER	
ime Collected (Milit.) Station No. 100187 SI-1 Jab. No. 1082 TO COLUMN	ample Type SEdimENT	_C	omments			
SI - 1 Ab. No. 1001 87 SI - 1 Ab. No. 1003 7 SI - 1 Chlorinated hydrocarbons, µg/1 Endrin, mg/1 Lindane, mg/1 Methoxychlor, mg/1 Toxaphene, mg/1 Organophosphates, µg/1 PCBs, µg/1 Other VC10 #1 E CRGANICS BASE New #+A1 GCICLE X+ractibles PCS +1CICLES	ate 9/30/67 Collect	ed	By CAIN /S	LRongE	An "X" in indicates	the small column test requested.
Other Volotie CRGANICS BASE NEU TRAI CRITICAL ST. 1 A.B. No. 1082 7 0342 Chlorinated hydrocarbons, ug/1 Endrin, mg/1 Lindane, mg/1 Methoxychlor, mg/1 Toxaphene, mg/1 Organophosphates, ug/1 Other Volotie CRGANICS BASE Neu Trai CCCICLE Xtractibles Pesticides	ime Collected (Milit.)		季16.15			}
Ab. No. Chlorinated hydrocarbons, µg/1 Endrin, mg/1 Lindane, mg/1 Methoxychlor, mg/1 Toxaphene, mg/1 Organophosphates, µg/1 PCBs, µg/1 Other VCIQ+IE CRGANICS BASE New +FAI CCCICLE X+rachbles PCS+1CICLES	tation No. 100187		SI-I			
Endrin, mg/l Lindane, mg/l Methoxychlor, mg/l Toxaphene, mg/l Organophosphates, µg/l PCBs, µg/l Other VCIO+IE CRGANICS BASE New +ral CCCICL EXTRACTIBLES PCS+1CICLES	ab. No. 1083-87					
Lindane, mg/1 Methoxychlor, mg/1 Toxaphene, mg/1 Organophosphates, µg/1 PCBs, µg/1 Other VCIOTIE CRGANICS BASE Neutral CCCICT EXTRACTIBLES PCSTICIOES	hlorinated hydrocarbons, μg/l	A				
Methoxychlor, mg/l Toxaphene, mg/l Organophosphates, µg/l PCBs, µg/l Other VCIOTIE CRGANICS BASE New Fral CCCICL EXTRACTIBLES PCSTICICES	Endrin, mg/l	X				
Toxaphene, mg/1 Organophosphates, µg/1 PCBs, µg/1 Other VCIQTIE CRYANICS BASE NEW FRAI CCCICL EXTRACTIBLES PCSTICIDES	Lindane, mg/l	M				
Organophosphates, µg/1 PCBs, µg/1 Other VCIQ#IE CRGANICS BASE NEW FRAI CCIG EXTRACTIBLES PESTICICES	Methoxychlor, mg/l	X				
PCBs, ug/1 Other VCIOTIE CRYANIUS BASE NEU TRAI CUCICL EXTRACTIBLES PESTICIDES	Toxaphene, mg/l	V				
PCBs, ug/1 Other VCIOTIE CRYANIUS BASE NEU TRAI CUCICLE XTRACTIBLES PESTICICLES						
Other VCIOTIE CRGANIUS BASE NEU THAI CUCICL EXTRACTIBLES PESTICICLES	Organophosphates, µg/l	X				
Other Valatie arganius Base Neuthal Cuaid extractibles Pesticides						
Other VCIOTIE CRGANIUS BASE NEU THAI CUCICL EXTRACTIBLES Pesticides	PCBs, µg/1	X	· · · · · · · · · · · · · · · · · · ·			
VCIOTIE CRGANIUS & BASE NEU TRAI CUCICLE EXTRACTIBLES PESTICICLES						
VCIOTIE CRYANIUS & BASE NEU TAI CUCICLE XTRACTIBLES PESTICICLES	Other	K				
BASE Nec + FAI CICICLE EXTRACTIBLES Pesticides		11	4			
Pesticides		+	- A			
Pesticides	· · · · · · · · · · · · · · · · · · ·	+				
	Pesticides					
Comments						
	Comments					
						_
Date Received in Regional Laboratory By	Date Received in Regional Labo	ra	tory	3	y	
Sate Released from Regional Laboratory				i	У	

CONTROL *****

ISENZOKA,H) ITHTOUTYLPH /3TDICHLORO /2TDICHLORO /4T/HIBHLORO /4T/HIBHLORO /5TTOICHLORO	YC PHTHACATE USROETHYL)ETHER OROETHOXY)METHYLHEXYLJPHTHACOROISOPROPYLJEENYL PHENYC ETAPHTHACENE UG/KG	CENAPHTHENE UG/KG CENAPHTHYLENE UG/KG NTRRACENE UG/KG ENZO(A)ANTHRACENE UG/ ENZO(A)FLUOS ANTHENE U ENZO(A)PYRENE UG/KG ENZO(GHI)PERYLENE UG/KG	PARIUM MG/KG	MALYSIS	20032 20022 20022 2002 2002 2002
444444 2010 2010 2010 2010 2010 2010 201	10000000000000000000000000000000000000	4444444 31300000000000000000000000000000000000	01003 01003	STORET	FRIDAY DELCASE DAMPLE SAMPLE
こうちょうてきる		46 4 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	1.7 <5ij	RESULT	JUNE 24TH, 1935 DATE: 06/24/88 14:13:32 ECTED: 09/30/87 16:13:00 MEDIUM: 880 ATION CCDE: SI-1

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL ANALYTICAL SERVICES DIVISION LABORATORY REPORT *************************

FRIDAY JUNE 14TH, 1950 AMPLE NUMBER : 10016773%2

THARGE UNDER : UE

COLLECTED LY : 3 CAIN

COUNTY : UMTTR

SAMPLE DESCRIPTION : SUMTER INERT

RELEASE DATE : 06/24/03 14:10:31

OT COLLECTED : 69/00/97 16:15:00

NAMPLE NEDIUM : CED

STATION CODE : SI-1

AWALYSIS	TERCT6	RESULT	PAGE T
DAND STAUBHTHS LYHTSIC	34309	K500	
DIMOTHYL PHTHALATO UG/KG	44 د 34	<308	
2,4-DINITROTOLUENE UG/KS	34614	<300	
2,0-0INITROTOLUENE UG/KG	3 4 629	<300	
DI-N-OCTYLPHTHALATT UG/KG	3 4599	<300	
ALUGRARTHERE UG/KG	34379	<300	
FLUORENE UG/KS	34234	<300	
HEXACHLOROBENZENE UG/KG	3 97 01	<300	
HEXACHLOROBUTADIENE UG/KG	39735	<300	
HEXACHLOROETHANE UG/KG	34399	<300	
INDINO(1,2,3-CD)PYRENE UG/KG	34406	<300	
EDDPHORDAE UG/KG	34411	<30⊕	
HAPHTHALENE UG/KG	34445	< 300	
NITROBENZENE UG/KG	34450	<300	
N-MITROSODI-N-PROPYLAMINE UG/KG	34451	<300	
PHENANTHRENE UG/KG	34464	<300	
PYRENE UG/KG	34472	<300	
1,2,4-TRICHLOROBENZENE UG/KG	34554	<300	
4-CHLORO-3-METHYL PHENOL UG/KG		<305	
2-CHLOROPHENOL UG/KG	34589	<300	
2,4-dichlorophenol ug/kg	34604	<300	
2/4-DIMETHYL PHENOL UG/()	34539	<300	
2,4-9INITROPHENOL UG/KG	54619	<30°	
2-BETHYL-4,6-BINITROPHENOL UG/KG		< 300	
CHNITROPHENOL US/KG	34594	<300	
4-NITROPHELOU UG/KG	34547	<300	
PENTACHLOROPHENOL UG/KG	78873	<3 0 0	

TAMPLE NUMBER : 1001870352

CHARGE NUMBER : CE

COLLECTED LY : J CAIN COUNTY : SUMTER

TAMPLE DESCRIPTION : CUMTER INERT

FRIDAY JUNE 24TH, 1988

RELEASE DATE : 06/24/68 14:13:32

DT COLLECTED : 09/30/37 16:15:00

CAMPLE MEDIUM : SED

STATION COSE : SI-1

ANALYSIS	STORET	RESULT	PAGE 5
PHENOL UG/KG	34095	<00%	PAGE 3
E.4.0-TRICHLONOPHENOL UG/KS	34524	<300	
BENZIDIAE BS/KG	39121	<300	
HEXACHLOROCYCLOPENTADIENE UG/KG	34389	<300	
H-MITROSODIMETHYLAMINE UG/KG	34441	<300	
N-NITROSODIPHENYLAMINE UG/<6	34436	<300	
ANILINE UG/KG	78865	<300	
SENZYL ALCOHOL US/KG	73212	<300	
2-METHYLPHENOL UG/ ()	78272	<500	
+-METHYLPHENOL UG/KG	73803	<300	
ENZUIC ACID UG/KG	75ء	<300	
+-CHLOROAVILINE US/KG	73867	<100	
2-METHYLNAPHTHALENE UG/KG	7886ა	<300	
1,4,5-TRICHLOROPHENOL UG/KG	78401	<300	
2-HITROANILINE UG/KS	78299	<3 0 0	
S-NITROANILINE UG/KG	78869	<300	
DIGENZOFURAN UG/KG	75647	< 300	
4-NITROANILINE UG/KG	78870	<300	
AZOBENZENE UG/KB		<300	
CADMIUM MG/KG	0 1 J25	1.0	
CHROMIUM MG/KG	01 029	3.3	
MERCURY MEZKS	71921	<0.05	
SANGANESE MOZKE	0 1 053	7.5	

BAMPLE MUMBER : 1001870552

CHARGE UMBER : CT

MIKS U : Y CTTOBILIO

COUNTY : JUNTUR

SAMPLE DESCRIPTION : SUMTER LAERT

FRIDAY JUNE 14TH, 1985

RELEAGE DATE : 06/24/23 14:13:52

OF COLLECTED : 09/30/27 15:15:00

AMPLE MEDIUM : SED

STATION CODE : SI-1

ANALYSIS	STURET RESULT	E 4
MICKEL MG/KG	0 1 068 <3.0	
LEAD MG/KS	01052	
24 3.U.	70310 3.3	
TOTAL PHENOL UG/KG	32731 < 1860	
A-SHC JG/K3	J9 97 6 <2 . €	
J=3HC UG/KG	±4257 <2.0	
LINDANE MUZKO	39793 <2.0	
MEPTACHLOR UG/KG	59 41 3 <2.0	
HEPTACHLOR EPOXIDE UG/KG	39423 <2.0	
ALDRIN UG/KG	39333 <2.0	
DIELDRIN UG/KE	39383 <2.0	
ENDRIN US/KG	39393 <2.0	
METHOXYCHLOR UG/KG	39481 <2.0	
PART DDE UG/KG	3932 1 13- 5	
P.PDDD UG/KG	393 11 1 779	
P.PDDT UG/KG	39301 23. 5	
0/P*-DDE US/K4	39325 <2.0	
UPP!-DDD UG/KS	393 1 6 <2.0	
UZP*-DDT UG/k3	39306 <2.0	
CHLORDANE UG/KG	593 51 <2.0	
TOXAPHENE UG/YU	38 40 3 < 1. 9	
ENDOSULFAN I UG/KG	34364 <2.0	

BOUTH DAPOLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL ANALYTICAL SERVICES DIVISION LABORATORY REPORT

UAMPLE NUMBER : 1001870352

CHARGE HUMBER : CE

MIKO U : Y° CETOBLIDO R°TRU: YTMUOS

SAMPLE DESCRIPTION : SUMTER INERT

FRIDAY JUNE 24TH, 1988

RELEASE DATE : 06/24/35 14:13:32

ST COLLECTED : 39/30/67 15:10:00

LAMPLE PESTUR : SEV

STATION CODE : SI-1

HNALYGIS	STURET	RESULT	
CHUOSULFAN II UG/KG	34359	<2.0	PAGE F
EMPOSULFAN AULFATE UG/KT	34554	47.0	
EMDRIN ALJENYDE UG/KU	34359	<2.0	
203 1016 83/KG	375 1 4		
203 1221 HG/KG	39491	<10.0	
260 1232 Ja/KG	39495	<10.0	
P18 1242 0G/KS	3 949 9	<10.0	
200 1248 0G/K3	39 4 97 39 5 03	438	
→ CL 1240 507K5 → CL 1254 UG/K3	39 507	<10.0	
250 1260 US/KB	395 11	<10.0	
200 1262 UG/KS	78455		
THION UG/KG	39399	<4.3	
FRITHION UG/KG			
	39787	<4.0	
SUTHION UG/KS	29581	<4.0	
SACATURON UG/KG	39531		
PARATHION UG/KG	39541	<4-0	
DIAZINON UG/KG	39571	<4.0	
PHOSDRIN UG/KG	ö2643		
TIREX US/KS	39758		
ACE UG/KG	3 97 9 1	<4.0	
TOTAL PCS UG/KG	39519		
RELENIUM PAZKA	0114 3	<0.5	
JANUAME UG/KA	34237	<00.0	
TO YOU THAMBMENHOUS OF	743°0	<30.5	
UNDOMOFORM US/KG	34290	<20.ú	

************ **** · 林林林林林林林林林林林林林林林林林林林 ** 有有有有有有有有有有有有有有有有有

FRIDAY JUNE 14TH, 193, RELEASE DATE : 06/24/58 14:13:30 DT COLLECTED : 09/30/87 16:15:30 NAMPLE NEPIUM : NEP FREST | WURSER : 150107 352 | GIODER : 68 | GIODER | 15 | GIODER JAMPLE RUBERA CHRECTIO Y COURTY CAMPLE DESCRIP

SISATEA

RESULT STORET

••)

	- 445-15	100 L	
11 3 61 7 11 7 11			: : V
はなべましょうこうこ		lo	?
70004	,	• •	
スプラー・プログラー コンドイン (Manager Control Co	ر ال	0.72	
	0 2 7	C	
か、過れてカーリントラック	1 7	1 5	
TORIOROGICAL VINE INTEREST	- +	ľ,	
	84879	0.05	
190 EXPLOSES	1:7	5	
ALDRONETHANE US/	7	0 0	
THE CONTRACTOR OF THE CONTRACTOR IN		0 ()	
CONTRACTOR OF THE CONTRACTOR O	819	C	
UNTERFORMENTENE O	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1		
- VOIL BUNDANCE BUNDANCE TO VICE	1	·	
	426	ر ر	
MAND BY WAS A STATE OF THE STAT	457	ď	
N/SD SNEHTSCHOOLSTOLLY	077) (
* 2-DICHLOROETHANE LIGAN	N 1 + 1		
TO UNIVERSAL TO THE LANGE OF TH	455	0	
DAMESTO DE LA COMPANION DE LA	450	0.0	
AN ASTINATIONS OF STREET	757)) ()	
* Z-DICHLOROPROPANE UG/KS	t 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	• () () () ()	
LS-1. S-DICH OCODONAL S-1-SI	404	1, U.	
ひかくのし なもにはなられることがは、ひととののかとのしていません。 サール・オール・オール・オール・オール・オール・オール・オール・オール・オール・オ	470	0	
NEADEROND TO THE TOTAL OF THE T	497	7	
MILDENZANE USZK	1.7.7		
STHYLENE CHLORIDE U	- (7 -	• •	
ATAZAZ-TITRAFULDEDETUANE DEAK	, *	0.	
SATION AND THE CONTRACTOR	451	20	
DE LEMENT OF ANY OF SERVICES	82448	O. O. O. O.	
リピークローはそり ミコウ	77	()	
* 1 * 1 - 1 - RICHLOADETHALE UG/Y		י טר	
1.2-TRICHLOSOFTHAN		7	
とうの コングライン・フェット・アイン・アイン・ファックトリー・アイン・ファックトリー・アイン・アイン・アイン・アイン・アイン・アイン・アイン・アイン・アイン・アイン	451	20.	
	· * * *	-1 -1	
1 TO WOLL	77	$\overline{}$	

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL ANALYTICAL SERVICES DIVISION LABORATORY REPORT FAMPLE NUMBER : 1001870362 FRIDAY JUNE 24TH, 1988 CHARGE TUMBER : CL RELEASE DATE : 05/24/33 14:15:31 COLLECTED BY : J CAIN OT COLLECTED : 39/50/37 16:15:30 YTHEOD : JUMTER CAMPLE MEDIUM : MED DAMPLE DESCRIPTION : DUMTER INERT STATION CLUE : SI-1 CICYLANA

STORET RESULT

34495 <20.0

PASE 7

VINYL CHURRIDE UG/KE

Ref. 23

South Carolina STATE WATER ASSESSMENT

Report No. 140

H. Stephen Snyder Project Manager

Steven J. de Kozlowski Assistant Project Manager and Project Biologist

> Joseph A. Harrigan Project Engineer

H. Thomas Shaw Project Cartographer

Freddie L. Collins Civil Engineer Associate Teresa W. Greaney Project Geologist

Mable K. Haralson Public Information Director

George E. Siple Consulting Hydrogeologist

Debra L. Miller Engineering Technician

South Carolina Water Resources Commission 3830 Forest Drive, P.O. Box 4440 Columbia, South Carolina 29240 September 1983

Table of Contents

	Page
Preface	iii
County/Sub-basin Cross-Reference	vii
List of Figures	X
List of Tables	xviii
List of Supplemental Information Boxes	xxv
Summary	1
Acknowledgements	4
Introduction	5
South Carolina In Perspective	7
Socio-Economic Environment	7
Population	7
Economy	
Land Use	9
Physical Environment	10
Climate	
Natural Resources	
Physiography and Geology	
South Carolina Water Law	
Surface Water	
Diffused Waters	
Ground Water	
Navigable Waters	
Ownership of Submerged Lands	
Public Access	
Statutory and Administrative Mechanisms Affecting Water	
State	
Federal	
Problems and Needs Related to Water Law	
Insecurity of Riparian Rights	
Limitations on Water Use	
Protection of the Resource for Public Interests	
Adequate Drought Management	
Previous Water Law Reviews and Findings	. 41
Footnotes	. 43
South Carolina's Water Resources	
Water Cycle	
Precipitation	
Evapotranspiration	
Ground-Water Infiltration	
Surface Runoff	
Surface-Water Resources	
River Systems	51
Monitoring Program	51
Factors Affecting Streamflow	51

State Surface-Water Hydrology Overview	59
Surface Water Quality	59
Ground-Water Resources	66
Principles of Ground-Water Occurrence	66
Ground-Water Programs and Data Base	67
Statewide Ground-Water Overview	70
Water Use	75
Water Use Methodolgy	77
Statewide Water Use Overview	78
Water Use Versus Availability	84
Surface-Water Methodology	84
Ground-Water Methodology	85
Sub-basin Analyses: Pee Dee River Basin	87
Pee Dee River Sub-basin	89
Lynches River Sub-basin	105
Little Pee Dee River Sub-basin	117
Black River Sub-basin	131
Waccamaw River Sub-basin	145
Sub-basin Analyses: Santee River Basin	161
Broad River Sub-basin	163
Saluda River Sub-basin	178
Catawba-Wateree River Sub-basin	195
Congaree River Sub-basin	211
Lower Santee River Sub-basin	223
Sub-basin Analyses: ACE River Basin	237
Ashley-Cooper River Sub-basin	239
Edisto River Sub-basin	253
Combahee-Coosawhatchie River Sub-basin	269
Sub-basin Analyses: Savannah River Basin	283
Upper Savannah River Sub-basin	285
Lower Savannah River Sub-basin	301
Special Topics	317
Hydroelectric Power in South Carolina	317
Navigation in South Carolina	323
Instream Flow Needs	325
Sedimentation In Surface Waters	323 327
	329
Nuisance Aquatic Plants	333
Coastal Concerns	337
Water Recreation	
Scenic Rivers	342
Unique Wetland Areas	344
Water Conservation	346
Flooding	349
Selected References	353
Appendix	363




Figure 57.
Location, type, and supply source of water users in the Black River Sub-basin, South Carolina.

fef. 25

MEMORANDUM

TO:

* : 4.00

Sumter Inert Site File

SCD 981 474 729

FROM:

Harvey S. Daniel

Site Screening Section

SUBJECT:

Surface Water Pathway Characteristics

DATE:

May 19, 1992

According to USGS topographical maps, the Sumter Inert Site is situated in the Green Swamp. At the point where the site is situated in the swamp, the Pocataligo River flows through the swamp. Also, the site is located approximately two miles southwest of the Bobby Hanna Property site (renammed Old Sumter Municipal Landfill Site). The attached record of communication (conversation with Chris Sample, South Carolina Wildlife & Marine Resources Department, dated December 30, 1991) to the Bobby Hanna Property File is submitted to the Sumter Inert Site File for information.

RECORD OF COMMUNICATION

Dis	ne Call cussion ld Trip ference er (Specify)		
TO:	Bobby Hanna Property File SCD 987 584 158	FROM:	Harvey S. Daniel Site Screening Section
DATE:	December 30, 1991	TIME:	4:10 PM
SUBJECT:	Conversation with Chr Carolina Wildlife & (803)661-4766		
	OF COMMUNICATION	ted in Tu	rkey Creek within fifteer
	-		mbara is

Fishing has not been documented in Turkey Creek within fifteen miles downstream of the Bobby Hanna Property site. There is fishing in the Pocotaligo River within fifteen miles downstream of the site. Mr. Sample categorizes Turkey Creek as having an average annual flow less than 10 cubic feet per second. He categorizes that portion of the Pocotaligo River within fifteen miles downstream of the site as having an average annual flow between 10 and 100 cubic feet per second.

CONCLUSIONS, ACTION TAKEN OR REQUIRED

INFORMATION COPIES

TO:

N. B. W.

Date: 07/02/92

S.C. DEPARTMENT OF HEALTH & ENVIRONMENTAL CONTROL

BUREAU OF SOLID & HAZARDOUS WASTE

SITE BEING EVALUATED SUMTER INERT SITE, 335415.8 LATITUDE 802138.6 LONGITUDE

THE ENDANGERED SPECIES FOUND WITHIN 4 MILES

THIS REPORT IS BASED UPON DATA PROVIDED BY THE S.C. HERITAGE TRUST FOUNDATION (01/92).

	COMMON NAME SCIENTIFIC NAME	STATUS	LONGITUDE LATITUDE	DISTANCE FROM SITE	GRANK SRANK	DATE ADDED	TOPO MAP / COUNTY WHERE THE SPECIES IS LOCATED
	AWNED MEADOWBEAUTY	CU	80-24-37	3.43 Miles WNW	G2	01/01/83	SUMTER
í	HEXIA ARISTOSA		33-55-55		S2		Sumter
	RED-COCKADED WOODPECKER	FE	80-17-42	3.83 Miles ENE	G2	02/01/80	SUMPER
	PICOIDES BOREALIS		33-54-47		S2		Sumber
		UN	80-24-37	3.43 Miles WNW	G3	07/01/76	SUMTER
	DEPRESSION MEADOW		33-55-55		S2		Sumter
	BOYKIN'S LOBELIA	UN	80-24-37	3.43 Miles WNW	G2	05/01/77	SUMTER
	LOBELIA BOYKINII		33~55~55		S?		Sumter

GRANK/SRANK - Nature Conservancy rating:

- G1 Critically imperiled globally because of extreme rarity or because of some factor(s) making it especially vulnerable to extinction.
- 2 Imperiled globally because of rarity or factor(s) making it vulnerable.
 - Either very rare throughout its range or found locally in a restricted range, or having factors making it vulnerable.
- G4 Apparently secure globally, though it may be rare in parts of its range.
- G5 Demonstrably secure globally, though it may be rare in parts of its range.
- S1 Critically imperiled state-wide because of extreme rarity or because of some factor(s) making it especially vulnerable to extirpation.
- S2 Imperiled state-wide because of rarity or factor(s) making it vulnerable.
- S3 Rare or uncommon in state.
- S4 Apparently secure in state.
- S5 Demonstrably secure in state.

STATUS - Legal status:

- FE Federal Endangered
- FT Federal Threatened
- NC Of Concern, National (plan:s)
- RC Of Concern, Regional (plan:s)
- SE State Endangered (animals)
- ST State Threatened (animals)
- SC Of Concern, State (animals)
- SL Of Concern, State (plants)
- SX State Extirpated
- CU Candidata (Federal review)
- UN Undetermined



Commissioner: Michael D. Jarrett

Board: William E. Applegate, III, Chairman

John H. Burriss, Vice Chairman Richard E. Jabbour, DDS, Secretary

Promoting Health, Protecting the Environment

Ref. 28

Toney Graham, Jr., MD Sandra J. Molander John B. Pate. MD Robert J. Stripling, Jr.

MEMORANDUM

FROM:

Harvey S. Daniel

Site Screening Section

TO:

Sumter Inert Site File

SCD 981 474 729

RE:

Four Mile Site Radius Population

DATE:

July 2, 1992

The attached documents are submitted to the Sumter Inert Site file for information.

attachments:

From: Craig Dukes (DUKES CR)

To: COLE ROB, CRESS JO, DANIE HA, GEORG JO, MCINN JO,...

Date: Wednesday, April 1, 1992 4:40 pm

Subject: Site Census Data

Patrick Horton In EQC administration now has the 1990 census tract data on his GIS computer system. This gives him the capability to generate total population counts by distance rings around our sites. THIS WILL BE EXTREMELLY USEFUL FOR THE HRS AIR PATWAY. The data should very accurate, especially beyond the 1/2 mile radius. Accuracy will increase the closer you are to a city or town because the census tract areas are smaller (down to a city block) and may be accurate enough for SOIL EXPOSURE PATHWAY in metropolitan areas.

All he needs is a Topographic Map with the site pinpointed. For Large sites, sketch in the site outline and the data will be adjusted accordingly. He will can generate a report that can be attached as reference material to our reports.

For the sake of Consistency, this should probably be done on all sites. Patrick can have the info ready in a few hours.

Currently, he is located in the ADMIN office area, but will be moving to the 2nd floor. I'll let everyone know where he ends up so you can take the maps down.

From: Patrick Horton (PLHORTON)

To: SH_WASTE:DANIE_HA

Date: Friday, June 26, 1992 4:58 pm

Subject: Sumter Inert Site

Radii	Est. Population
3 - 4	12,053
2 - 3	19,060
1 - 2	14,253
.50 - 1	5,100
.2550	725
025	114
TOTAL	51,305

Sumter Inert Site Sumter County, S.C.



Estimated Pop.

$$0 - .25 \text{ miles} = 114$$

$$.25 - .50 \text{ miles} = 725$$

$$.50 - 1 \text{ mile} = 5100$$

$$1 - 2 \text{ miles} = 14253$$

$$2 - 3 \text{ miles} = 19060$$

$$3 - 4 \text{ miles} = 12053$$

$$total = 51305$$

U.S. EPA REGION IV

SDMS

Unscannable Material Target Sheet

DocID:	10079468	Site ID:	SCD 98 1470	1729
Site Name:	SymT	EŖ	INERT SITE	
		e e e e e e e e e e e e e e e e e e e		
Nature of M	aterial:			
Мар:	_/	-	Computer Disks:	
Photos:			CD-ROM:	
Blueprints			Oversized Report:	
Slides:	***************************************	- .	Log Book:	
Other (des	cribe):			
Amount of	material: #/	(Ref.	5)	
Please	contact the app	ropriate R	ecords Center to view	the material.

SIP REPORT DOCUMENTATION

Ref 1

RECORD OF COMMUNICATION

X	Phone Call
	Discussion
	Field Trip
	Conference
	Other (Specify)

TO: Sumter Inert Site File FRO

SCD 981 474 729

FROM: Harvey S. Daniel

Site Screening Section

DATE: May 20, 1992

TIME:

10:00 AM

SUBJECT:

Conversation with Talmage Tobias, City Manager, Sumter,

South Carolina. (803) 773-3371

SUMMARY OF COMMUNICATION

The City of Sumter owns the property on which the Sumter Inert Landfill on McCrays Mill Road and Cooks Street (Sumter Inert Site) is located. The address for the City is:

City of Sumter 21 North Main Street Sumter, South Carolina 29150

City of Sumter
P.O. Box 1449

Sumter, South Carolina 29151

INFORMATION COPIES

TO:

Division of Solid and Hazar Lous Waste Management S.C. Department of Health and Environmental Control Columbia, South Carolina 29201

LANDFILL FACILITY FORM

Survey Date 10/	15/80 Recorder R. CAPERS DIXON
Person(s) Intervie	Phone No. 7739835
DESCRIPTION:	Facility Name: SUNITER TWERT WASTE DISPOSAL SITE Location: OFF COOKS ST. SUNITER, S.C.
	Operator: <u>(Inmes</u> B WALL
	PHEC Permit No: VNRIANCE * Pop. of County/Municipality Served: 100 %
OPEKATIONS:	Estimated Quantity of Wastes Received: tons/year 21000 LOADS / YR or CH yds/year 5/2E of LOAD VARY FROM SMALL TRAILER to BIG TRU Estimated Life of Cite: 5 yrs. Vector Control Program: PERIODIC COVER GARBAGE KERT OUT -AT LEAST TO MINIMUM Fire Control Program: PERIODIC COVER Cover Material Adequacy: ADE QUATE
7 7	Special Wastes Received: tons/yr ONLY CELLULOSIC tons/yr AND INERT WHSTE; tons/yr tons/yr Groundwater Montoring Program / 1/20 monitor WELL QUARTERLY BY DHEC Page 1 of 3

LANDFILL FACILITY 'ORD CONTINUED

CONTROLS:	Restrictions/Ord	inances: 105	CONTENGING OF	?
	HAZARDOUS	WASTI GAR	BAGE OR PAPI	<u> </u>
	ONLY CELLO	COSIC AND JAN	$R = \frac{1}{2} $	> ,
	Private Collecto	ers: None Franch	nisedLicens	ed/permitting
		No. kr	nown not controlled	
	Access: DIR:	ROAD FE	NCE AND GAT	r <u>E</u>
	Site Maintenance	SPREAD	COMPACT, COVE	- P-
		/EGETATION		
RESOURCES:	Equipment:	1 BULL DO	DEER (PART TI	ME
			<u> </u>	_
	•	,	· · · · · · · · · · · · · · · · · · ·	
	Manpower:	2.	Man yoars	٠.
			-	·:
			_ Operations/Maintena	
5uni	TER CO. LANDI-10	-C DWP 091	_ Amoritzation of Cap Costs	ital
	Туре	Municipal	Private Inc	lividual
	Wastes Fees: ∧/0∧//	,	Hauler	
	77075			
				
				
RECOVERY:	Waste Haterial	s: (1) NONE	Tons/Yr	·
		(2)		
,		(3)		
7 7 7	Harkota (1)	NONE		
			•	
	(3)	·		

LANDFILL FACILITY FORM CONTINUED

CLASSIFICATION	Expected	EPA Classification: PFFINITION TNERT SITE (SEE COMMENTS
CURRENT ENFORCEMENT	ACTION	Recommended for legal action
		Case being prepared
		Commissioner's Order Issued
	,	Referred to Attorney General
	·	Under Court Order

REMARKS:

This site was opened in 1958. Chemicals were dumped into site by tanker trucks and brought into site in drums. Since the site has a high water table, chemicals probably have leached into water table. Some of the chemicals are paint sludges, solvents and due wastes.

A recent excavation of site to put in New city sewer line exposed drums of chemicals. Some monitor wells are needed to determine extent of contamination.

	PHONE CALL DISCUSSION FIELD TRIP CONFERENCE
RECORD OF COMMUNICATION	OTHER (SPECIFY)
COMMISSION TO A STATE OF THE ST	(Record of item checked above)
To: Mr. Luke Rogers	EDOM: DATE
Co Publiz Works Departur	Jeff Williams 5-04-87
	Six screening 1:30 P.M.
Sumter; S.C.	1 3. he screening
Su La Track / 16	71 Ans-An-
SUMMARY OF COMMUNICATION	71 Operator and Dunership Informats
On 6-04-87 T tel	eshoned Mr Luke Rosers of
	ephoned Mr. Luke Rogers of works Dapt. According to Mr.
	unty Public works Dept has
operated this land fill	1 from march 1971 to
the present dute. The	Country leases this site from -
the City of Sunts, th	a Site is owned and hous
alware has	10 12 25 20 10
a veen owner	A by the City of Sumter.
1 Pron to 1971 the	City of Santa owned and
	TO THE TOTAL CONTRACTOR OF A
overited in	of V
this facili	the according to Mr. Lyke Rosers
this facili	the according to Mr. Lyke Rosers
this facili	the according to Mr. Lyke Rosers
this facili	ty according to Mr. Luke Rosers. Inter County Public Works Department.
this facili	the according to Mr. Lyke Rosers
this facili	the according to Mr. Lyke Rosers
this facili	the according to Mr. Lyke Rosers
this facili	the according to Mr. Lyke Rosers
this facili	the according to Mr. Lyke Rosers
this facili	the according to Mr. Lyke Rosers
this facili	the according to Mr. Lyke Rosers
this facili	the according to Mr. Lyke Rosers
director of the su	the according to Mr. Lyke Rosers
director of the su	the according to Mr. Lyke Rosers
director of the su	the according to Mr. Lyke Rosers
director of the su	the according to Mr. Lyke Rosers
director of the su	the according to Mr. Lyke Rosers
director of the su	the according to Mr. Lyke Rosers
director of the su	the according to Mr. Lyke Rosers
director of the su	the according to Mr. Lyke Rosers
director of the SU	the according to Mr. Lyke Rosers
director of the su	the according to Mr. Lyke Rosers

Ref 4

RECORD OF COMMUNICATION

__X Phone Call
____ Discussion
___ Field Trip
___ Conference
___ Other (Specify)

TO: Sumter Inert Site File FROM: Harvey S. Daniel

SCD 981 474 729 Site Screening Section

DATE: May 20, 1992 TIME: 9:40 AM

SUBJECT: Conversation with Eddie Newman, Director, Sumter County

Public Works. (803) 773-9835

SUMMARY OF COMMUNICATION

Sumter County has not operated the Sumter Inert Landfill on McCrays Mill Road and Cooks Street (Sumter Inert Site) since February, 1991. The County is in the process of closing out the forty acre landfill. Approximately half of the landfill has been closed. Closure involves covering the landfill with one foot of compacted clay, and then covering the clay with one foot of topsoil. Groundwater samples were taken during the closure, and according to Mr. Newman, analysis did not find hazardous substances. However, soil samples were not taken. Mr. Newman has been with the County for approximately twenty years, and doesn't recall seeing the lagoon where, according to the files, liquid waste was deposited at the landfill. Mr. Newman speculates that the lagoon has since been filled in with solid inert waste. Geophysical surveys to detect the buried drums refered to in the files were not done during the closure. Mr. Newman visited the landfill recently. There are no unusual odors associated with the landfill.

The City of Sumter still owns the land on which the landfill is located. The contact for the City is Talmage Tobias, City Manager, or Al Harris, City Engineer ((803) 773-3371. The address for the County is:

Sumter County Public Works 1289 North Main Street Sumter, South Carolina 29153

INFORMATION COPIES


TO:

Rt John Cress De

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CERECETVE Environmental Quality Control
Analytical Services Data Sheet for Solid Waste and Hydrology
JUN 2 8 1988

Sample Location SuntER	- 	Inert	•		Count	v_Sum	t	S. C). D	EPT. C	OF HEAL NTAL C	. НТ. ТИС	ROL
Sample Type Sedi	m	ents	Co	mments &				Bui	וגםי	in a	1110 00		
Date 9/30/87		Collected	– i l	y CAIR		An "X" in	t	he small	CO	aste iv	indica	tes	 ;
						test reque							
Time Collected (Milit.)	T	615	Γ					1615					
Sample Point		T-1	t				T	21-1	+				
Lab No. 00 0187		362	†				T	0362	+			1	
NH ₃ -N, mg/1	1		T			Calcium	T		+				
NO ₃ /NO ₂ -N, mg/l	T		T			Magnesium	T		\top				
TKN	1		1			Sodium	T		1			П	
Nitrite, N, mg/l	\top		1			Potassium	T		1			П	
Т-Р,	1		1			Arsenic X	1	1.7	1			П	
Hardness, mg/l	T		T			Barium X	1	<50	7			П	
C1, mg/1			1			Cadmium (1	1,0	\top			Π	
SO ₄ mg/1	П		1			Chromium	T	5.8	1			Π	
Flashpoint, ^O F	П		T			Copper	1		\top			\prod	
Solids, Total, mg/l	厂		1			Iron	1		7			\prod	
Solids, Tot. Diss, mg/l	IT		T			Lead	Ā	42				Π	
Solids, %	П		1			Manganese						П	
рН	A	8.6	1			Mercury	I	10.20	7			П	
Alkalinity mg/l	П					Nickel	Z	15,0				П	
Fluoride, mg/l	\prod					Selenium	A	20,5				П	
TOC	\prod					Silver	П					\prod	
Phenols, #9/7 sha ka	X	45100				Zinc	П					П	
COD	П											П	
Cyanide, mg/l	Π							mal	a			П	
MBAS, mg/1	\prod		П			Remarks:		77	7				
	\prod					CE	Ξ1	RCIA					
	\prod												
	\prod												
	\prod					1							
Date Received in Regi	oni	al Labora	to	ry		by			•				
Date Released from Re						by		<u> </u>					
Date Received in Cent	-				7	by	7	L97	_				
Date Released from Sp						by							
Date Released from Me				. —	28	by-tCK)					
DHEC 40-89 (01/81)				rogram; Yell					۸;	Gold	- Lab		

CF.



SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL Environmental Quality Control Analytical Services Data Sheet for Organic Compounds in Solid Waste and Hydrology Samples

Sample Location <u>SimtER_INER</u>	+	County	SUMTER	
Sample Type SEdimENH	. (Comments		
Date 9/30/87 Collect	cte	By CAIN / STREET	An "X" in indicates	the small column test requested.
Time Collected (Milit.)		季 1655		
Station No. 100187		SI-I		
Lab. No. 1087-87		0362		
Chlorinated hydrocarbons, µg/l	K			
Endrin, mg/l	X			
Lindane, mg/l	M			
Methoxychlor, mg/l	X			
Toxaphene, mg/l	K			
Organophosphates, µg/l	X			
PCBs, μg/1	X			
	-			
Other	X			
VCIATIE ORGANICS		A		
BASE NEU TRAL				
acid extractibles				
Pesticides	+			
Comments				
			. —	
1 1 2 2 1				
Date Received in Regional Lab			By	
Date Released from Regional L	abo	ratory	By	,
Date Received in Central Labo	ra t	ory 10/1/87	By <i>C</i>	#
Date Released from Organic Se	cti	on 6/26/9	By	-

*************** SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

ANALYTICAL SERVICES DIVISION LABORATORY REPORT

SAMPLE NUMBER : 1001670362

CHARGE NUMBER : CE

COLLECTED BY : J CAIN COUNTY : SUMTUR

SAMPLE DESCRIPTION : SUMTER INERT

FRIDAY JUNE 24TH, 1935

RELEASE DATE : 06/24/88 14:13:32

DT COLLECTED : 09/30/87 16:15:09

SAMPLE MEDIUM : SED

ANALYSIS	STORET	RESULT
ARSENIC MG/KG	01003	1.7
BARIUM MG/KG	01003	<50
ACENAPHTHENE UGZKG	34208	<300
ACENAPHTHYLENS UG/KG	34203	<30 6
ANTHRACENE UG/KG	34223	<300
BENZO(A)ANTHRACENE UG/KG	3 452 9	<300
SENZO(B)FLUORAMTHENE UG/KG	342 33	<300
SENZO(K)FLUORANTHENE UG/KS	34245	C00 #5>
BENZO(A)PYRENE UG/KG	4250 د	<300
SENZO(GHI)PERYLENE UG/KG	34524	<3 0 0
BUTYLBENZYL PHTHALATE UG/KS	78800	<300
RIS(2-CHLOROETHYL)ETHER UG/KG	34276	<30 0
313(2-CHLOROETHOXY)METHANE UG/KG	34281	<300
SIS(2-ETHYLHEXYL)PHTHALATE UG/KG	39102	<30 0
313(2-CHLOROISOPROPYL)ETHER UG/KG	34236	<300
4-BROMOPHENYL PHENYL ETHER UG/KG	34639	<300
2-CHLORONAPHTHALENE UG/KG	34584	<300
4-CHLOROPHENYL PHENYL ETHER UG/KG	34544	<300
CHRYSENE UG/KS	34323	<300
DISENZO(A/H)ANTHRACENE UG/KG	34559	<30 <u>0</u>
DI-M-BUTYLPHTHALATE UG/KG	39112	<300
1,3-DICHLOROGENZENE UG/KG	3 4369	<300
1/2-DICHLOROBENZENS US/KG	34539	<300
1/4-DISHLOROSENZENE UG/KS	34574	<300
3,5°-bichlorobenzibing us/kg	34634	<300

LAMPLE NUMBER : 1001570362

CHARGE FUNDER : CE

NEAD L : Y OFTDELLOO TOWNS : YTHUCO

SAMPLE DESCRIPTION : AUMTER INERT

FRIDAY JUNE 74TH, 1988

RELEASE DATE : 06/24/03 14:13:32 DT COLLECTIO : 09/30/07 16:15:00

SAMPLE MEDIUM : SER

ANALYSIS	STORET	RESULT	PAGE 1
DIETHYL SHTHALATE UE/KG	54309	<3 0 0	
DIMETHYL PHTHALATE UG/KG	34344	<300	
2,4-DINITROTOLUENE UG/KS	34614	<300	
2,6-DINITROTOLUENE UG/KG	3 4 629	<300	
DI-N-OCTYLPHTHALATE UG/KG	34599	<300	
FLUGRARTHERE UG/KG	34 379	<300	
FLUORENE UG/KG	34334	<300	•
HEXACHLOROBENZENE UG/KG	39701	<300	
HEKACHLOROBUTADIENE UG/KG	39735	<300	
HEXACHLOROETHANE UG/KG	34399	<300	
INDENO(1,2,3-CD)PYRENE US/KS	3 44 06	<300	
I SOPHORONE UE/KG	3 4411	<30 0	
MAPHTHALENE UG/KG	34445	<300	
NITROSENZENE UG/KG	34450	<300	
N-NITROSODI-N-PROPYLAMINE UG/KS	34431	<300	
PHENANTHRENE UG/KG	34464	<300	
PYRENE UG/KG	34472	<300	
1,2,4-TRICHLOROBENZENE UG/KG	34554	<300	
4-CHLORO-3-METHYL PHENOL UG/KG		<30 0	
2-CHLOROPHENOL UG/KG	34589	<300	
2,4-DICHLOROPHENOL UG/K3	34604	<309	
2,4-DIMETHYL PHENOL UG/45	3 4 609	<300	
2,4-DINITROPHENOL UG/KG	34619	<300	
2-METHYL-4,6-DINITROPHENOL UG/KG		<300	
G-NITROPHENOL US/KG	34594	<300	
4-NITROPHEMOL US/KS	3 45 47	<300	
PENTACHLOROPHENOL UG/KG	78873	<30 0	

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL ANALYTICAL SERVICES DIVISION LABORATORY REPORT

CAMPLE NUMBER : 1001870352

CHARGE TUMBER : CE

COUNTY : J CAIN
COUNTY : SUNTER

JAMPLE DESCRIPTION : SUMTER INERT

FRIDAY JUNE 24TH, 1988

RELEASE DATE : 06/24/88 14:13:32 DT COLLECTED : 09/30/37 16:15:00

SAMPLE MEDIUM : SED

ANALYSIS	STORET	RESULT	PAGE 5
PHENOL UG/KG	34095	<506	
2,4,0-TRICHLONOPHENOL UG/RG	34524	<300	•
BENZIDINE DEVKS	59121	<300	
HEXACHLOROCYCLOPENTADIENE UG/KG	34589	<300	
N-NITROSODIMETHYLAMINE UG/KG	34441	<300	
N-NITROSODIPHENYLAMINE UG/KG	34456	< 300	
ANILINE US/KG	788 6 5	<30 0	
SENZYL ALCOHOL UG/KG	73212	<300	
2-BETHYLPHENOL UG/KG	78872	<300	
4-METHYLPHENOL UG/KG	78893		
WENZDIC ACID UG/KG	75315	<3 0 0	
4-CHLOROANILINE UG/KS	78867	<300	
2-METHYLNAPHTHALENE UG/KG	78868	<300	
2,4,5-TRICHLOROPHENOL UG/KG	78401	<300	
2-MITROANILINE UG/KS	78299	<300	
3-NITROANILINE UG/KG	78869	<300	
DIBENZOFURAN UG/KG	75647	<300	
4-NITROANILINE UG/KG	78870	<300	
AZOBENZENE UG/KG		<300	
CADNIUM MS/KG	01025	1.0	
CHROMIUM MG/KG	01029	5.8	
1ERCURY MEZKS	71921	<0.25	
SANSANESE MEZKE	01053	75	

SAMPLE NUMBER : 1001870352

CHARGE : UMBER : SE

COLLECTED BY BURNTER BOUNTY BURNTER

SAMPLE DESCRIPTION : SUMTER THERT

FRIDAY JUNE 24TH, 1985

RELEASE DATE : 06/24/88 14:13:32 DE COLLECTED : 09/30/47 16:15:00

TAMPLE MEDIUM : SED

ANALYSIS	STURET	RESULT	PAGE 4
AICKEL MG/KS	01 068	<5.0	
LEAD MG/KG	01052	.520	
29 S.U.	70310	S-3	
TOTAL PHENOL UG/KG	32731	< 1000	
A-SHC JG/KS 3-3HC UG/KS LINDAME UJ/KS MEPTACHLOR UG/KG MEPTACHLOR EPOXIDE UG/KS ALDRIN UG/KS DIELDRIN UG/KG ENDRIN UG/KG METHOXYCHLOR UG/KG P/P'-DDE UG/KG P/P'-DDT UG/KG O/P'-DDT UG/KS CHLORDANE UG/KG	39316 39306 39351	<2.0 <2.0 <2.0 <2.0 <2.0 <2.0 <2.0 <2.0	
TOXAPHENE UG/KG Endosulfan i ug/kg	39403 34364	<1.0 <2.0	

SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL ANALYTICAL SERVICES DIVISION LABORATORY REPORT

SAMPLE NUMBER : 1001870352 FRIDA

CHARGE NUMBER : CE

COLLECTED BY : J CAIN COUNTY : JUNTUR

SAMPLE DESCRIPTION : JUNTER INERT

FRIDAY JUNE 24TH, 1988

RELEASE DATE : 06/24/86 14:13:32 UT COLLECTED : 09/30/67 16:10:00

LARPLE MEDIUM : SEV

ANALYSIS	STORET	RESULT	
			PASE 5
ENCOSULFAN II UG/KG	3 4 359	<2.0	
ENDOSULFAN AULFATE UG/KS	34354	43.0	
ENDRIN ALDEMYDE UG/KE	34 559	<2.0	
203 1015 UG/KG	39514	<10.0	
203 1221 UG/KG	3 94 9 1	<10.0	
203 1232 U 6/K G	3 94 9 5	<10.0	
905 1242 UG/KG	3 949 9	<10.0	
PCD 1248 UG/KS	39503	438	
203 1254 UG/K3	39507	<10.0	
200 1260 UG/KG	39511	<10.0	
265 1262 UG/KS	78453	<10.0	
ETHION UG/KG	39399	<4.0	
TRITHION UG/KG	39787	<4.0	
SUTHION UG/KG	39581	<4.0	
MALATHION UG/KS	39531	<4.0	
PARATHION UG/KG	39541	<4.0	
DIAZINON UG/KG	3 9571	<4.0	
PHOSDRIN US/KG	82643	<4.0	
AIREX US/KS	39758	<4.0	
ACE UG/KG	59701	<4.0	
TOTAL PCS UG/KG	39519		
SELENIUM MG/KR	01143	< 0 . 5	
.enzene ug/kg	3 4 23 7	<20.0	
COMODICHLOROMETHANT BEVUE	54390	<30 . 0	
JACHOFORM US/KG	54290	<20.0	

* SOUTH CAROLINA DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

SAMPLE NUMBER : 1001070302

CHARGE JUMBER : CE

COLLECTION BY : J CAIN

COURTY : SURTER

SAMPLE DESCRIPTION : SUMTER INERT

FRIDAY JUNE 14TH, 1930

RELEASE DATE : 06/24/58 14:13:33 of collected : 09/30/87 16:15:00

JAMPLE MEDIUM : SEO

ANALYSIS	STORET	RESULT	PAGE 6
SROMOMETHANE UG/KG		<20.0	
CARGON TETRACHLORIDE UG/KS	34299	<20.0	
CHLOLOSENZENE UG/KG	34304	<20.0	
CHLOROETHAME UG/KG	34514	<20.0	
2-CHLOROETHYLVINYL ETHER UG/KG	34579	<20.0	
CHLCROFORM UG/KG .	34518	<20.0	
CHLOROMETHANE UG/KG		<20.0	
DIBROMOCHLOROMETHANE UG/KJ	78195	<20.0	
1/2-DICHLOROBENZENE UG/KG	34539	<20.Ū	
1,3-DICHLOROBENZENE UG/KG	54569	<20.0	
1,4-bichlorobenzene us/ks	34574	<20.0	
1/1-DICHLOROETHANE UG/KS	34497	<20.0	
1,2+DICHLOROETHANE UG/KG	34534	<20.0	
1,1-DICHLOROETHENE UG/KG	34504	<20.0	
TRANS-1,2-DICHLOROETHENE UG/KG	34549	<20.0	
1,2-DICHLOROPROPANE UG/KG	34544	<20.0	
CIS-1,3-DICHLOROPROPENE UG/KG	3 470 2	<20.0	
TRANS-1,3-DICHLOROPHOPENE UG/KG	34697	<20.0	
ETHYLBENZENE UG/KG	34374	<20.3	
METHYLENE CHLORIDE UG/KG	34426	<20.0	
1,1,2,2-TETRACHLOROETHANE UG/KG	34519	<20.0	•
TETRACHLOROSTHENS UG/KS	34478	<20.0	
TOLUENE US/KG	34433	<20.0	
1,1,1-TRICHLOROETHARE UG/KS	3 450 9	<20.0	
1,1,2-TRICHLOROETHANE UG/KG	34514	<20.0	
TRICHERMENT LYDV LYERTEORGINE	34417	<20.3	
TRICHLOROFLUOROMETHANE UG/KG	34491	<20.0	

SOUTH CAROLINA DEPARTMENT OF REALTH AND ENVIRONMENTAL CONTROL

SAMPLE NUMBER : 1001870362

CHARGE SUMBER : DE

COLLECTED BY : J CAIN COUNTY : JUNTUR

MAMPLE DESCRIPTION : GUMTER INERT

FRIDAY JUNE 24TH, 1983

RELEASE DATE : 06/24/33 14:13:33 OT COLLECTED : 09/30/37 16:15:00

PAMPLE MEDIUM : SED

STATION CODE : SI-1

ANALYSIS

STORET RESULT

PAGE 7

VINYL CHUTRIDE UG/KE

34495 <20.0

Ref 15

MEMORANDUM

TO:

Sumter Inert Site File

SCD 981 474 729

FROM:

Harvey S. Daniel

Site Screening Section

SUBJECT:

Hydrogeologic Characteristics

DATE:

May 19, 1992

According to USGS topographical maps, the Sumter Inert Site is approximately two miles southwest of the Bobby Hanna Property site (renammed Old Sumter Municipal Landfill Site). The attached record of communication (conversation with Marion Feagin, SCDHEC, dated November 21, 1991) to the Bobby Hanna Property File is submitted to the Sumter Inert Site File for information.

SITE NAME: Bobby Hanna Property File EPA ID NUMBER: SCD 987 584 158

RECORD OF COMMUNICATION

Phone C X Discussi Field Tri Conferer Other (S	on ip nce		
то:	Bobby Hanna Property File	FROM:	Harvey S. Daniel Site Screening Section
DATE:	November 21, 1991	TIME:	1:15 PM
SUBJECT:	Conversation with Marion Feagin, l Waste Management, SCDHEC. (80		eau of Solid & Hazardous
SUMMARY	OF COMMUNICATION:		····
on the Bobb	rring to the November 20, 1991 Preling y Hanna property, Ms. Feagin pointed chacts as a confining bed is continuous	out that it is no	t known if the Eocene-age
CONCLUSI	ONS, ACTIONS TAKEN OR REQU	IRED:	
INFORMAT	TION COPIES TO:		

File

Ref. 18

MEMORANDUM

TO:

Sumter Inert Site File

SCD 981 474 729

FROM:

Harvey S. Daniel

Site Screening Section

SUBJECT:

City of Sumter Water System

DATE:

May 18, 1992

The attached record of communication (conversation with Grady Grubs, City of Sumter Water Company, dated November 22, 1991) to the Bobby Hanna Property (renammed Old Sumter Municipal Landfill Site) File is submitted to the Sumter Inert Site File for information.

RECORD OF COMMUNICATION

Dis	one Call scussion eld Trip aference aer (Specify)		
TO:	Bobby Hanna Property File SCD 987 584 158	FROM:	Harvey S. Daniel Site Screening Section
DATE:	November 22, 1991	TIME:	1:15 PM

SUBJECT: Conversation with Grady Grubs, Superintendent, City of

Sumter Water Company. (803)773-3977

SUMMARY OF COMMUNICATION

The City of Sumter is served by seventeen groundwater wells. Mr. Grubs will send a map showing the location of the wells. The water in the system is mixed. No well in the system supplies forty percent or more of the water. The only other public water system that the city serves is the community of Oswego. Mr. Grubs concurred that the system serves approximately 16,343 residential taps as indicated in the SCDHEC's Inventory of Public Water Supply Systems. These include the taps in the Oswego Community.

CONCLUSIONS, ACTION TAKEN OR REQUIRED

INFORMATION COPIES

TO:

Lef- 19

MEMORANDUM

TO:

Sumter Inert Site File

SCD 981 474 729

FROM:

Harvey S. Daniel 7

Site Screening Section

SUBJECT:

Location of City of Sumter Wells

DATE:

May 18, 1992

Based on the geographical coordinates of the Sumter Inert Site (33 degrees, 54 minutes, 15.8 seconds north latitude; and 080 degrees, 21 minutes, 38.6 seconds west longitude) and the geographical coordinates for the City of Sumter wells (see attached record of communication (conversation with Grady Grubbs, City of Sumter Water Company, dated December 20, 1991) to the Bobby Hanna Property (renamed Old Sumter Municipal Landfill Site) File), a City of Sumter map, and USGS topographical maps, the locations of the City of Sumter wells are given below.

Distance From Site (miles)
2.10
1.96
1.98
2.04
2.24
2.01
2.18
2.92
2.78
2.82
2.72
3.04
0.77
0.69
0.66
3.40°
3.40°

^{*}Distance based on City of Sumter map and USGS topographical maps.

RECORD OF COMMUNICATION

Fie Con Oth	cussion ld Trip ference er (Specify)			
TO:	Bobby Hanna Pr File SCD 987 584 15	• •	FROM:	Harvey S. Daniel Site Screening Section
DATE:	December 20,	1991	TIME:	3:20 PM
SUBJECT:	Conversation Sumter Water	with Grady Company. (Grubs, 803)773	Superintendant, City of -3977
SUMMARY O	F COMMUNICATION	N		
the wells Mr. Grubs wells on on W. Wes Hanna Pro	in the City of acknowleged to which sheets work mary Blvd [more perty site].	f Sumter's that he sent ere not sen re than fou	Water S conly f t are l r miles	titudes and longitudes of ystem (see attachments), fifteen sheets. The two ocated at water plant #5 northwest of the Bobby
CONCLUSIO	ONS, ACTION TAK	EN OR REQUI	RED	
INFORMATI	ON COPIES			

S. C. Department of :h and Environmental Control Bureau of Drinking Water Protection 01/01/80

Page 2

Public Water Supply Source / Plant Inventory

() Add W Hodsty () Kenumber () Delete

Keason: 5/5

Todays Date: 07/24/90 System Number: 4310001 Name: SUMTER, CITY OF

GROUNDWATER SOURCE INFORMATION:

Source ID: WELL ONE (SUMTER 1) Description 1: Description 2:

Receiving Plant: WTR TLT#/

Plant ID: G43

Availability Code F Latitude 335608

Production (IGD)

WELL FUMP CHARACTERISTICS:

- Model No.:

Avg. Daily

Manufacturer: Lyyne =-

WELL CHARACTERISTICS: Casing Type Draudoun - 24 Hours (FT from surface) 5.0134.

Regulated Capacity (TGD)

Treatment:

COMMENTS

DEC 19 3991

S. C. Phot. of Hourth & Edvironmental Control-Bor au of Final Hazardous Waste Management.

Signature: Janua Z. Horston

S. C. Department of H_E and Environmental Control Bureau of Drinking Water Protection 01/01/80

Page

Public Water Supply Source / Plant Inventory

() Add () Modify () Kenumber () Delete 25

eason:	خ/ٰ.د

System Number: 4310001 Name: SUMTER, CITY OF	Todays Date: <u>07/24/9つ</u>
GROUNDWATER SOURCE INFORMATION:	
Source ID: 643102 Description 1: WELL THO (Substance # 3) Description 2: Receiving Plant: Where Punkt & Plant ID:	Availability Code
WELL CHARACTERISTICS: Depth (FT)	HELL PUMP CHARACTERISTICS: Manufacturer: $\angle y / V = 0$. Model No.: H.P

COMMENTS

Signature: James L. Horeston

S. C. Department of He. a and Environmental Control Bureau of Orinking Water Protection 01/01/60

Page 4

(j	Add
()	/)	Modify
Ĺ)	Renusber
Ĺ)	Dalete

	nuu	<u> </u>
ı	Modify	
)	Renusber	
)	Dalete	
	- 1	

Public Water Supply Source / Plant Inventory	Reason: 5/5	
System Number: 4310001 Name: SUMTER, CITY OF	Todays Date: 07 129 1 90.	
GROUNDWATER SOURCE INFORMATION:		
Bource ID: G43103 Description 1: WELL THREE (SUMFERBY) Description 2: WATER PLANT #) Receiving Plant: Plant ID:	Availability Code P Latitude 335604 Longitude 0802057 Source Code G	
WELL CHARACTERISTICS: Depth (FT) Type Casing Diameter (IN) Casing Type Yield (GPM) Drawdown - 24 Hours (FT from surface) Static Level (FT from surface) Regulated Capacity (TGD) (Weil yield X 1000 min./day) Output Day 10 11 11 11 11 10 11 11 11 1	WELL PUMP CHARACTERISTICS: Manufacturer: LAYME Model No.: H.P. J.O' Type	

COMMENTS

Signature: Arvo I. Howston

S. C. Department of He and Environmental Control Bureau of Drinking Water Protection 01/01/80

Page 5

Public Water Supply Source / Plant Inventory

() Add (X) Modify () Renumber

() Delete

Reason: 3/5

System Number: 4310001 Name: SUMTER, CITY OF

GROUNDWATER SOURCE INFORMATION:

G43104 Source ID: WELL FOUR (SUNTER IF 5) Availability Code P Description 1: Latitude 335559 WOTER PLANTELL Description 2: Receiving Plant: Plant ID:

WELL CHARACTERISTICS: WELL PUMP CHARACTERISTICS: Manufacturer: LAYIVE Model No.: Drawdown - #4 Hours Avg. Daily (FT from surface) Production (TGD) Static Level Treatment: Regulated Capacity (TGD)

1440.

COMMENTS

(Well yield X 1000 min./day)

Signature: Amus I. Houston

DHEC 2114 (11/88)

5. C. Department of He and Environmental Control Bureau of Drinking Water Protection 01/01/80 Page 6

Public Water Supply Source / Flant Inventory

() Add Modify () Renumber () Delete

Reason: 5/5

System Number: 4310001 Name: SUMTER, CITY OF

Todays Date: 07/29/90

GROUNDWATER SOURCE INFORMATION:

Plant ID:

Source ID: 643105

Description 1: WELL FIVE (SUMTER # 1)

Description 2: WATER PLANT # 7

Receiving Plant:

WELL CHARACTERISTICS:

Depth (FT)

Type

Casing Diameter (IN)

Casing Type

Yield (GPM)

Drawdown - 24 Hour

(FT from surface)

Static Level

(FT from surface)

Regulated Capacity (TGD)

(Well yield X 1000 min./day)

0.00

 WELL PUMP CHARACTERISTICS:

 Manufacturer:

 Model No.:

 H.P.
 0.0

 Type

 Yield (GPM)
 0

 Avg. Daily
 0

 Production (TGD)
 0

Treatment:

COMMENTS Well Current he used

Signature: Amus J. Houston

DHEC 2114 (11/88)

S. C. Department of HE and Environmental Control Bureau of Drinking Water Protection 01/01/80

Page 7

Public Water Supply Source / Plant Inventory

() Add (X-) Modify () Renumber () Delete

Reason: S/s.

System Number: 4310001 Name: SUMTER, CIT! OF Todays Date: 2.7129190

GROUNDWATER SOURCE INFORMATION:

Source ID: 643106

Description 1: HELL SIX (SUMTER F 2)

Description 2: Water Plant # 2

Receiving Plant:

 WELL CHARACTERISTICS:
 Depth (FT)
 620

 Type
 3

 Casing Diameter (IN)
 10

 Casing Type
 5

 Yield (GPM)
 0

 Drawdown - 24 Hour
 (FT from surface)
 0.0

 Static Level
 (FT from surface)
 0.0

 Regulated Capacity (TGD)
 (344.

 (Well yield X 1000 min./day)
 -6.00

Treatment:

CONNENTS

Plant ID:

Signature: Asicus I. Horiston

S. C. Department of H. . . and Environmental Control Bureau of Drinking Water Protection 01/01/80

Page 10

Public Water Supply Source / Flant Inventory

bbA () (Not) () Renu () Delete

		-
. ,		
ify		
••,		
umber		

Reason:	5/5	

System Number: 4310001 Name: SUMTER, CITY OF	Todays Date: 0(127)90
GROUNDWATER SOURCE INFORMATION:	
Source ID: 643109 Description 1: WELL NINE (SUMTIA #2) Description 2: WATER PLANT 3 Receiving Plant: Plant ID:	Availability Code P Latitude 335151 Longitude 0802247 Source Code G
	/
WELL CHARACTERISTICS: Depth (FT) Type 3 Casing Diameter (IN) Casing Type Yield (GPM) Drawdown - A Hours (FT from surface) Static Level (FT from surface) Regulated Capacity (TGD) (Well yield X 1000 min./day) Option CPOP 3 CPOP 3 CPOP 3 7 7 7 7 7 7 7 7 7 7 7 7	WELL PUMP CHARACTERISTICS: Manufacturer: L-Ay-12. Model No.: H.P

The well is out of Service For Repairs

Signature: Dones Y. Horston

S.	С.	Department of He and Environmental	Control
		Bureau of Orinking Water Protection	
		01/01/80	

Page 3

Public Water Supply Source / Plant Inventory

() Add () Hodify () Renumber () Delete

.eason:	5/5	

Todays Date: 07/29/90 System Number: 4310001 Name: SUMTER, CITY OF GROUNDWATER SOURCE INFORMATION: Source 10: G43108 Description 1: WELL EIGHT (SLIMTS & I) Availability Code P Description 2: water Plant # 3 Receiving Plant: Plant ID: Source Code b WELL CHARACTERISTICS: WELL PUMP CHARACTERISTICS: Manufacturer: LATNE Model No.: H.P. 6.T Casing Diameter (IN) Yield (GPM) ~ 1107 Yield (GPM) Drawdown - 24 Hour Avg. Daily Production (TGD) (FT from surface) 0.00 Static Level (FT from surface) Treatment: 1062.72 Regulated Capacity (TGD) (Well yield X 1000 min./day)

COMMENTS

Signature: Janus 2. Houston

DHEC 2114 (11/88)

S. C. Department of Hell is and Environmental Control Bureau of Drinking Water Protection 01/01/80

Page 8

Public Water Supply Source / Flant Inventory

() Add () Hodify () Renumber () Delete

eason:	5/5	
(642011)	- / م	

ystem Number: 4310001 Name: SUMTER, CITY OF	Todays Date: <u>07129190</u>
ROUNDWATER SOURCE INFORMATION:	
Source ID: 643107 Description 1: WELL SEVEN (SUMTER H 3) Description 2: WATER PLANT 2 Receiving Plant: Plant ID:	Availability Code
WELL CHARACTERISTICS: Depth (FT)	WELL PUMP CHARACTERISTICS: Manufacturer: イッケッチ
Type	Hodel No.: "/" H.P. 9.6 / 1 Type "" Yield (GPM) ""
Drawdown - 24 Hour (FT from surface)	Avg. Daily Production (TGD)
(FT from surface)	Treatment:

COMMENTS

Signature: January I. Hornaton

S. C. Department of He. .. and Environmental Control Bureau of Drinking Water Protection 01/01/80

Page 11

Public Water Supply Source / Flant Inventory

Ĺ	j	Add
7	4	Modify
Ĺ)	Renuaber
(ì	Delete

n----- </s

	Reason: <u>ろ/</u> s
System Number: 4310001 Name: SUMTER, CITY OF	Todays Date: <u>07, 24, 90</u>
GROUNDWATER SOURCE INFORMATION:	
Source ID: 643110 Description 1: WELL IEN (SumTer#3) Description 2: WATER PLANET #3 Receiving Plant: Plant ID:	Availability Code
WELL CHARACTERISTICS:	WELL PUMP CHARACTERISTICS:
Depth (FT)	Manufacturer: Layre
Туре	Model No.: H.P
Casing Diameter (IN)	
Casing Type	Type
Yield (6PH)	Avg. Daily
(FT from surface)	Production (TGD)
Static Level	LINGUISTAN (IND.) LITTLE TO THE CONTRACT OF TH
	•
(FT from surface)	Treatment:

COMMENTS

Signature: Arus L. Houston

S. C. Department of Hellin and Environmental Control Bureau of Drinking Water Protection 01/01/80

Page 12

Public Water Supply Source / Plant Inventory

(-	Add
(A	Modify
ţ)	Renuebei
()	Deleta

- 1	9	<i>_</i>
/	之 了	5

Reason:	5/5	
VE 02011+		

System Number: 4310001 Name: SUNTER, CITY OF	Todays Date: 07,29,90
GROUNDWATER SOURCE INFORMATION:	
Source ID: 643111 Description 1: WELL ELEVEN (SUMTER FLY) Description 2: WATER PLANT FF B Receiving Plant: Plant ID:	Availability Code
WELL CHARACTERISTICS:	WELL PUMP CHARACTERISTICS:
Depth (FT) 0	Manufacturer: Layne
Type 3	Model No.:
	11 0 Am 10
Casing Diameter (IN)/Ø	H.P
Casing Diameter (IN)	Tunn
Casing Diameter (IN)/•	H.P
Casing Diameter (IN)	Type T
Casing Diameter (IN)	Type
Casing Diameter (IN)	Yield (ufM)

COMMENTS

Signature: Alma P. Honoton

S. C. Department of Hi and Environmental Control Bureau of Drinking Water Protection 01/01/80

Page 13

Public Water Supply Source / Plant Inventory

() had (≯Modify () Renumber

() Delete Reason: 5/6

System Number: 4310001	Name: SUNTER, CITY OF	Todays Date:	07/2	9190
------------------------	-----------------------	--------------	------	------

GROUNDWATER SOURCE INFORMATION:	
Source ID: 643112 Description 1: WELL IWELVE (SUMTER \$5) Description 2: WATER PLANTS Receiving Plant: Plant ID:	Availability Code
WELL CHARACTERISTICS: Depth (FT) Type Casing Diameter (IN) Casing Type Yield (GPM) Drawdown - 24 Hour (1/2 hours) (FT from surface) W. T. Z. W. Shadd (SPM)	WELL PUMP CHARACTERISTICS: Manufacturer: ZAYNE Model No.: H.P.
Static Level (FT from surface)	Treatment:

COMMENTS

Signature: Drus L. Hondon

DHEC 2114 (11/88)

Public Water Supply Source / Plant Inventory

() Renumber () Delete

() Add

Reason: 3/5

System Number: 4310001 Name: SUMTER, CITY OF Todays Date: 9 16 90

GROUNDWATER SOURCE INFORMATION:

WELL CHARACTERISTICS: WELL PUMP CHARACTERISTICS: Manufacturer: Model No.: H.P. 9.0 / 25 Casing Diameter (IN) サ/と Type 7 Yield (GPM) Yield (GPM) Drawdown - 24 Hour Production (TGD) (FT from surface) 0.00 Static Level (FT from surface) 4.0 17.1 Treatment: 1440 Regulated Capacity (TGD) (Well yield X 1000 min./day)

COMMENTS

Signature: Arres L. Horston

DHEC 2114 (11/88)

S. C. Department of Hea... and Environmental Control Bureau of Drinking Water Protection 01/01/80

Page 14

ι)	Add	
17	X)	Modify	
ι)	kenuaber	
()	Delete	

`	•	201010		
			5/5	
г		_	2/5	

Public Water Supply Source / Plant Inventory	Reason: 5/5
System Number: 4310001 Name: SUMTER, CITY OF	Tudays Date: 07,30,90
GROUNDWATER SOURCE INFORMATION:	
Source ID: G43113 Description 1: WELL THIRTEEN (SUMTER #1) Description 2: WATER PLANT IF Y Receiving Plant: Plant ID:	Availability Code
WELL CHARACTERISTICS:	WELL PUMP CHARACTERISTICS:
Depth (FT)	Manufacturer: Layre
Туре	Model No.:
Casing Diameter (IN)	H.P 4.4
Casing Type	Type Yield (GPM) Avg. Daily Production (TGD) O.00
	Treatment:
(FT from surface) 4.7 51.93	

COMMENTS

Signature: James L. Honoton

s.	C.	Department of Hearen	and Environmental Contro	į
		Bureau of Drinking	Water Protection	
		01/0	1/80	

Page 15

Public Water Supply Source / Plant Inventory

)	Add	
×	Modify	
)	Renuaber	
ì	Delete	

Reason:	5/5

System Number: 4310001 Name: SUNTER, CITY OF	Todays Date: 07,30,90
GROUNDWATER SOURCE INFORMATION:	
Source 10: 10: 10:11 Description 1: WELL FOURTEEN (Sumfere # 2) Description 2: WATER PLANT # 4 Receiving Plant: Plant 10:	Availability Code
WELL CHARACTERISTICS: Depth (FT)	WELL PUMP CHARACTERISTICS: Manufacturer: 60702 Model No.: H.P

COMMENTS

Signature: James I. Honston

SOUTH CARC_NA DL RTMENT OF HEALTH AND ENV JAMES Environmental Quality Control Analytical Services Data Sheet for Solid Waste and Hydrology Date $\frac{(-14-X)}{(-14-X)}$ Collected by $\frac{K_{\mu,\kappa} - \frac{(-3)}{(-14-x)}}{(-14-x)}$ An "X" in the small column indicates test requested ime Collected (Milit.) 1/15 1345 1345 ample Point B-2 13-2 M. Well M. Wed 1 744 ab No. 178 178 Calcium ∃₂-N, mg/l Magnesium $0_3/N0_2-N$, mg/1 Sodium ΚN itrite, N, mg/1 Potassium -P, Arsenic ardness, mg/l Barium 55 1, mg/1Cadmi um 0.0101 30 UNIC Chromi um 0₄ mg/1 0.15 0.10 lashpoint, OF Copper 130 folids, Total, mg/l Iron 20 0.85 910 olids, Tot. Diss, mg/l Lead 0,22 390 olids, % Manganese Mercury 23 Nickel ilkalinity mg/l X 800 Selenium Tuoride, mg/l Silver ⁻0C 310 (2) Zinc henols, µg/l :0D ngle Jyanide, mg/l 4BAS, mg/l Remarks:

Date Received in Regional Laboratory _ bу Date Released from Regional Laboratory by Date Received in Central Laboratory 6-29-8 by Date Released from Spec & A. A. Section \$\frac{9}{31} \leq 1 by Date Released from Metals Section 83181

White - Program; Yellow - Program; Pink - Program; Gold - Lab

DHEC 40-89 (01/81)

žΗ

SOUTH CAROLINA PARTMENT OF HEALTH AND ENVIRONM TAL CONTROL Environmental Quality Control
Analytical Services Data Sheet for Organic Compounds in Solid Waste and Hydrology Samples

Sample Location Cook's Street of Sample Type Ground Water	_	, F. Cour	ıt,	Symter	·
Sample Type Ground Water		Comments Send Z	2	sults to Ground	dH20 Protesion Di
Date $\frac{6/29/81}{}$ Collec	te	d By FALLER/	<u>`</u>	An "X" indicates	n the small column s test requested.
Time Collected (Milit.)		11 15		1345	
Station No.		B-2		Monitoring 1.	
Lab. No.		177		178	
Chlorinated hydrocarbons, µg/l	K	10.05	X	40.05	
Endrin, mg/l					
Lindane, mg/l	Γ				
Methoxychlor, mg/l	T				
Toxaphene, mg/l					
Organophosphates, μg/l					
PCBs, μg/l	-				
Other	+				
	1				
	1		+		
	+		+	R	
Comments	- 				JUE :: 3/138/
				Office (Pt- Of Health & Env. Control
Date Received in Regional Labor	ra	tory		Ву	
Date Released from Regional La	po,	ratory		By	
Date Received in Central Labora	a to	ory 6-24-81	_	By A \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	1 2//-
Date Released from Organic Sec				By are	illiams
EQC/ASD:90 White -	P	rogram;/Pink'- Pr	0	gram; Yellow - L	.ab

Lef. 24

SOIL SURVEY OF

Florence and Sumter Counties, South Carolina





United States Department of Agriculture Soil Conservation Service In cooperation with South Carolina Agricultural Experiment Station

Issued September 1974

Contents

Page			
How this survey was made	1	McColl series	
General soil map	2	Mine pits and dumps	
Nearly level to strongly sloping soils on ridges and the upper		Norfolk series	
part of slopes	2	Norfolk series, moderately deep variant	
I. wagram- i roup-vauciuse association	3	Olanta series	
2. Lakeland-Kershaw association	3	Orangeburg series	
3. Wagram-Rains-Pocalla association	3	Osier series	
4. Wagram-Lakeland-Norfolk association	3	Pantego series	
5. Faceville-Lenoir-Norfolk association	4	Pocalla series	_
6. Orangeburg-Lucy-Greenville association	4	Ponzer series	
7. Norfolk-Orangeburg-Rutlege association Dominantly nearly level soils on the lower part of slopes and on	4	Rains series	
Dominantly nearly level soils on the lower part of slopes and on		Rains series, moderately deep variant	
flats	5	Red Bay series	
8. Cuxville-Norfolk-Lynchburg association	5	Rembert series	_
9. Ponzer-Rutlege association	5	Rimini series	
10. Lynchburg-Goldsboro-Coxville association	6	Rutlege series	_
11. Olanta-Chipley association	ě	Sunsweet series	
12. Leaf-Cahaba-Johns association	ě	Swamp	
Nearly level soils on flood plains	7	Troup series	
13. Chastain-Chewacla association	ź	Varina series	
14. Swamp association	'n	Vaucluse series	
15. Wehadkee-Johnston association	ź	Wagram series	
Descriptions of the soils	7	Wahee series	
Barth series	11	Wehadkee series	
Brogdon series	12	Use and management of soils	
Cahaba series	12	Capability grouping	
Cape Fear series	13	Management by capability units	
Chastain series	13	Soil suitability for crops	
Chewacia series	14	Estimated yields	
Chipley series	15	Woodland	
Congaree series	16	Woodland suitability groups	
Coxville series	16	Woodland productivity	
Duplin series	17	Use of soils for wildlife habitat	
Exum series	18	Casing soils for whome habitat	
Faceville series	18	Engineering uses of the soils Engineering classification systems	
Fuquay series	19	Engineering classification systems	
Goldsboro series	20	Engineering test data	
Goldsboro series, moderately deep variant	20		
Greenville series	21	Engineering interpretations	
Hyde series	22	Town and country planning Formation and classification of the soils	
Irvington series	22		
Johns series		Factors of soil formation	
Inhacton carias	24	Parent material	
Johnston series	25	Climate	
Kalmia seriesKenansville series	25	Living organisms	
Karchow cariac	25	Relief	
Kershaw series	26	Time	
Lakeland series	26	Classification of soils	
Leaf series	27	Additional facts about Florence and Sumter Counties	
Lenoir series	28	Climate	
Lucy series	28	Physiography, drainage, and geology	
Lynchburg series	29	Literature cited	
Lynn Haven series	29	Glossary	
Made land	30	Guide to manning units	••

FLORENCE AND SUMTER COUNTIES, SOUTH CAROL

sandy loam or sandy clay loam. Few to common mottles of higher

chroma generally are present.

Pantego soils are associated with Norfolk, Goldsboro, Duplin, Lynchburg, Coxville, Rains, and Rutlege soils. Pantego soils have a thicker black surface layer and are more poorly drained than Norfolk, Goldsboro. Duplin, Lynchburg, Coxville, and Rains soils. They are finer textured throughout than Rutlege soils.

Pantego loam (Pa).—This is the only Pantego soil mapped in the survey area. It is in slight depressions along drainageways, in oval-shaped bays, and at the head of draws.

Included with this soil in mapping are small areas of Rains, Coxville, and Rutlege soils; small areas of soils that are more than 35 percent clay in the subsoil; areas of soils that have a sandy loam subsoil; and some areas where the surface layer is sandy loam or fine sandy loam. Also included are areas of soils that have a combined surface layer and subsoil 40 to 60 inches thick.

Tilth is fair on this soil. Crops respond well to fertilizer

and lime.

About 80 percent of the soil is wooded, and about 20 percent is drained and is cultivated or in pasture. Principal crops are corn, soybeans, oats, and pasture grasses. Drainage is required for the production of crops. Capability unit IIIw-4; woodland group 1w9.

Pocalla Series

The soils of the Pocalla series are nearly level to gently sloping, deep, and well drained. They formed in loamy Coastal Plain sediment.

In a representative profile the surface layer is dark grayish-brown sand about 7 inches thick. The subsurface layer is light yellowish-brown sand about 20 inches thick. The next layer is strong-brown sandy loam about 14 inches thick. Below this layer is yellow loamy sand about 21 inches thick. The next layer, which extends to a depth of 75 inches, is mottled, yellowish-brown sandy clay loam.

Pocalla soils are low in content of organic matter. Permeability is moderate to moderately rapid. Runoff is slow, and

available water capacity is low to medium.

Representative profile of Pocalla sand, 0 to 4 percent slopes, in city of Sumter, 200 feet east of junction of Laurel and Lafayette Streets, and 50 feet south of Laurel Street:

-0 to 7 inches, dark grayish-brown (10YR 4/2) sand; weak, medium, granular structure; loose; many small roots; medium acid (pH 5.8); abrupt, smooth boundary.

to 27 inches, light yellowish-brown (10YR 6/4) sand; weak, medium, granular structure; loose; many small roots; medium acid (pH 5.6); clear, smooth boundary.

B2t-27 to 41 inches, strong-brown (7.5YR 5/8) sandy loam; weak, medium, subangular blocky structure; very friable; many small roots; sand grains bridged with clay; strongly acid (pH 5.2); gradual, wavy boundary.

A'2—41 to 62 inches, yellow (10YR 7/6) loamy sand; single grained;

loose; many streaks and pockets of clean light-gray (10YR 7/1) sand grains; strongly acid (pH 5.4); clear, wavy boundary.

B't—62 to 75 inches, yellowish-brown (10YR 5/8) sandy clay loam; few, fine and medium, distinct, strong-brown (7.5YR 5/8), yellowish-red (5YR 4/8), and red (2.5Y 4/8) mottles; weak, medium, subangular blocky structure; friable; very strongly acid (pH 4.9).

The solum is more than 70 inches thick.

The A horizon ranges from 21 to 36 inches in thickness. Reaction is medium acid to strongly acid. The Ap or A1 horizon commonly is dark grayish brown or grayish brown. The A2 horizon is pale-brown, light yellowish-brown or very pale brown sand or loamy sand 13 to 29 inches thick. Reaction in the B horizon is strongly acid to very strongly acid. The B2t horizon is yellowish-brown or strong-brown sandy loam or sandy clay loam 8 to 15 inches thick. In places there is a B3 horizon that is commonly yellowish-brown or strong-brown sandy loam or loamy sand 6 to 12 inches thick. The A'2 horizon is at a depth of 35 to 50 inches. This horizon commonly is 13 to 24 inches thick but ranges from 8 to 30 inches. It is very pale brown, pale-brown, brownish-yellow, or reddish-yellow sand or loamy sand. The B't horizon is sandy clay loam or sandy loam that commonly has mottles of brown, yellow, red, and gray, but in places it is dominantly yellowish brown. This horizon extends to a depth of more than 72 inches. A few plinthite nodules are in this horizon in places, but they make up less than 5 percent of any subhorizon less than 60 inches from the surface.

Pocalla soils are associated with Norfolk, Brogdon, Wagram.

Troup, Lakeland, and Goldsboro soils. They have thicker surface and subsurface layers than Norfolk, Brogdon, and Goldsboro soils, and they have A'2 horizons that are lacking in Wagram and Troup soils. Pocalla soils have Bt horizons; Lakeland soils do not.

Pocalla sand, 0 to 4 percent slopes (PIB).—This is the only Pocalla soil mapped in the survey area. Included in mapping are small areas of Brogdon, Wagram, and Troup soils; a few small areas of moderately well drained soils that are bisequel; and a few areas, less than 4 acres in size, of poorly drained soils, which are shown on the map by wet spot symbols. Also included are a few small areas of soils that are 5 to 15 percent plinthite at depths between 50 and 60 inches.

This soil is easy to till soon after rainfall. Crops respond

well to fertilizer and limes.

About 70 percent of the acreage is in row crops or pasture. The rest is wooded. Principal crops are watermelons, sweet potatoes, Coastal bermudagrass, bahiagrass, and sericea lespedeza. Soil blowing is a hazard on some of the larger fields. Capability unit IIs-1; woodland group 3s2.

Ponzer Series

The soils of the Ponzer series are organic, and they are nearly level and very poorly drained. They formed in fresh water in woody material.

In a representative profile the surface layer is very dark brown organic material about 22 inches thick. The underlying material, to a depth of 72 inches, consists of layers of loamy sand or clay loam and alternating layers of sand.

Ponzer soils are very high in content of organic matter. Permeability is slow; it is restricted by a high water table. Runoff is very slow, and ponding occurs throughout the year. Available water capacity is medium.

Representative profile of Ponzer soils in Sumter County, about 2 miles northeast of Turbeville, 1 1/2 miles northwest

of the southern lip in about the center of Dial Bay:

Oa1-0 to 22 inches, very dark brown (10YR 2/2) sapric material; less than 5 percent fiber; massive; friable; many fine and medium roots and pores; very strongly acid (pH 4.5); clear, wavy boundary

IIC1-22 to 29 inches, pale-brown (10YR 6/3) loamy sand; weak, fine. subangular blocky structure; friable; common fine roots and

pores; very strongly acid (pH 4.8); clear, smooth boundary. IIC2—29 to 35 inches, very pale brown (10YR 7/3) sand that has pockets of clean white sand; single grained; loose; few fine roots; strongly acid (pH 5.1); abrupt, wavy boundary.

IIIC3—35 to 43 inches, black (10YR 2/1) clay loam; massive; firm;

many fine and medium partly decomposed roots; few fine pores; very strongly acid (pH 4.6); abrupt, wavy boundary.

43 to 49 inches, grayish-brown (10YR 5/2) sand; single grained; loose; few partly decomposed roots; very strongly acid (pH 4.9); abrupt, wavy boundary.

49 to 53 inches, black (10YR 2/1) clay loam; massive; firm;

many fine and medium partly decomposed roots; very strongly acid (pH 4.6); abrupt, wavy boundary

VIC6—53 to 63 inches, light-gray (10YR 7/2) sand; single grained; loose; very strongly acid (pH 4.9); abrupt, wavy boundary.
VIIC7—63 to 72 inches, black (10YR 2/1) clay loam; massive; firm;

many fine and medium partly decomposed roots; strongly acid

Reaction is strongly acid to extremely acid throughout the profile. The organic layer is 16 to about 30 inches thick. Fiber content is less

Ref. 25

MEMORANDUM

TO:

Sumter Inert Site File

SCD 981 474 729

FROM:

Harvey S. Daniet

Site Screening Section

SUBJECT:

Surface Water Pathway Characteristics

DATE:

May 19, 1992

According to USGS topographical maps, the Sumter Inert Site is situated in the Green Swamp. At the point where the site is situated in the swamp, the Pocataligo River flows through the swamp. Also, the site is located approximately two miles southwest of the Bobby Hanna Property site (renammed Old Sumter Municipal Landfill Site). The attached record of communication (conversation with Chris Sample, South Carolina Wildlife & Marine Resources Department, dated December 30, 1991) to the Bobby Hanna Property File is submitted to the Sumter Inert Site File for information.

RECORD OF COMMUNICATION

Dis	ne Call cussion ld Trip ference er (Specify)		
TO:	Bobby Hanna Property File SCD 987 584 158	FROM:	Harvey S. Daniel Site Screening Section
DATE:	December 30, 1991	TIME:	4:10 PM
SUBJECT:	Conversation with Chri	s Sampl	e, District VII, South

SUMMARY OF COMMUNICATION

(803)661-4766

Fishing has not been documented in Turkey Creek within fifteen miles downstream of the Bobby Hanna Property site. There is fishing in the Pocotaligo River within fifteen miles downstream of the site. Mr. Sample categorizes Turkey Creek as having an average annual flow less than 10 cubic feet per second. He categorizes that portion of the Pocotaligo River within fifteen miles downstream of the site as having an average annual flow between 10 and 100 cubic feet per second.

Carolina Wildlife & Marine Resources Department.

CONCLUSIONS, ACTION TAKEN OR REQUIRED

INFORMATION COPIES

TO:

Ref. 26

South Carolina STATE WATER ASSESSMENT

Report No. 140

H.Stephen Snyder Project Manager

Steven J. de Kozlowski Assistant Project Manager and Project Biologist

> Joseph A. Harrigan Project Engineer

H. Thomas Shaw Project Cartographer

Freddie L. Collins Civil Engineer Associate Teresa W. Greaney Project Geologist

Mable K. Haralson Public Information Director

George E. Siple Consulting Hydrogeologist

Debra L. Miller Engineering Technician

South Carolina Water Resources Commission 3830 Forest Drive, P.O. Box 4440 Columbia, South Carolina 29240 September 1983

Table of Contents

	Page
Preface	iii
County/Sub-basin Cross-Reference	vii
List of Figures	x
List of Tables	xviii
List of Supplemental Information Boxes	xxv
Summary	1
Acknowledgements	4
Introduction	5
South Carolina In Perspective	7
Socio-Economic Environment	7
Population	7
Economy	8
Land Use	9
Physical Environment	10
Climate	10
Natural Resources	12
Physiography and Geology	18
South Carolina Water Law	27
Surface Water	27
Diffused Waters	30
Ground Water	31
Navigable Waters	32
Ownership of Submerged Lands	33
Public Access	34
Statutory and Administrative Mechanisms Affecting Water	34
State	34
Federal	38
Problems and Needs Related to Water Law	40
Insecurity of Riparian Rights	40
Limitations on Water Use	40
Protection of the Resource for Public Interests	
Adequate Drought Management	41
Previous Water Law Reviews and Findings	
Footnotes	
South Carolina's Water Resources	
Water Cycle	
Precipitation	
Evapotranspiration	
Ground-Water Infiltration	
Surface Runoff	
Surface-Water Resources	
River Systems	
Monitoring Program	51 52

State Surface-water Hydrology Overview	39
Surface Water Quality	59
Ground-Water Resources	66
Principles of Ground-Water Occurrence	66
Ground-Water Programs and Data Base	67
Statewide Ground-Water Overview	70
Water Use	75
Water Use Methodolgy	77
Statewide Water Use Overview	78
Water Use Versus Availability	84
Surface-Water Methodology	84
Ground-Water Methodology	85
Glound-water Methodology	65
Sub-basin Analyses: Pee Dee River Basin	87
Pee Dee River Sub-basin	89
Lynches River Sub-basin	105
Little Pee Dee River Sub-basin	117
Black River Sub-basin	131
Waccamaw River Sub-basin	145
Sub-basin Analyses: Santee River Basin	161
Broad River Sub-basin	163
Saluda River Sub-basin	178
Catawba-Wateree River Sub-basin	195
Congaree River Sub-basin	211
Lower Santee River Sub-basin	223
Sub-basin Analyses: ACE River Basin	237
Ashley-Cooper River Sub-basin	239
Edisto River Sub-basin	253
Combahee-Coosawhatchie River Sub-basin	269
Sub-basin Analyses: Savannah River Basin	283
Upper Savannah River Sub-basin	285
Lower Savannah River Sub-basin	301
0 1170 1	217
Special Topics	317
Hydroelectric Power in South Carolina	317
Navigation in South Carolina	323
Instream Flow Needs	325
Sedimentation In Surface Waters	327
Nuisance Aquatic Plants	329
Coastal Concerns	333
Water Recreation	337
Scenic Rivers	342
Unique Wetland Areas	344
Water Conservation	346
Flooding	349
S	252
Selected References	353
Annandiy	363




Figure 57.
Location, type, and supply source of water users in the Black River Sub-basin, South Carolina.

Date: 07/02/92



S.C. DEPARTMENT OF HEALTH & ENVIRONMENTAL CONTROL BUREAU OF SOLID & HAZARDOUS WASTE

SITE BEING EVALUATED SUMTER INERT SITE, 335415.8 LATITUDE 802138.6 LONGITUDE

THE ENDANGERED SPECIES FOUND WITHIN 4 MILES

THIS REPORT IS BASED UPON DATA PROVIDED BY THE S.C. HERITAGE TRUST FOUNDATION (01/92).

COMMON NAME SCIENTIFIC NAME	STATUS	LONGITUDE LATITUDE	DISTANCE FROM SITE	GRANK SRANK	DATE ADDED	TOPO MAP / COUNTY WHERE THE SPECIES IS LOCATED
MENTED MEADOWBEAUTY	CU	80-24-37	3.43 Miles WNW	G2	01/01/83	SUMTER
EXIA ARISTOSA		33-55-55		S2		Sumter
RED-COCKADED WOODPECKER	FE	80-17-42	3.83 Miles ENE	G2	02/01/80	SUMTER
PICOIDES BOREALIS		33-54-47		S2		Sumter
	UN	80-24-37	3.43 Miles WNW	G3	07/01/76	SUMTER
DEPRESSION MEADOW		33-55-55		S2		Sumter
BOYKIN'S LOBELIA	UN	80-24-37	3.43 Miles WNW	G2	05/01/77	SUMTER
LOBELIA BOYKINII		33-55-55		S?		Sumter

GRANK/SRANK - Nature Conservancy rating:

- G1 Critically imperiled globally because of extreme rarity or because of some factor(s) making it especially vulnerable to extinction.
 - Imperiled globally because of rarity or factor(s) making it vulnerable.
- G3 Either very rare throughout its range or found locally in a restricted range, or having factors making it vulnerable.
- G4 Apparently secure globally, though it may be rare in parts of its range.
- G5 Demonstrably secure globally, though it may be rare in parts of its range.
- S1 Critically imperiled state-wide because of extreme rarity or because of some factor(s) making it especially vulnerable to extirpation.
- S2 Imperiled state-wide because of rarity or factor(s) making it vulnerable.
- S3 Rare or uncommon in state.
- S4 Apparently secure in state.
- S5 Demonstrably secure in state.

STATUS - Legal status:

- FE Federal Endangered
- FT Federal Threatened
- NC Of Concern, National (plants)
- RC Of Concern, Regional (plants)
- SE State Endangered (animals)
- ST State Threatened (animals)
- SC Of Concern, State (animals)
- SL Of Concern, State (plants)
- SX State Extirpated
- CU Candidate (Federal review)
- UN Undetermined



Commissioner: Michael D. Jarrett

Board: William E. Applegate, III, Chairman

John H. Burriss, Vice Chairman Richard E. Jabbour, DDS, Secretary

Promoting Health, Protecting the Environment

Toney Graham, Jr., MD Sandra J. Molander John B. Pate, MD Robert J. Stripling, Jr.

MEMORANDUM

FROM:

Harvey S. Daniel

Site Screening Section

TO:

Sumter Inert Site File

SCD 981 474 729

RE:

Four Mile Site Radius Population

DATE:

July 2, 1992

The attached documents are submitted to the Sumter Inert Site file for information.

attachments:

From: Craig Dukes (DUKES_CR)

To: COLE ROB, CRESS JO, DANIE HA, GEORG JO, MCINN_JO,...

Date: Wednesday, April 1, 1992 4:40 pm

Subject: Site Census Data

Patrick Horton In EQC administration now has the 1990 census tract data on his GIS computer system. This gives him the capability to generate total population counts by distance rings around our sites. THIS WILL BE EXTREMELLY USEFUL FOR THE HRS AIR PATWAY. The data should very accurate, especially beyond the 1/2 mile radius. Accuracy will increase the closer you are to a city or town because the census tract areas are smaller (down to a city block) and may be accurate enough for SOIL EXPOSURE PATHWAY in metropolitan areas.

All he needs is a Topographic Map with the site pinpointed. For Large sites, sketch in the site outline and the data will be adjusted accordingly. He will can generate a report that can be attached as reference material to our reports.

For the sake of Consistency, this should probably be done on all sites. Patrick can have the info ready in a few hours.

Currently, he is located in the ADMIN office area, but will be moving to the 2nd floor. I'll let everyone know where he ends up so you can take the maps down.

From: Patrick Horton (PLHORTON)


To: SH_WASTE:DANIE_HA

Date: Friday, June 26, 1992 4:58 pm

Subject: Sumter Inert Site

Radii	Est. Population
3 - 4	12,053
2 - 3	19,060
1 - 2	14,253
.50 - 1	5,100
.2550	725
025	114
TOTAL	51.305

Sumter Inert Site Sumter County, S.C.



Estimated Pop.

$$0 - .25 \text{ miles} = 114$$

$$.25 - .50 \text{ miles} = 725$$

$$.50 - 1 \text{ mile} = 5100$$

$$1 - 2$$
 miles = 14253

$$2 - 3 \text{ miles} = 19060$$

$$3 - 4 \text{ miles} = 12053$$

$$total = 51305$$